



WISCONSIN
DEPARTMENT OF
AGRICULTURE,
TRADE AND
CONSUMER
PROTECTION

OFFICE LOCATION

2811 Agriculture Drive
Madison, WI 53708-8911

1-800-422-7128
608-224-4960

News

April 2021 Edition

Dear Wisconsin Children's Safety Advocates:

In March 2021, the U.S. Consumer Product Safety Commission issued a total of **7 recalls relating to products affecting children**. Attached is a summary of the releases identifying the product, the problem, and what should be done with the recalled product.

We have found that not all of the recalls are picked up by the news media as they occur. This monthly summary will give you the opportunity to review all of the children's product safety recalls for the past month. If you are interested in a complete text of the recall, click on the hyperlink at the end of the recall description. This will direct you to the recall notice located on the CPSC website.

- Haro Bicycles Recalls Masi Evoluzione and Gran Corsa Bicycles Due to Fall Hazard and Risk of Injury ([21-090](#))
- Casa Kids Recalls for Repair of Cabina Bunk Beds Due to Fall Hazard ([21-725](#))
- Hillsdale Furniture Recalls Jennings Counter and Bar Stools Due to Fall Hazard ([21-093](#))
- Global Home Imports Recalls Platform Bed Frames Due to Serious Injury Hazard ([21-096](#))
- HOFISH Recalls Mattresses Due to Violation of Federal Flammability Standard ([21-097](#))
- Parker Squared Recalls Shepherd Boy Plush Toys with Wire Shepherd's Staff Due to Laceration Hazard ([21-728](#))
- Genentech Recalls Prescription Drug Evrysdi Due to Failure to Meet Child Resistant Packaging Requirements ([21-729](#))

If you would like to sign up for the Keep Your Kids Safe newsletter, please subscribe at
https://public.govdelivery.com/accounts/WIDATCP/subscriber/new?topic_id=WIDATCP_161

or contact Heidi Barth at (608) 224-5179 or heidi.barth@wisconsin.gov.

If you have any questions or want to file a complaint regarding an unsafe product, contact:


Wisconsin Department of Agriculture, Trade and Consumer Protection
Bureau of Consumer Protection
2811 Agriculture Drive
Madison, WI 53708
(800) 422-7128 (toll free in Wisconsin)

KEEP YOUR KIDS SAFE

Release Number: (#21-090) Haro Bicycles, of Vista, Calif., is announcing the voluntary recall of about 510 model year 2017-2020 Masi Evoluzione and Gran Corsa bicycles. This recall involves the following bicycles: 2017 Masi Evoluzione Dura Ace (gloss UD carbon/blue/red), 2017 Masi Evoluzione Ultegra (gloss white/blue/red), 2017 Masi Evoluzione Ultegra Di2 (gloss black/charcoal/white), 2017 Masi Evoluzione 105 (gloss black/blue), 2017 Masi Gran Corsa (gloss black/blue/red), 2018 Masi Evoluzione Dura Ace (gloss TeXtreme carbon/solar chrome), 2018 Masi Evoluzione Ultegra (gloss grey/red-orange (Roarange)), 2018 Masi Evoluzione Ultegra Di2 (gloss TeXtreme carbon/cyan), 2018 Masi Evoluzione 105 (gloss Limpet blue/black), 2018 Masi Gran Corsa (brushed alloy/black), 2019 Masi Evoluzione Dura Ace Disc (chrome/black), 2019 Masi Evoluzione Ultegra Disc (teal/fluorescent fade/carbon), 2019 Masi Evoluzione 105 Disc (satin black/gloss red), 2019 Masi Gran Corsa SL (brushed alloy/black), 2020 Masi Evoluzione Ultegra Disc (Antracite/copper), 2020 Masi Evoluzione 105 Disc (matte TeXtreme/gloss black), and 2020 Masi Gran Corsa SL (brushed alloy/black). The bicycles have carbon frames with carbon fiber forks and carbon steer tubes. The Masi logo is on the frame and forks. The model name is printed on the frame, on the front portion of the top tube.

Problem: The bicycle's fork steerer tube can break, causing the rider to lose control, fall and suffer injuries.

What to do: Consumers should immediately stop using the recalled bicycles and contact their local Haro Bicycles dealer for a free inspection, and repair or replacement of the fork and compression plug. Consumers can contact Haro Bicycles at 800-289-4276 from 8 a.m. to 5 p.m. PT Monday through Friday, email at info@masibikes.com or online at www.harobikes.com and click Helpful Links then Recall for more information.



[Haro Bicycles Recalls Masi Evoluzione and Gran Corsa Bicycles Due to Fall Hazard and Risk of Injury | CPSC.gov](#)

Release Number: (#21-725) Casa Collection Design Group Inc., of Brooklyn, N.Y., is announcing the voluntary recall of about 195 Cabina bunk beds. This recall involves Casa Kids Cabina Bunk Beds manufactured in February 2018, June 2018, May 2019, and December 2019. A label on the lower part of the bottom bunk bed's headboard panel contains the date of manufacture, in a MONTH.YEAR format, e.g., MAY.2019. They are made from Baltic birch plywood, in a combination of natural finish and white painted surfaces.

Problem: The screws that hold the bed's mattress foundation to the bed's guardrails can be loose and the mattress foundation can fall, posing a fall risk to children in the bunk bed.

What to do: Consumers should immediately stop using their recalled Cabina Bunk Beds until they have inspected their beds to determine whether the screws that hold the bed's foundation to the guardrails are tightly in place. Casa Kids is contacting all purchasers directly with detailed instructions on how to inspect and repair their bunk beds. Casa Kids will immediately send a new set of screws to any consumers who alert Casa Kids that their bed's guardrails are not tightly in place. Consumers can contact Casa Kids collect at 718-694-0272 from 9 a.m. to 5 p.m. ET Monday through Friday, email at casa@casakids.com, or online at www.casakids.com/pages/productrecall for instructions on how to inspect and repair the bunk bed, or at www.casakids.com and click on "Product Recall," located in the page's footer in the "Additional Information" column for more information.



[Casa Kids Recalls for Repair Cabina Bunk Beds Due to Fall Hazard \(Recall Alert\) | CPSC.gov](#)

Release Number: (#21-093) Hillsdale Furniture LLC, of Louisville, Ky., is announcing the voluntary recall of about 10,570 Hillsdale furniture Jennings counter and bar stools. This recall involves Hillsdale Furniture's Jennings counter and bar stools with date codes between 08/2020 and 01/06/2021. The date code is on the bottom of the seat. The recalled counter and bar stools have a tan wooden seat, a wooden back and a metal base and were sold in counter and bar heights.

Problem: The stool seat can break off the base, posing a fall hazard.

What to do: Consumers should immediately stop using the recalled Jennings counter and bar stools and contact Hillsdale Furniture for a free repair kit. Consumers can contact Hillsdale Furniture at 800-832-1777 from 9 a.m. to 5 p.m. ET Monday through Friday, email at recall@hillsdalefurniture.com, or online <https://hillsdalefurniture.com> and click on "Product Recalls" located at the bottom of the page for more information.



[Hillsdale Furniture Recalls Jennings Counter and Bar Stools Due to Fall Hazard | CPSC.gov](#)

Release Number: (#21-096) Global Home Imports Inc., of Phoenix, Ariz., is announcing the voluntary recall of about 82,000 HR platform frames. This recall involves HR Platform bed frames sold under the Bed Tech brand with model numbers HR33, HR33XL, HR46, HR50, HR60, HR66. The models consist of sizes Twin, Twin xl, Full, Queen, King, Cal King. The steel frames are black and have blue plastic clips. Each product has a 14-digit serial number that begins with HR on an outside leg. The model number is printed on the outside leg with the serial number.

Problem: The HR platform frame can collapse, posing a crush hazard that can result in severe injury or death.

What to do: Consumers should immediately stop using the recalled HR Platform Frames and contact Global Home Imports to receive a free repair kit with metal clips to strengthen the frame. Global Home Imports will ship a kit directly to consumers free of charge. Consumers can contact Global Home Imports toll-free at 888-550-4371 from 8 a.m. to 4 p.m. MT Monday through Friday, email at recall@bedtech.com or online at www.bedtech.com and click on HR Recall for more information or www.bedtech.com/hr-platform-recall.



[Global Home Imports Recalls Platform Bed Frames Due to Serious Injury Hazard | CPSC.gov](#)

Release Number: (#21-097) HOFISH Inc., of Diamond Bar, Calif., is announcing the voluntary recall of about 700 HOFISH 10-inch Hybrid Certi-PUR certified foam and pocket spring mattresses. This recall involves HOFISH 10-Inch Hybrid Certi-PUR Certified Foam and Pocket Spring Mattresses sold in twin, twin XL, full, queen, and king sizes. They are 10-inch, single-sided mattresses with white knit ticking, a blue striped wave design and diamond-shaped quilting on the top surface. The side panels have gray knit ticking. The tape edges are white with white stitching. The bottom panel has gray non-woven ticking. The mattresses have a white tag located on the underside of the head panel of the mattress with “Made For HOFISH Inc.” printed on one side and “Prototype ID: HF19HY” printed on the other side. Only mattresses with the Prototype ID HF19HY on the product’s labeling are included in this recall. The mattresses were sold compressed in a box.

Problem: The mattresses fail to meet the mandatory federal flammability standard for mattresses, posing a fire hazard.

What to do: Consumers should immediately stop using the recalled mattresses and contact HOFISH to receive a free fitted cover to put on the mattress to bring it into compliance with the federal standard. Consumers can contact HOFISH toll-free at 888-731-2419 from 9 a.m. to 5 p.m. MT, Monday through Friday by email at frank@hofish.net or online at www.hofish.net and click on the “Mattress Recall” tab for more information.



[HOFISH Recalls Mattresses Due to Violation of Federal Flammability Standard; Sold Exclusively on Amazon.com | CPSC.gov](#)

Release Number: (#21-728) Parker Squared Inc., of Dallas, Texas, is announcing the voluntary recall of about 3,000 Shepherd boy plush toys with wire staff. This recall involves the Shepherd Boy plush toy that holds a shepherd’s staff. The toy measures 12 inches tall. The staff is wrapped in fabric. The shepherd boy toy is clothed in white with a red vest, a green sash and has sandals, a sewn on face and orange yarn hair.

Problem: The metal wire in the shepherd’s staff can become exposed, posing a laceration hazard.

What to do: Consumers should immediately discard the toy’s wire staff and contact The Shepherd’s Treasure for a full refund of the value of the Shepherd Boy Plush Toy in the form of a gift certificate. Consumers can continue to use the plush toy without the shepherd’s staff. The Shepherd’s Treasure is contacting all purchasers directly. Consumers can contact The Shepherd’s Treasure toll-free at 844-310-2229 from 9 a.m. to 5 p.m. CT Monday through Friday, by email at recall@theshepherdstreasure.com, or online at TheShepherdsTreasure.com and click on “Recall” for more information.



[Parker Squared Recalls Shepherd Boy Plush Toys with Wire Shepherd’s Staff Due to Laceration Hazard \(Recall Alert\) | CPSC.gov](#)

Release Number: (#21-729) Genentech, a member of the Roche Group, of South San Francisco, Calif., is announcing the voluntary recall of about 14,000 of the prescription drug Evrysdi™ (risdiplam). This recall involves bottles of the prescription drug Evrysdi, a prescription medicine used to treat spinal muscular atrophy (SMA) in adults and children 2 months of age and older. The recalled 100 mL amber bottles have “Evrysdi (risdiplam) for oral solution,” the dosage and “NDC 20242-175-07” on the front of the bottle labels.

Problem: The bottles containing the prescription drug can leak due to a fit issue between the press-in bottle adapter and bottleneck. If the bottle is leaking, there is a risk of drug exposure by contact with skin or eyes. Prescription drugs must be in child resistant packaging that prevents children from gaining access to the contents as required by the Poison Prevention Packaging Act (PPPA).

What to do: Consumers should immediately store Evrysdi in a safe location out of reach and sight of children. Consumers should inspect the bottle for any leaking. If it is leaking, contact Genentech for a free replacement. Consumers can continue to use as directed, as the leakage is not anticipated to impact the safety or efficacy of administered medicine. If Evrysdi gets on your skin, wash the area with soap and water. If Evrysdi gets in your eyes, rinse your eyes with water. Genentech is contacting all known purchasers directly. Consumers can contact Genentech at 800-334-0290 from 8 a.m. to 8 p.m. ET Monday through Friday or online at www.Evrysdi.com and click on the “leaking bottles safety information” banner on the homepage for more information.



[Genentech Recalls Prescription Drug Evrysdi Due to Failure to Meet Child Resistant Packaging Requirements; Risk of Drug Exposure through Eye or Skin Absorption \(Recall Alert\) | CPSC.gov](#)