



WISCONSIN
DEPARTMENT OF
AGRICULTURE,
TRADE AND
CONSUMER
PROTECTION

OFFICE LOCATION

2811 Agriculture Drive
Madison, WI 53708-8911

1-800-422-7128
608-224-4960

Dear Wisconsin Children's Safety Advocates:

In April 2021, the U.S. Consumer Product Safety Commission issued a total of **16 recalls relating to products affecting children**. Attached is a summary of the releases identifying the product, the problem, and what should be done with the recalled product.

We have found that not all of the recalls are picked up by the news media as they occur. This monthly summary will give you the opportunity to review all of the children's product safety recalls for the past month. If you are interested in a complete text of the recall, click on the hyperlink at the end of the recall description. This will direct you to the recall notice located on the CPSC website.

- TJX Recalls Infant Sleep Bags Due to Suffocation Risk ([21-123](#))
- Kolcraft Reannounces Recall of Inclined Sleeper Accessory and Urges Consumers to Act Now to Prevent Risk of Suffocation ([21-125](#))
- TJX Recalls Outdoor Wooden Folding Chairs Due to Fall and Injury Hazards ([21-127](#))
- Peloton Recalls Tread+Treadmills After One Child Died and More than 70 Incidents Reported ([21-128](#))
- Peloton Recalls Tread Treadmills Due to Risk of Injury ([21-129](#))
- Kidde Recalls TruSense Smoke and Combination Smoke/Carbon Monoxide Alarms Due to Risk of Failure to Alert Consumers to a Fire ([21-130](#))
- K & M International Recalls Slap Watches Due to Coin Cell Battery Ingestion and Choking Hazards ([21-134](#))
- Alliance Chemical Recalls Sodium Hydroxide Products Due to Failure to Meet Child Resistant Packaging Requirement and Violation of FHSA Labeling ([21-743](#))
- The Lye Guy Recalls Sodium and Potassium Hydroxide Products Due to Failure to Meet Child Resistant Packaging Requirement and Violation of FHSA Labeling ([21-745](#))
- Leisure Time Products Recalls Brutus Swing Sets Due to Injury Hazard ([21-747](#))
- IKEA Recalls Bowls, Plates, and Mugs Due to Burn Hazard ([21-136](#))
- Pro Supply Outlet Recalls Sodium and Potassium Hydroxide Products Due to Failure to Meet Child-Resistant Packaging Requirement and Violation of FHSA Labeling Requirement ([21-749](#))
- Ergobaby Recalls METROUS Strollers due to choking Hazard ([21-139](#))
- JCPenny Recalls Girls Puffer Jackets Due to Entanglement Hazard ([21-140](#))
- Trek Recalls Bontrager Satellite City Bicycle Pedals Due to Fall and Injury Hazards ([21-142](#))
- Williams Advanced Materials & Chemicals Recalls Three Chemical Products Due to Failure to Meet Child-Resistant Packaging Requirement and Violation of FHSA Labeling Requirement ([21-750](#))

If you would like to sign up for the Keep Your Kids Safe newsletter, please
subscribe at

https://public.govdelivery.com/accounts/WIDATCP/subscriber/new?topic_id=WIDATCP_161

or contact Heidi Barth at (608) 224-5179 or heidi.barth@wisconsin.gov.

If you have any questions or want to file a complaint regarding an unsafe
product, contact:

Wisconsin Department of Agriculture, Trade and Consumer Protection
Bureau of Consumer Protection
2811 Agriculture Drive
Madison, WI 53708
(800) 422-7128 (toll free in Wisconsin)

KEEP YOUR KIDS SAFE

Release Number: (#21-123) The TJX Companies Inc., of Framingham, Mass., is announcing the voluntary recall of about 3,600 infant sleep bags. This recall involves infant sleep bags, in size 0-6 months, that were sold under the brand names Dylan & Abby, First Wish, First Wish Organic, Harry & Me, Little Red Caboose, Piper & Posie, Sam & Jo, Sam & Jo Organic, Shabby Chic and Willow Blossom. The brand name and size are printed on two separate labels at the back of the neck. The style number is printed on a separate label located on the inside side seam behind the care label. The sleep bags zip up the middle or to the side of the front, and were sold in a variety of colors and designs, including animals, dinosaur bones, splatter paint, circus designs, construction, cars, florals, clouds, robots, stars, dinosaurs, monsters and firetrucks. A complete list of style numbers can be found online.

Problem: The size of the neck opening is too large for infants 0 to 6 months, which can allow an infant's head to slip into and be covered by the sleep bag, posing a risk of suffocation.

What to do: Consumers should immediately stop using the recalled infant sleep bags and contact TJX for instructions on how to participate in the recall and receive their choice of either a full refund or a store gift card. Consumers can contact TJX at ecommercecustomerservice@tjx.com or toll-free at 833-888-0776 from 9 a.m. to 6 p.m. ET Monday through Friday or online at www.tjmaxx.com, www.marshalls.com or www.sierra.com, and click on "Contact Us" at the bottom of the page.



[TJX Recalls Infant Sleep Bags Due to Suffocation Risk; Sold at T.J. Maxx, Marshalls and Sierra | CPSC.gov](#)

Release Number: (#21-125) Kolcraft Enterprises Inc., of Chicago, Ill., is announcing the voluntary recall of about 51,000 inclined sleeper accessory included with Kolcraft Cuddle 'n Care 2-in-1 bassinet & incline sleeps and preferred position 2-in-1 bassinet & incline sleepers. This recall involves the inclined sleeper accessory sold with the Kolcraft Cuddle 'n Care 2-in-1 Bassinet & Incline Sleeper (model number starting with KB063) and the Kolcraft Preferred Position 2-in-1 Bassinet & Incline Sleeper (model number starting with KB061). Model numbers are located on the metal bar between the bassinets' legs. The inclined sleeper is the only portion of the product that is being recalled.

Problem: Infant fatalities have been reported with other manufacturers' inclined sleep products, after the infants rolled from their back to their stomach or side, or under other circumstances.

What to do: Consumers should immediately stop using the recalled inclined sleeper accessory and contact Kolcraft for a \$35 voucher to be used on www.Kolcraft.com or a \$20 refund. The voucher can be used until February 20, 2022. Kolcraft is contacting all registered owners and known purchasers directly via a postcard by mail. Consumers can continue to use the bassinet without the inclined sleeper accessory. Consumers can contact Kolcraft at 800-453-7673 Monday through Thursday from 8 a.m. to 4:30 p.m. and Friday from 8 a.m. to 3:30 p.m. CT, email customerservice@kolcraft.com, or online at www.kolcraft.com and click on "Incline Sleeper Recall" or "Safety Notifications" for more information.



[Kolcraft Reannounces Recall of Inclined Sleeper Accessory and Urges Consumers to Act Now to Prevent Risk of Suffocation | CPSC.gov](#)

Release Number: (#21-127) The TJX Companies Inc., Framingham, Mass., is announcing the voluntary recall of about 92,000 outdoor wooden folding chairs. This recall involves outdoor wooden folding chairs with armrests, in an oil stain finish, some of which were labeled with “Nautica” on the hang tag. The chairs measure about 22.5 inches long, 21 inches wide and 35 inches tall. The chair back has 8 slats and the seat has 7 slats. The chair may be stamped “MADE IN VIETNAM.”

Problem: The chairs can break, posing fall and injury hazards to the user.

What to do: Consumers should immediately stop using the recalled chairs and contact TJX for instructions on how to participate in the recall and receive a full refund. Alternatively, consumers can return the recalled chairs to any T.J. Maxx, Marshalls, or HomeGoods store for a full refund. Consumers can contact TJX toll-free at 888-520-0322 from 8 a.m. to 7 p.m. ET Monday through Friday or online at <https://www.recallrtr.com/foldingchair> or www.tjx.com, www.marshalls.com and www.sierra.com and click on “Product Recalls” at the bottom of the page or www.homegoods.com and click on “Product Info/Recalls” at the bottom of the page.



[TJX Recalls Outdoor Wooden Folding Chairs Due to Fall and Injury Hazards; Sold at T.J. Maxx, Marshalls, HomeGoods and Sierra | CPSC.gov](#)

Release Number: (#21-128) Peloton Interactive, Inc., of New York, is announcing the voluntary recall of about 125,000 tread+. This recall involves the Peloton Tread+ treadmill with model number TR01. It has a running deck space of 67 inches, a 32-inch high definition (HD) touchscreen and a slatted belt. The treadmill was launched as the Peloton Tread in 2018 but renamed Tread+ in September 2020. The Tread + model number TR01 is printed on a black sticker located on the end cap in the front of the treadmill deck. The treadmills have a touchscreen and are black with the Peloton logo on the monitor and the side rails. PLEASE NOTE: This product is different than [the Peloton Tread](#) that is also subject to a voluntary recall in cooperation with the CPSC on May 5, 2021 because the console on the Tread can detach and fall, posing a risk of injury to consumers.

Problem: Adult users, children, pets and objects can be pulled underneath the rear of the treadmill, posing a risk of injury or death.

What to do: Consumers should immediately stop using the recalled Tread+ and contact Peloton for a full refund until November 6, 2022. Consumers who return the Tread+ treadmill after that date will receive a partial refund. Peloton is offering consumers who do not want a refund the option of moving the Tread+ free of charge to a room where children or pets cannot access the treadmill, and is implementing software improvements to the product to automatically lock the Tread+ after each use and prevent unauthorized access by assigning a 4-digit passcode that will be required to unlock the Tread+. Consumers can contact Peloton toll-free at 866-679-9129 from 9 a.m. to 7 p.m. ET Monday through Friday, and 9 a.m. to 6:30 p.m. on weekends or online at www.onepeloton.com and click on Product Recalls at the bottom of the page for more information.



[Peloton Recalls Tread+ Treadmills After One Child Died and More than 70 Incidents Reported | CPSC.gov](#)

Release Number: (#21-129) Peloton Interactive, Inc., of New York, is announcing the voluntary recall of about 1,050 tread. This recall involves Peloton Tread treadmills with model TR02. The recalled Tread has a running space of 59 inches, a 23.8-inch high definition (HD) touchscreen console and a non-slatted running belt. The model number TR02 is printed on a black sticker located on the end cap in the front of the treadmill deck. The treadmills have a touchscreen and are black with the Peloton logo on the monitor and the side rails.

PLEASE NOTE: This product is different than [the Peloton Tread+](#) that was also recalled by the CPSC on May 5, 2021 because children, pets, and objects can be pulled underneath the Tread+ deck, posing a risk of injury or death.

Problem: The touchscreen on the treadmill can detach and fall, posing a risk of injury to consumers.

What to do: Consumers should immediately stop using the recalled treadmills and contact Peloton for a full refund. Peloton is offering consumers who do not want a refund the option of waiting for a free inspection and repair that will secure the touchscreen to the treadmill to help prevent future incidents. CPSC and Peloton will provide an update when a timeline on that repair is made available. Consumers can contact Peloton toll-free at 866-679-9129 from 9 a.m. to 7 p.m. ET Monday through Friday, and 9 a.m. to 6:30 p.m. on weekends or online at www.onepeloton.com and click on Product Recalls at the bottom of the page for more information.



[Peloton Recalls Tread Treadmills Due to Risk of Injury | CPSC.gov](#)

Release Number: (#21-130) Walter Kidde Portable Equipment Company Inc., of Mebane, N.C., is announcing the voluntary recall of about 226,000 Kidde TruSense smoke alarms and combination smoke/carbon monoxide alarms. This recall involves Kidde TruSense Smoke Alarms and Combination Smoke/Carbon Monoxide Alarms. The recalled units are Kidde Model Series 2040, 2050, 2060 and 2070 Smoke and Combination Smoke/Carbon Monoxide alarms. Only alarms with the TruSense logo or “AMBER=FAULT” printed on the front of the alarm are included in this recall. The model number is printed on the back of the alarm.

Problem: The smoke alarm and the combination smoke/carbon monoxide (CO) alarm can fail to alert consumers to a fire.

What to do: Consumers should immediately contact Kidde for a free replacement alarm. Consumers should keep using the recalled alarms until they install replacement alarms. Consumers can contact Kidde toll-free at 844-796-9972 from 8 a.m. to 8 p.m. ET Monday through Friday and 9 a.m. to 3 p.m. ET on Saturday or online at www.kiddetsalarmrecall.rsvpcomm.com or www.kidde.com and click on “Support” and then “Product Alerts” for more information.



[Kidde Recalls TruSense Smoke and Combination Smoke/Carbon Monoxide Alarms Due to Risk of Failure to Alert Consumers to a Fire | CPSC.gov](#)

Release Number: (#21-134) K & M International Inc., d/b/a Wild Republic, of Twinsburg, Ohio, is announcing the voluntary recall of about 463,000 Wild Republic slap watches. This recall involves a variety of Wild Republic Slap Watches with coin cell batteries that are attached to the silicone bracelet. There are 42 models that come in various colors. The face on the watch comes with animal design or historical figures, such as a wolf, spider, elephant, dolphin, frog, panda, mermaid and/or King Tut. On the back of the watch, it states "Made in China" and has the initials K & M on it. As noted on the label, the slap watch is intended for children over the age of three.

Problem: The coin cell battery inside the slap watches can fall out, posing battery ingestion and choking hazards to young children.

What to do: Consumers should immediately take the slap watches away from children, stop using them and contact Wild Republic for a full refund. Consumers can contact Wild Republic at 800-800-9678 between 8 a.m. and 5 p.m. ET Monday through Friday, email at quality@wildrepublic.com or online at www.wildrepublic.com and click on "Safety Recall" for more information and to complete the online registration form for recall.



[K & M International Recalls Slap Watches Due to Coin Cell Battery Ingestion and Choking Hazards | CPSC.gov](http://www.cpsc.gov)

Release Number: (#21-743) Alliance Chemical, of Taylor, Texas, is announcing the voluntary recall of about 960 sodium hydroxide flakes, pure lye caustic soda drain cleaner and sodium hydroxide flake. This recall involves sodium hydroxide drain cleaner sold in a 2-pound white plastic bottle with a continuous thread closure cap. Alliance Chemical, Sodium Hydroxide Flakes, Pure Lye, Caustic Soda, NaOH, and Drain Cleaner are printed on the blue and white label. The second recalled product involves sodium hydroxide sold in a 5-pound clear bag with a white and black label that states Sodium Hydroxide Flake and Caustic Soda Flake.

Problem: The products contain sodium hydroxide, which must be in child resistant packaging as required by the Poison Prevention Packaging Act (PPPA). The packaging of the products is not child resistant, posing a risk of chemical burns and irritation to the skin and eyes. In addition, the label on the products violate the Federal Hazardous Substance Act (FHSA) by omitting the word "poison" and other mandatory information on the packaging.

What to do: Consumers should immediately store the recalled products in a safe location out of sight and reach of children. Contact Alliance Chemical for a free replacement child resistant packaging and label to put on the product. Alliance Chemical is contacting all known purchasers directly. Consumers can contact Alliance Chemical collect at 512-365-6838 from 8 a.m. to 4 p.m. CT Monday through Thursday, email support@alliancechemical.com, or online at www.alliancechemical.com and click on Recall Notice at the bottom of the page for more information.



[Alliance Chemical Recalls Sodium Hydroxide Products Due to Failure to Meet Child Resistant Packaging Requirement and Violation of FHSA Labeling \(Recall Alert\) | CPSC.gov](http://www.cpsc.gov)

Release Number: (#21-745) The Lye Guy, of Pennellville, N.Y., is announcing the voluntary recall of about 32,000 The Lye Guy sodium hydroxide and potassium hydroxide. This recall involves The Lye Guy sodium hydroxide and potassium hydroxide products sold in 32 oz plastic jars with a white continuous thread closure. The Lye Guy logo and the product name are printed on a white label at the front of the jar.

Problem: The products contain sodium and potassium hydroxide, which must be in child resistant packaging as required by the Poison Prevention Packaging Act (PPPA). The packaging of the products is not child resistant, posing a risk of chemical burns and irritation to the skin and eyes. In addition, the label on the products violates the Federal Hazardous Substance Act (FHSA) by omitting the word "poison" and other mandatory information on the packaging.

What to do: Consumers should immediately store the recalled products in a safe location out of sight and reach of children. Contact The Lye Guy for free replacement child resistant packaging and a new label. All known purchasers are being contacted directly by the firm. Consumers can contact The Lye Guy collect at 315-436-6560 from 9 a.m. to 5 p.m. ET Monday through Friday, email thelyeguy@gmail.com or online at www.thelyeguy.com and click on Recall Information on the left side of the homepage for more information.




[The Lye Guy Recalls Sodium and Potassium Hydroxide Products Due to Failure to Meet Child Resistant Packaging Requirement and Violation of FHSA Labeling \(Recall Alert\) | CPSC.gov](#)

Release Number: (#21-747) Leisure Time Products LLC, of Pittsburg, Kan., is announcing the voluntary recall of about 9,000 backyard discovery Big Brutus, Little Brutus and Mini Brutus metal A-frame swing sets. This recall involves Backyard Discovery Big Brutus, Little Brutus and Mini Brutus metal swing sets with the following manufacture codes: 03/2019-O, 01/2020-T, 02/2020-T, 03/2020-T, 04/2020-T, 05/2020-O, and 07/2020-O; and manufacture dates March 2019 through July 2020. The swing sets have a green top tube with white legs and green cross braces. The manufacture code and manufacture date are located on the label on the leg of the swing set.

Problem: The attachment that connects the swing hanger to the top tube can fail, posing an injury hazard.

What to do: Consumers should immediately stop using the recalled swing sets and contact Leisure Time Products for a free repair kit. Leisure Time Products is contacting all purchasers directly. Consumers can contact Leisure Time Products at 800-856-4445 from 8 a.m. to 6 p.m. CT seven days a week, or online at www.backyarddiscovery.com and click on Support and Recalls, then Recalls for more information.



[Leisure Time Products Recalls Brutus Swing Sets Due to Injury Hazard \(Recall Alert\) | CPSC.gov](#)

Release Number: (#21-136) IKEA Supply AG, of Switzerland, is announcing the voluntary recall of about 148,000 IKEA bowls, plates and mugs due to burn hazard. This recall involves the HEROISK and TALRIKA bowls, plates, and mugs made from PLA (Polylactic acid or polylactide) material from renewable sources. The bowls, plates and mugs were sold in a variety of colors, including yellow, pink and blue. The article name (“HEROISK” or “TALRIKA”), supplier number “23348,” “Made in Taiwan” and “PLA” are molded into the bottom of each item.

Problem: The bowls, plates, and mugs can become brittle and break, causing hot food or liquid to leak out, posing a burn hazard.

What to do: Consumers should immediately stop using the recalled bowls, plates, and mugs and return them to any IKEA store for a full refund. Consumers can contact IKEA toll-free at 888-966-4532 anytime or online at www.ikea-usa.com and click on Product Recalls at the bottom of the page for more information.




[IKEA Recalls Bowls, Plates, and Mugs Due to Burn Hazard | CPSC.gov](#)

Release Number: (#21-749) Chemical Technologies International Inc., dba Pro Supply Outlet, of Rancho Cordova, Calif., is announcing the voluntary recall of about 2,600 Pro Supply Outlet (PSO) Sodium and Potassium Hydroxide. This recall involves Pro Supply Outlet sodium and potassium hydroxide products sold in two-pound rigid white plastic jars with continuous thread caps. The front of the label bears the PSO logo, the product name, SKU 7023 and UPC 7834500453 for the sodium hydroxide and SKU 7132 and UPC 7834500462 for the potassium hydroxide.

Problem: The products contain sodium hydroxide or potassium hydroxide which must be in child resistant packaging, as required by the Poison Prevention Packaging Act (PPPA). The packaging of the products is not child resistant, posing a risk of chemical burns and irritation to the skin and eyes. In addition, the label on the product violates the Federal Hazardous Substance Act (FHSA) by omitting the word “poison” for poisonous chemicals.

What to do: Consumers should immediately store the recalled products in a safe location out of reach of children and contact Pro Supply Outlet for a free replacement child-resistant cap and label to put on the product. Pro Supply Outlet is contacting all purchasers directly. Consumers can contact Pro Supply Outlet toll-free at 855-248-9059 from 9 a.m. to 4 p.m. PT Monday through Friday, email at PSO5000@ctiinc.biz, or online at www.prosupplyrecall.com and click on Recall Notice for more information.



[Pro Supply Outlet Recalls Sodium and Potassium Hydroxide Products Due to Failure to Meet Child-Resistant Packaging Requirement and Violation of FHSA Labeling Requirement \(Recall Alert\) | CPSC.gov](#)

Release Number: (#21-139) The Ergobaby Carrier Inc., of Los Angeles, Calif., is announcing the voluntary recall of about 2,800 METROUS1, METROUS2 and METROUS4 compact city strollers. This recall involves the Ergobaby METROUS1, METROUS2, or METROUS4 Compact City Strollers. The strollers come with a harness that has a black release button in the middle of the buckle. The model name is located on the inside of the frame, above the right-side rear wheel. The strollers have a black, gray, or teal blue canopy and Ergo Baby printed on the front bottom of the stroller.

Problem: The button on some buckles that release the harness can break and detach when pressed by the user while the child is in the stroller, making it difficult to release, and posing a choking hazard to young children.

What to do: Consumers should immediately stop using the recalled strollers and contact Ergobaby for instructions and a full free replacement restraint harness with buckle. Consumers can contact Ergobaby toll-free at 888-416-4888 from 9 a.m. to 5 p.m. PT Monday through Friday, email at Support@Ergobaby.com, or online at www.ergobaby.com and click on "Safety Notifications" at the bottom of the page for more information.



[Ergobaby Recalls METROUS Strollers Due to Choking Hazard | CPSC.gov](http://www.cpsc.gov)

Release Number: (#21-140) J.C. Penney Purchasing Corporation Inc., of Lewisville, Texas, is announcing the voluntary recall of about 3,700 Arizona Jean Co. "Lilac Smoke" girls' midweight puffer jackets. This recall involves Arizona Jean Co. "Lilac Smoke" girls' midweight puffer jackets sold in sizes 4-16 (XXS-XL). Item sub/lot number 302-0223, date code 08/20, RN #93677 and "Arizona Jean Co." are printed on the care label inside of the puffer jacket.

Problem: The puffer jackets have a drawstring located inside the lining of the bottom area of the garment. The drawstring can become entangled or caught on playground slides, handrails, school bus doors or other moving objects, posing an entanglement hazard to children.

What to do: Consumers should immediately take the recalled jacket away from children, cut and remove the drawstring to eliminate the hazard, or contact JCPenney for instructions on how to return the jacket and obtain a full refund of the original purchase price, shipping included. Consumers can contact JCPenney at 800-322-1189 from 7 a.m. to 9 p.m. CT Monday through Sunday or online at www.jcpenney.com and click on "Customer Service" then "Recalls" for more information.



[JCPenney Recalls Girls Puffer Jackets Due to Entanglement Hazard | CPSC.gov](http://www.cpsc.gov)

Release Number: (#21-140) Trek Bicycle Corporation, of Waterloo, Wis., is announcing the voluntary recall of about 316,500 Bontrager Satellite city bicycle pedals. This recall involves Bontrager Satellite City Pedals, which were installed as original equipment on Trek “Allant+,” “Dual Sport+,” “FX 2,” “FX 3,” “Verve 2,” “Verve 3,” and “Verve+” model bicycles. “ZTR02” is stamped on the bicycle’s pedal and on the pedals that were sold separately as a replacement part. The pedals have orange reflectors on the outside edges.

Problem: If the recalled pedals are incorrectly installed by the retailer during assembly, they can fall off the crank arm of the bicycle, posing fall and injury hazards to the rider.

What to do: Consumers should immediately stop using bicycles equipped with the recalled pedals and contact their local authorized Trek retailer for instructions on receiving free installation of replacement pedals. Consumers can contact Trek at 800-373-4594 from 8 a.m. to 6 p.m. CT Monday through Friday or online at www.trekbikes.com and click on “Recalls” under “Legal” at the bottom of the page for more information.



[Trek Recalls Bontrager Satellite City Bicycle Pedals Due to Fall and Injury Hazards | CPSC.gov](#)

Release Number: (#21-750) Williams Advanced Materials & Chemicals Inc., of Clairton, Pa., is announcing the voluntary recall of about 780 three chemical products. This recall involves Williams Advanced Materials & Chemicals sodium hydroxide, heptane, and naphtha. The sodium hydroxide, also called lye or caustic soda, was sold in either a jar with a continuous thread cap or resealable silver bag available in one-pound, two-pound or five-pound sizes. The naphtha was sold in a metal can in one-half gallon and gallon sizes. The heptane was sold in a metal can in quart, one-half gallon and gallon sizes. The WAM&C logo and the product name are printed on a white label at the front of the product.

Problem: The products Sodium Hydroxide, Heptane, or Naphtha must be in child resistant packaging, as required by the Poison Prevention Packaging Act (PPPA). The packaging of the products is not child resistant. The sodium hydroxide poses a risk of chemical burns and irritation to the skin and eyes. The heptane and naphtha pose a risk of eye, nose and throat irritation, headache, lightheadedness, dizziness, lack of coordination and loss of consciousness. In addition, the label on the products violates the Federal Hazardous Substance Act (FHSA) by omitting mandatory information on the packaging.

What to do: Consumers should immediately store the recalled products in a safe location out of reach of children and contact Williams Advanced Materials & Chemicals for a free replacement child-resistant cap and label. Williams Advanced Materials & Chemicals is contacting all purchasers directly. Consumers can contact Williams Advanced Materials & Chemicals at 800-304-3651 from 9 a.m. to 9 p.m. ET Monday through Friday and from 10 a.m. to 6 p.m. ET on Saturdays and Sundays, email at sales@williamsadmatchem@gmail.com or online at williamsadvancedmaterials.com and click on the Recall Notice on the bottom of the page for more information.



[Williams Advanced Materials & Chemicals Recalls Three Chemical Products Due to Failure to Meet Child-Resistant Packaging Requirement and Violation of FHSA Labeling Requirement \(Recall Alert\) | CPSC.gov](#)