



This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2020.

SIPCAM AGRO USA, INC.

Supplemental Labeling

FIFRA Sec. 24(c) [Special Local Need]

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WISCONSIN

For Control of Diseases on Full-Season Potatoes Grown under Irrigation

ECHO[®] 90DF Agricultural Fungicide

EPA Reg. No. 60063-10

EPA SLN No. WI-160005

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling.

This labeling must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label for ECHO 90DF Agricultural Fungicide.

Applicators must operate under an Irrigation Management Plan for use of this label. Observe application setbacks from surface water and intermittent streams of 25 feet (land application) and 100 feet (aerial application). All necessary precautions must be taken to not contaminate surface or groundwater when disposing of waste pesticide product and rinsate.

Target Diseases	PHI (days)	Application Rate Per Acre	Application Directions
Late Blight <i>(Phytophthora infestans)</i> Early Blight <i>(Alternaria solani)</i> Botrytis vine rot <i>(Botrytis cinerea)</i>	7	0.625 lb product (0.56 lb a.i.) Then – 0.875 to 1.25 lbs product (0.79 to 1.125 lbs a.i.)	Begin applications at the low rate when vines are first exposed and leaf wetness occurs. Repeat applications at 7 to 10 day intervals. Begin applying the higher label rates at 5 to 10 day intervals when any one of the following events occur: <ul style="list-style-type: none"> • Vines close within the rows; • Late blight forecasting measures 18 disease severity values (DSV); • The crop reaches 300 P-days Increase water spray volume as canopy density increases. Use the highest rate and shortest interval when plants are rapidly growing and disease conditions are severe. A maximum of 17.5 lbs of ECHO 90DF Agriculture Fungicide (16 pounds a.i.) per acre may be used on long-season varieties of potato under irrigation during each growing season.

Integrated Pest Management

ECHO is an excellent disease control agent when used according to label directions for control of a broad spectrum of plant diseases. ECHO is recommended for use in programs that are compatible with the principles of Integrated Pest Management (IPM), including the use of disease resistant crop varieties, cultural practices, pest scouting and disease

FIFRA 24(c) Registrant:

Sipcam Agro USA, Inc.
 2525 Meridian Parkway, Suite 350
 Durham, NC 27713

9/19/2016
 Page 1 of 2

forecasting systems which reduce unnecessary applications of pesticides.



SIPCAM AGRO USA, INC.

Supplemental Labeling

FIFRA Sec. 24(c) [Special Local Need]

Fungicide Resistance Management

ECHO brand chlorothalonil fungicide is effective for strategic use in programs that attempt to minimize disease resistance to fungicides. Some other fungicides which are at risk from disease resistance exhibit a single-site mode of fungicidal action. ECHO, with a multi-site mode of action, may be used to delay or prevent the development of resistance to single-site fungicides. Consult with your federal or state Cooperative Extension Service representatives for guidance on the proper use of ECHO in programs which seek to minimize the occurrence of disease resistance to other fungicides.

Endangered Species

It is a violation of federal law to harm an endangered species. Use of this product may be in counties which have endangered and threatened species present; therefore, applicators should evaluate the areas to be treated and take necessary precautions to avoid harming endangered species or their habitat/environment. Applicators may refer to http://datcp.wi.gov/Farms/Endangered_Species/ for help in identifying the species and their habitats.

Growers who are uncertain of the presence of a protected species should contact the Wisconsin Department of Agriculture, Trade and Consumer Protection at 608-224-4547.

CONDITIONS OF SALE: To the extent consistent with applicable law, Sipcam Agro USA, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Sipcam Agro USA, Inc. SIPCAM AGRO USA, INC. DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. To the extent consistent with applicable law, SIPCAM AGRO USA, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND SIPCAM AGRO USA, INC.'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. BUYER AND USER ACKNOWLEDGE AND ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, STORAGE AND USE OF THIS PRODUCT. SIPCAM AGRO USA, INC. DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.

Approval Date: 9/16/2016
Expiration Date: 12/31/2020

ECHO is a registered trademark of Sipcam Agro USA, Inc.