

**Adams***Adams***Allied Cooperative**

Contact: Allied Cooperative (Jeff Bunker)  
 Primary Phone: (608) 786-1100 e-mail: jlbunker@allied.coop

-----  
**309026-VTM** Issued: 10/25/2018  
 Addr: 251 Railroad St, Adams, WI - 53910  
 Directions: East of Hwy 13  
 Last State Test: Results:  
 Make: Neptune, Model: Neptune, Ser #: HR1777  
 Fleet: 886, Plate: HD24165, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/7/2018 by FELKER

-----  
**289896-VTM** Issued: 10/25/2018  
 Addr: 251 Railroad St, Adams, WI - 53910  
 Directions: East of Hwy 13  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 447463  
 Fleet: T-1, Plate: HD22992, CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/7/2018 by FELKER

-----  
**289897-VTM** Issued: 10/25/2018  
 Addr: 251 Railroad St, Adams, WI - 53910  
 Directions: East of Hwy 13  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 447477  
 Fleet: T-1, Plate: HD22992, CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/7/2018 by FELKER

-----  
**275071-VTM** Issued: 10/25/2018  
 Addr: 251 Railroad St, Adams, WI - 53910  
 Directions: East of Hwy 13  
 Last State Test: Results:  
 Make: Neptune, Model: Neptune, Ser #: 18907182  
 Fleet: 835, Plate: 441441, CCNo: , Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/14/2018 by FELKER

-----  
**275072-VTM** Issued: 10/25/2018  
 Addr: 251 Railroad St, Adams, WI - 53910  
 Directions: East of Hwy 13  
 Last State Test: Results:  
 Make: Neptune, Model: Neptune, Ser #: HR1257  
 Fleet: 886, Plate: HD24165, CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/7/2018 by FELKER

**Anoka***Ramsey***Dehn Oil Company**

Contact: Dehn Oil Company (John Dehn)  
 Work Phone: (763) 421-5571 e-mail: John@DehnOil.com

-----  
**326202-VTM** Issued: 10/16/2018  
 Addr: 6733 141st Ave NW, Ramsey, MN - 55303  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 546775  
 Fleet: 5880, Plate: YBR0273, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/17/2018 by MINNESOTA DEPARTMENT

**Anoke***Ramsey***Dehn Oil Company**

Contact: Dehn Oil Company (John Dehn)  
 Work Phone: (763) 421-5571 e-mail: John@DehnOil.com

-----  
**326201-VTM** Issued: 10/16/2018  
 Addr: 6735 141st Ave NW, Ramsey, MN - 55303  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 546774  
 Fleet: 5880, Plate: YBB0273, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/17/2018 by MINNESOTA DEPARTMENT

**Ashland***Ashland***JFK Memorial Airport Municipal**

Contact: JFK Memorial Airport Municipal  
 Work Phone: (715) 682-7070 e-mail:

-----  
**318771-VTM** Issued: 10/2/2018  
 Addr: 50511 State Hwy 112, Ashland, WI - 54806  
 Directions:  
 Last State Test: Results:  
 Make: Smith, Model: TR-15, Ser #: 181935  
 Fleet: 1, Plate: N/A, CCNo: 95-060A2, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 7/18/2018 by NORTHWEST

**Midland Services Inc**

Contact: Midland Services Incorporated (Trent Allen)  
 Work Phone: (715) 682-2744 e-mail: tallen@midlandservices.com

-----  
**274153-VTM** Issued: 10/16/2018  
 Addr: 411 Sanborn Ave, Ashland, WI - 54806  
 Directions: US 2 into Ashland - south 3 blocks on Hwy 112  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4, Ser #: CX1834  
 Fleet: 7, Plate: HD29398, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/20/2018 by Felker Truck

-----  
**322693-VTM** Issued: 10/16/2018  
 Addr: 411 Sanborn Ave, Ashland, WI - 54806  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3870610402  
 Fleet: 579, Plate: , CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/20/2018 by Felker Truck

**Midland Services Incorporated**

Contact: Midland Services Incorporated (Trent Allen)  
 Work Phone: (715) 682-2744 e-mail: tallen@midlandservices.com

-----  
**322694-VTM** Issued: 10/16/2018  
 Addr: 411 Sanborn Ave, Ashland, WI - 54806  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3867520101  
 Fleet: 579, Plate: , CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/20/2018 by Felker Truck

**Barron**

*Almena*

**Synergy Cooperative**

Contact: Synergy Cooperative (Kyle Knutson)  
 Work Phone: (715) 879-5454 e-mail:

-----  
**325688-VTM** Issued: 10/31/2018  
 Addr: 106 Prospect Ave, Almena, WI - 54805  
 Directions:  
 Last State Test: Results:  
 Make: Actaris, Model: 4 MT, Ser #: CA401  
 Fleet: 131, Plate: HD23897, CCNo: 90-041, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/25/2018 by TRI STATE

-----  
**325689-VTM** Issued: 10/31/2018  
 Addr: 106 Prospect Ave, Almena, WI - 54805  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4 MT, Ser #: BA384  
 Fleet: 131, Plate: HD23897, CCNo: 90-041, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/25/2018 by TRI STATE

*Barron*

**Synergy Cooperative**

Contact: Synergy Cooperative (Kyle Knutson)  
 Work Phone: (715) 879-5454 e-mail:

-----  
**325694-VTM** Issued: 12/19/2018  
 Addr: 1358 17TH Street, Barron, WI - 54812  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: m-10, Ser #: 619605  
 Fleet: 133, Plate: NS1257, CCNo: NA, Pipe Dia: 2100, MaxRate: 100  
 Last Private Test: 6/25/2018 by TRI STATE

-----  
**325696-VTM** Issued: 12/19/2018  
 Addr: 1358 17th street, Barron, WI - 54812  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 619595  
 Fleet: 133, Plate: NS1257, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/25/2018 by TRI STATE

*Cameron*

**S & S AVIATION, INC.**

Contact: Rice Lake Air Center (Mike Nelms)  
Work Phone: (715) 458-4400 e-mail: mike@ricelakeair.com

-----  
**294112-VTM** Issued: 10/2/2018  
Addr: 1872 14 1/2 Ave, Cameron, WI - 54822  
Directions: At the above address, south of the hangars  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-2, Ser #: 184518  
Fleet: 1, Plate: NA, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 60  
Last Private Test: 10/30/2018 by WESTMOR  
-----  
**294114-VTM** Issued: 10/2/2018  
Addr: 1872 14 1/2 Ave, Cameron, WI - 54822  
Directions: At the above address, south of the hangars  
Last State Test: Results:  
Make: Liquid Controls, Model: M-15-2, Ser #: 185975  
Fleet: 1, Plate: N/A, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 65  
Last Private Test: 10/30/2018 by WESTMOR

**Chetek****Synergy Cooperative**

Contact: Synergy Cooperative (DeWayne Roe)  
Work Phone: (715) 642-0754 e-mail: dewayner@synergycoop.com

-----  
**326084-VTM** Issued: 10/2/2018  
Addr: 302 Knapp St, Chetek, WI - 54728  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: MC71, Ser #: 661473  
Fleet: 417, Plate: APPLIED FOR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/29/2018 by FELKER  
-----  
**326085-VTM** Issued: 10/2/2018  
Addr: 302 Knapp St, Chetek, WI - 54728  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M10C1, Ser #: 658541  
Fleet: 417, Plate: Applied for, CCNo: 92-141, Pipe Dia: 3, MaxRate: 150  
Last Private Test: 8/29/2018 by FELKER

**Cumberland****Labbe Petroleum**

Contact: Labbe Petroleum (Deb Labbe)  
Work Phone: (715) 822-2725 e-mail: dlabbe1@msn.com

-----  
**276226-VTM** Issued: 10/5/2018  
Addr: 1205 Babcock Ave, Cumberland, WI - 54829  
Directions: Hwy 53 to Cumberland across from Sereca Foods Camp  
Last State Test: Results:  
Make: Schlumberger, Model: 4MT, Ser #: LW1439  
Fleet: 1, Plate: HD28925, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/9/2019 by McDonalds  
-----  
**276225-VTM** Issued: 10/5/2018  
Addr: 1205 Babcock Ave, Cumberland, WI - 54829  
Directions: Hwy 53 to Cumberland across from Surca Foods Camp  
Last State Test: Results:  
Make: Schlumberger, Model: 4-MT, Ser #: LW1350  
Fleet: 1, Plate: HD28925, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/9/2019 by McDonalds

**Rice Lake****Ag Con Fuels, Inc**

Contact: Ag Con Fuels, Inc. (Hoyt Rose)  
Work Phone: (715) 234-3737 e-mail: Hoyt@bulldozininc.com

-----  
**326192-VTM** Issued: 10/22/2018  
Addr: 2405 23rd Ave, Rice Lake, WI - 54868  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 380700  
Fleet: L41, Plate: JB9454, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by MCDONALD PETROLEUM  
-----  
**326188-VTM** Issued: 10/22/2018  
Addr: 2405 23rd Ave, Rice Lake, WI - 54868  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 380715  
Fleet: JB9454, Plate: L41, CCNo: 92-141 A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by MCDONALD PETROLEUM

**Ag-Con Fuels, Inc**

Contact: Ag Con Fuels, Inc. (Hoyt Rose)  
 Work Phone: (715) 234-3737 e-mail: Hoyt@bulldozininc.com

-----  
**326213-VTM** Issued: 10/22/2018  
 Addr: 2405 23rd Ave, Rice Lake, WI - 54868  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 483776  
 Fleet: 55, Plate: NB 4669, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/15/2018 by MCDONALD PETROLEUM  
 -----  
**326214-VTM** Issued: 10/22/2018  
 Addr: 2405 23rd Ave, Rice Lake, WI - 54868  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 483775  
 Fleet: 55, Plate: NB 4669, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/15/2018 by MCDONALS PETROLEUM

## Bayfield

### Bayfield

#### Superieur Petrol LLC

Contact: Superieur Petrol LLC (Steven Compton)  
 Work Phone: (715) 779-5412 e-mail: suppet@superieurpetrol.com

-----  
**276257-VTM** Issued: 10/31/2018  
 Addr: 407 Rittenhouse Ave, Bayfield, WI - 54814  
 Directions: Corner of Hwy 13 and 4th St  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: KU1090  
 Fleet: 1, Plate: HD23999, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/22/2018 by Northwest  
 -----  
**276258-VTM** Issued: 10/31/2018  
 Addr: 407 Rittenhouse Ave, Bayfield, WI - 54814  
 Directions: Corner of Hwy 13 and 4th St  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: KU1029  
 Fleet: 1, Plate: HD23999, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/22/2018 by Northwest  
 -----  
**326456-VTM** Issued: 10/31/2018  
 Addr: 407 Rittenhouse Avenue, Bayfield, WI - 54814  
 Directions: Corner of Hwy 13 and 4th St  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: JX 1869  
 Fleet: 2, Plate: JB13506, CCNo: , Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/22/2018 by NORTHWEST PETROLEUM  
 -----  
**326457-VTM** Issued: 10/31/2018  
 Addr: 407 Rittenhouse Avenue, Bayfield, WI - 54814  
 Directions: Corner of Hwy 13 and 4th St  
 Last State Test: Results:  
 Make: Actaris, Model: 4-MT, Ser #: GC447  
 Fleet: 2, Plate: JB 13506, CCNo: , Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/22/2018 by NORTHWEST PETROLEUM

### Cable

#### Como Oil & Propane

Contact: ThompsonGas LLC (Michael Fisher)  
 Work Phone: (301) 302-8054 e-mail: mfisher@thompsongas.com

-----  
**276349-VTM** Issued: 10/10/2018  
 Addr: 42835 US Hwy 63, Cable, WI - 54821  
 Directions: One mile south of Cable, WI on Hwy 63 on right  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 438139  
 Fleet: 642, Plate: JB8215, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/6/2018 by TRI STATE  
 -----  
**276348-VTM** Issued: 10/10/2018  
 Addr: 42835 US Hwy 63, Cable, WI - 54821  
 Directions: One mile south of Cable, WI on Hwy 63 on right  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 438136  
 Fleet: 642, Plate: JB8215, CCNo: 89-140A1, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/6/2018 by Tri state

## Brown

### Denmark

#### Maribel Grain Company

Contact: Maribel Grain Company (Brian Rabas)  
 Primary Phone: (920) 863-2289 e-mail: mgbrian@baycomwi.com

-----  
**313684-VTM** Issued: 10/10/2018  
 Addr: 7200 County Rd X, Denmark, WI - 54208  
 Directions: Hwy 96 West of Denmark to Hwy X west to 7200 Hwy X truck w/meter kept in shed next to driver's house.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 669940  
 Fleet: LB10903, Plate: LB10903, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/29/2019 by Felker  
 -----  
**313686-VTM** Issued: 10/10/2018  
 Addr: 7200 County Rd X, Denmark, WI - 54208  
 Directions: Hwy 96 west of Denmark to Hwy X west to 7200 Hwy X. Truck with meter kept in shed next to driver's house.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 669941  
 Fleet: LB10903, Plate: LB10903, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/29/2019 by Felker

**Green Bay**

**Cenex**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**280489-VTM** Issued: 10/22/2018  
 Addr: 3360 Spirit Way, Green Bay, WI - 54304  
 Directions: U-41 exit main ave de pere W to spirit way  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 591659  
 Fleet: 122707, Plate: PRY9740, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/3/2018 by Westmor  
 -----  
**280499-VTM** Issued: 11/14/2018  
 Addr: 3360 Spirit Way, Green Bay, WI - 54304  
 Directions: U-41 exit main ave de pere W to spirit way  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 470183  
 Fleet: 072752, Plate: PRY4230, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: by  
 -----  
**280500-VTM** Issued: 10/17/2018  
 Addr: 3360 Spirit Way, Green Bay, WI - 54304  
 Directions: U-41 exit main ave de pere W to spirit way  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 458076  
 Fleet: 072752, Plate: PRY4230, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: by  
 -----  
**280488-VTM** Issued: 10/23/2018  
 Addr: 3360 Spirit Way, Green Bay, WI - 54304  
 Directions: U-41 exit main ave de pere W to spirit way  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 591773  
 Fleet: 122707, Plate: PRY9740, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/3/2018 by WESTMOR

**CHS AFD**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**317100-VTM** Issued: 10/17/2018  
 Addr: 3360 Spirit Way, Green Bay, WI - 54304  
 Directions:  
 Last State Test: 12/16/2015 Results: Approved  
 Make: Liquid Controls, Model: M10C1, Ser #: 7593  
 Fleet: 162705, Plate: PRZ9465, CCNo: 92-141A6, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 2/13/2018 by Petroleum Equipment  
 -----  
**317101-VTM** Issued: 10/17/2018  
 Addr: 3360 Spirit way, Green Bay, WI - 54304  
 Directions: U-41 exit Main Ave Depere, WI to Spirit Way  
 Last State Test: 12/16/2015 Results: Approved  
 Make: Liquid Controls, Model: M10C1, Ser #: 7594  
 Fleet: 162705, Plate: PRZ 9465, CCNo: 92-141AG, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 2/13/2018 by Petroleum Equipment

**Executive Air**

Contact: Packerland Aviation, LLC (David Parker)  
 Work Phone: (920) 498-4880 e-mail: dave@executiveair.com

-----  
**293147-VTM** Issued: 10/19/2018  
 Addr: 2131 Airport Dr, Green Bay, WI - 54313  
 Directions: Austin Staubel Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-30-2, Ser #: 163863  
 Fleet: 3-0W, Plate: N/A, CCNo: 92-141, Pipe Dia: 4", MaxRate: 350  
 Last Private Test: 5/10/2018 by Westmor

-----  
**293148-VTM** Issued: 10/19/2018  
 Addr: 2131 Airport Dr, Green Bay, WI - 54313  
 Directions: Austin Straubel Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 34316  
 Fleet: 5, Plate: NA, CCNo: 92-141, Pipe Dia: 3", MaxRate: 300  
 Last Private Test: 5/10/2018 by Westmor

-----  
**293150-VTM** Issued: 10/19/2018  
 Addr: 2131 Airport Dr, Green Bay, WI - 54313  
 Directions: Austin Straubel Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 482919  
 Fleet: 6, Plate: NA, CCNo: 92-141, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 5/10/2018 by Westmor

-----  
**293146-VTM** Issued: 10/19/2018  
 Addr: 2131 Airport Dr, Green Bay, WI - 54313  
 Directions: Austin Staubel Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-30-2, Ser #: 163861  
 Fleet: 3-SP, Plate: NA, CCNo: 92-141, Pipe Dia: 4, MaxRate: 350  
 Last Private Test: 5/10/2018 by Westmor

-----  
**293143-VTM** Issued: 10/19/2018  
 Addr: 2131 Airport Dr, Green Bay, WI - 54313  
 Directions: Austin Straubel Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-5-2, Ser #: 112881  
 Fleet: 100LL, Plate: NA, CCNo: 92-141, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 5/10/2018 by Westmor

#### Growmark Inc Servco FS Division

Contact: Insight FS (Bart Lubinski)  
 Work Phone: (920) 437-0466 e-mail: blubinski@servcofs.com

-----  
**274273-VTM** Issued: 10/31/2018  
 Addr: 1130 Frog St, Green Bay, WI - 54303  
 Directions: Hwy 41 to Velp E to Buchanan St N to Frog St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 414489  
 Fleet: 237, Plate: MC6249, CCNo: 92-141A4, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 10/1/2018 by Felker Truck & Equipment, Inc

-----  
**274274-VTM** Issued: 10/31/2018  
 Addr: 1130 Frog St, Green Bay, WI - 54303  
 Directions: Hwy 41 to Velp E to Buchanan St N to Frog St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 414490  
 Fleet: 237, Plate: MC6249, CCNo: 92-141A4, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 10/1/2018 by Felder Truck & Equipment, Inc

#### Jet Air Group Inc

Contact: Jet Air Group Inc (Alan Timmerman)  
 Work Phone: (920) 494-2669 e-mail: alan@jetair.net

-----  
**312162-VTM** Issued: 9/21/2018  
 Addr: 1921 Airport Dr, Green Bay, WI - 54313  
 Directions: Primary Business location on a secured ramp  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 336642  
 Fleet: 5, Plate: NA, CCNo: 04-070, Pipe Dia: 5, MaxRate: 100  
 Last Private Test: 4/8/2019 by Franklen

-----  
**312164-VTM** Issued: 9/21/2018  
 Addr: 1921 Airport Dr, Green Bay, WI - 54313  
 Directions: Primary Business location on a secured ramp  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-5-2, Ser #: 383824  
 Fleet: 6, Plate: NA, CCNo: 04-070, Pipe Dia: 5, MaxRate: 60  
 Last Private Test: 4/8/2019 by Franklen

-----  
**312145-VTM** Issued: 9/21/2018  
 Addr: 1921 Airport Dr, Green Bay, WI - 54313  
 Directions: Primary business location on a secured ramp  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 374284  
 Fleet: 4, Plate: NA, CCNo: NA, Pipe Dia: 5, MaxRate: 100  
 Last Private Test: 4/8/2019 by Franklen  
 -----

**312155-VTM** Issued: 9/21/2018  
 Addr: 1921 Airport Dr, Green Bay, WI - 54313  
 Directions: Primary Business location on a secured ramp  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 368422  
 Fleet: 4, Plate: NA, CCNo: 04-070, Pipe Dia: 1, MaxRate: 300  
 Last Private Test: 4/8/2019 by Franklen  
 -----

**312157-VTM** Issued: 9/21/2018  
 Addr: 1921 Airport Dr, Green Bay, WI - 54313  
 Directions: Primary Business location on a secured ramp  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 331939  
 Fleet: 5, Plate: NA, CCNo: 04-070, Pipe Dia: 10, MaxRate: 300  
 Last Private Test: 4/8/2019 by Franklen  
 -----

**Kelly Phillips Oil LLC**

Contact: Kelly Phillips Oil LLC (Kelly Phillips)  
 Work Phone: (920) 863-2942 e-mail: kelly141@centurytel.net  
 -----

**273533-VTM** Issued: 9/24/2018  
 Addr: 4468 Humboldt Rd, Green Bay, WI - 54311  
 Directions: I43 to county V, east to county QQ, 1 mile north to county N, 1 mile east on county N south side of road  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 422666  
 Fleet: 01, Plate: HD22775, CCNo: NR - Install 2002, Pipe Dia: 2, MaxRate: 1001  
 Last Private Test: 9/14/2018 by Petroleum Equipment Services  
 -----

**273532-VTM** Issued: 9/24/2018  
 Addr: 4468 Humboldt Rd, Green Bay, WI - 54311  
 Directions: I43 to county V, east to county QQ, 1 mile north to county N, 1 mile east on county N south side of road  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 422670  
 Fleet: 01, Plate: HD22775, CCNo: NR - Installed 2002, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/14/2018 by Petroleum Equipment Service  
 -----

**MA Wolf Trucking Inc**

Contact: MA Wolf Trucking Inc. (Robert Troeller)  
 Work Phone: (262) 644-5030 e-mail: rtroeller@ehwolf.com  
 -----

**276389-VTM** Issued: 11/2/2018  
 Addr: 1121 McDonald St, Green Bay, WI - 54303  
 Directions: on truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-133326  
 Fleet: 139, Plate: HD20752, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by  
 -----

**276390-VTM** Issued: 11/2/2018  
 Addr: 1121 McDonald St, Green Bay, WI - 54303  
 Directions: on truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-132273  
 Fleet: 139, Plate: HD20752, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF  
 -----

**Greenleaf****K B Fuel Corporation**

Contact: KB Fuel Corporation (Kevin Diny)  
 Primary Phone: (920) 864-2582 e-mail: kbfuel@yahoo.com  
 -----

**299464-VTM** Issued: 9/25/2018  
 Addr: 6694 County Hwy PP, Greenleaf, WI - 54126  
 Directions: Left side meter - Gasoline  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7N1, Ser #: 635104  
 Fleet: 1, Plate: MC 9499, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/7/2018 by Felker  
 -----

**299466-VTM** Issued: 9/25/2018  
 Addr: 6694 County Hwy PP, Greenleaf, WI - 54126  
 Directions: Right side meter - Diesel  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7N1, Ser #: 635102  
 Fleet: 1, Plate: MC 9499, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/7/2018 by Felker  
 -----

**Pulaski**



**Olson Oil of Pulaski Inc.**

Contact: Olson Oil of Pulaski Inc (Greg Olson)  
 Work Phone: (920) 822-5133 e-mail: olsonoil@netnet.net

-----  
**317832-VTM** Issued: 9/14/2018  
 Addr: 164 N Wisconsin St, Pulaski, WI - 54162  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3794250101  
 Fleet: 17, Plate: Applied for, CCNo: LC-92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/13/2018 by FELKER

-----  
**317833-VTM** Issued: 9/14/2018  
 Addr: 164 N Wisconsin St, Pulaski, WI - 54162  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3713880101  
 Fleet: 17, Plate: Applied for, CCNo: LC-92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/13/2018 by FELKER

-----  
**273671-VTM** Issued: 9/14/2018  
 Addr: 164 N Wisconsin St, Pulaski, WI - 54162  
 Directions: N/A  
 Last State Test: Results:  
 Make: Neptune, Model: 4D-MT, Ser #: JD445  
 Fleet: 09, Plate: HD26468, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/13/2018 by FELKER

-----  
**273673-VTM** Issued: 9/14/2018  
 Addr: 164 N Wisconsin St, Pulaski, WI - 54162  
 Directions: N/A  
 Last State Test: Results:  
 Make: Neptune, Model: 4D-MT, Ser #: GG275  
 Fleet: 09, Plate: HD26468, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/13/2018 by FELKER

**United Cooperative**

Contact: United Cooperative (Mark Witzel)  
 Work Phone: (920) 887-1756 e-mail: mwitzel@unitedcooperative.com

-----  
**273506-VTM** Issued: 11/2/2018  
 Addr: 428 3rd Ave, Pulaski, WI - 54162  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 584349  
 Fleet: 385, Plate: MC9193, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/4/2019 by Felker

-----  
**273510-VTM** Issued: 11/2/2018  
 Addr: 428 3rd Ave, Pulaski, WI - 54162  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 584348  
 Fleet: 385, Plate: MC9193, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/4/2019 by Felker

**West Salem**

**Growmark Inc**

Contact: Insight FS (Bart Lubinski)  
 Work Phone: (920) 437-0466 e-mail: blubinski@servcofs.com

-----  
**274294-VTM** Issued: 10/29/2018  
 Addr: , West Salem, WI - 54669  
 Directions: PO BOX 844  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 388436  
 Fleet: 212, Plate: MC6244, CCNo: 92-141, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 7/26/2018 by GROWMARK

-----  
**274295-VTM** Issued: 10/29/2018  
 Addr: , West Salem, WI - 54669  
 Directions: PO BOX 844  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 388431  
 Fleet: 212, Plate: MC6244, CCNo: 92-141, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 7/26/2018 by GROWMARK

**Buffalo**

**Cochrane**

**Quality Propane**



Contact: EDPO, LLC (Tom Wright)  
Work Phone: (937) 974-2682 e-mail: twright@edplp.net

-----  
**304056-VTM** Issued: 10/10/2018  
Addr: 52326 County Rd N, Cochrane, WI - 54622  
Directions: 1/10 of a mile North on CR N off of State Rd 35, just south of Alma.  
Last State Test: Results:  
Make: Liquid Controls, Model: MA7-10, Ser #: 547168  
Fleet: 35, Plate: YBG0330, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/19/2018 by BUDGET METER

**Mondovi****Countryside Coop Transport of Wisconsin**

Contact: Countryside Cooperative (Samantha Carlberg)  
Work Phone: (715) 672-8947 ext: 1133 e-mail: scarlberg@countrysidecoop.com

-----  
**309547-VTM** Issued: 10/2/2018  
Addr: 735 E Main St, Mondovi, WI - 54755  
Directions: Behind Ace Hardware  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 664215  
Fleet: 39, Plate: Applied for, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/2/2018 by McDonalds Petroleum

-----  
**309546-VTM** Issued: 10/2/2018  
Addr: 735 E Main St, Mondovi, WI - 54755  
Directions: behind Ace Hardware building  
Last State Test: Results:  
Make: Liquid Controls, Model: M10C1, Ser #: 656440  
Fleet: 39, Plate: Applied for, CCNo: 92-141A9, Pipe Dia: 3, MaxRate: 150  
Last Private Test: 4/2/2018 by McDonalds Petroleum

**Burnett****Grantsburg****Burnett Dairy Cooperative**

Contact: Burnett Dairy Cooperative (Dan Severson)  
Work Phone: (715) 689-1013 e-mail: Dan.Severson@BurnettDairy.com

-----  
**287302-VTM** Issued: 10/24/2018  
Addr: 11631 State Rd 70, Grantsburg, WI - 54580  
Directions: also 496 north rd, grantsburg, WI 54840 Burnett  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 391641  
Fleet: 23, Plate: Applied for, CCNo: 86-022, Pipe Dia: 2, MaxRate: 100  
Last Private Test: by

-----  
**327189-VTM** Issued: 10/24/2018  
Addr: 11631 State Rd 70, Grantsburg, WI - 54840  
Directions:  
Last State Test: Results:  
Make: FPP, Model: MCR-05, Ser #: 591C1169  
Fleet: 280, Plate: 70200X, CCNo: 06-031, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/29/2018 by CHS FLEET

-----  
**327649-VTM** Issued: 11/5/2018  
Addr: 11631 State Rd 70, Grantsburg, WI - 54840  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 3886600601  
Fleet: 260, Plate: 735513, CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/29/2018 by CHS FLEET

-----  
**327650-VTM** Issued: 11/5/2018  
Addr: 11631 State Rd 70, Grantsburg, WI - 54840  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M15C1, Ser #: 3889760201  
Fleet: 260, Plate: 735513, CCNo: 99-097A8, Pipe Dia: 3, MaxRate: 200  
Last Private Test: 10/29/2018 by CHS FLEET

-----  
**327190-VTM** Issued: 10/24/2018  
Addr: 11631 State Rd 70, Grantsburg, WI - 54840  
Directions:  
Last State Test: Results:  
Make: FPP, Model: MCR-05, Ser #: 591C1166  
Fleet: 280, Plate: 70200x, CCNo: 06-031, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/29/2018 by CHS FLEET

**Webster****Polk Burnett Propane Services Inc**

Contact: Polk Burnett Propane Services Inc (Todd Miller)  
 Primary Phone: (715) 646-2191 e-mail: tmiller@polkburnett.com

-----  
**327951-VTM** Issued: 10/10/2018  
 Addr: 7298 State Rd 70, Webster, WI - 54893  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MA-7, Ser #: 394262021  
 Fleet: 211, Plate: HD 34362, CCNo: 86-022A12, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2018 by GREAT LAKES

## Calumet

### Brillion

#### Country Visions Cooperative

Contact: Country Visions Cooperative (Steven Zutz)  
 Primary Phone: (920) 754-2213 e-mail: kschultz@cvcoop.com

-----  
**302420-VTM** Issued: 9/17/2018  
 Addr: W2275 County Rd HR, Brillion, WI - 54110  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 632013  
 Fleet: 6000, Plate: LB10638, CCNo: M-7-1, Pipe Dia: 2, MaxRate: 70  
 Last Private Test: 4/25/2018 by City of Madison

-----  
**302422-VTM** Issued: 9/17/2018  
 Addr: W2275 County Rd HR, Brillion, WI - 54110  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 632012  
 Fleet: 6000, Plate: LB 10638, CCNo: 92-141, Pipe Dia: 2, MaxRate: 70  
 Last Private Test: 4/25/2018 by City of Madison

### Stockbridge

#### Advanced Fuel Services

Contact: Advanced Fuel Services, LLC (Lance Lisowe)  
 Work Phone: (920) 439-1226 e-mail: advancedfuels@tds.net

-----  
**319672-VTM** Issued: 9/14/2018  
 Addr: 220 E Lake St, Stockbridge, WI - 53088  
 Directions: 1 block East of hwy 55 on Lake st.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 668829  
 Fleet: 2, Plate: HD32104, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/22/2018 by EAST CENTRAL

-----  
**319674-VTM** Issued: 9/14/2018  
 Addr: 220 E Lake St, Stockbridge, WI - 53088  
 Directions: 1 block East of hwy 55 on Lake st.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 668825  
 Fleet: 2, Plate: HD32104, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/22/2018 by EAST CENTRAL

-----  
**271736-VTM** Issued: 9/14/2018  
 Addr: 220 E Lake St, Stockbridge, WI - 53088  
 Directions: 1 block east of Hwy 55  
 Last State Test: Results:  
 Make: Mid Com, Model: M-7-1 W/MS, Ser #: 510501  
 Fleet: Peterbuilt - 2006, Plate: HD21515, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/22/2018 by EAST CENTRAL

-----  
**271737-VTM** Issued: 9/14/2018  
 Addr: 220 E Lake St, Stockbridge, WI - 53088  
 Directions: 1 block east of Hwy 55  
 Last State Test: Results:  
 Make: Mid Com, Model: M-7-1 W/MS, Ser #: 510500  
 Fleet: Peterbuilt, Plate: HD21515, CCNo: 82-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/22/2018 by EAST CENTRAL

## Chippewa

### Bloomer

#### River Country Co-op

Contact: River Country Co-op (Mike Rinzel)  
 Primary Phone: (715) 723-2828 e-mail: mrinzel@rivercountrycoop.com

-----  
**279692-VTM** Issued: 10/16/2018  
 Addr: 1115 Martin Rd, Bloomer, WI - 54724  
 Directions: Back parking lot  
 Last State Test: Results:  
 Make: Schlumberger, Model: 834, Ser #: MT1472  
 Fleet: 86, Plate: HD33581, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/19/2018 by MCDONALD PETROLEUM

-----  
**279691-VTM** Issued: 10/16/2018  
 Addr: 1115 Martin Rd, Bloomer, WI - 54724  
 Directions: Back parking lot  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: MT1453  
 Fleet: 86, Plate: HD33581, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/19/2018 by MCDONALD PETROLEUM  
 -----

**276259-VTM** Issued: 10/16/2018  
 Addr: 1115 Martin Rd, Bloomer, WI - 54724  
 Directions: Back parking lot  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 457323  
 Fleet: 2, Plate: PB6642, CCNo: 65-775, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/27/2018 by McDonalds  
 -----

**276261-VTM** Issued: 10/16/2018  
 Addr: 1115 Martin Rd, Bloomer, WI - 54724  
 Directions: Back Parking Lot  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 457334  
 Fleet: 2, Plate: PB6642, CCNo: 65-775, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/27/2018 by McDonalds  
 -----

**309893-VTM** Issued: 10/16/2018  
 Addr: 1115 Martin Rd, Bloomer, WI - 54724  
 Directions: Back parking lot  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10N1, Ser #: 664854  
 Fleet: 123, Plate: Applied for, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/6/2018 by MCDONALD PETROLEUM  
 -----

**309892-VTM** Issued: 10/16/2018  
 Addr: 1115 Martin Rd, Bloomer, WI - 54724  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7N1, Ser #: 658814  
 Fleet: 123, Plate: Applied for, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/6/2018 by MCDONALD PETROLEUM  
 -----

### Chippewa Falls

#### Fuel Service DJ's Mart LLC

Contact: Fuel Service - DJ's Mart LLC (John Salden)  
 Work Phone: (715) 723-1701 e-mail: jsalden@fuelservice.biz  
 -----

**299988-VTM** Issued: 10/3/2018  
 Addr: 337 E Park Ave, Chippewa Falls, WI - 54729  
 Directions: next to bulk plant  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 637850  
 Fleet: NR, Plate: NR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by MCDONALDS PETROLEUM SERVICE  
 -----

**276264-VTM** Issued: 10/3/2018  
 Addr: 337 E Park Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 571844  
 Fleet: 1, Plate: JB10775, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by MCDONALDS PETROLEUM SERVICE  
 -----

**276266-VTM** Issued: 10/3/2018  
 Addr: 337 E Park Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 571957  
 Fleet: 1, Plate: JB10775, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by MCDONALDS PETROLEUM SERVICE  
 -----

**299614-VTM** Issued: 10/3/2018  
 Addr: 337 E Park Ave, Chippewa Falls, WI - 54729  
 Directions: next to bulk plant  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 637348  
 Fleet: NR, Plate: NR, CCNo: 92-141, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 9/18/2018 by MCDONALDS PETROLEUM SERVICE  
 -----

#### Quality Fuels Inc.

Contact: Quality Fuels, Inc. (Stacy Katz)  
 Primary Phone: (715) 723-5550 e-mail: stacy@qualitypropaneandfuels.com  
 -----

**328527-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: , Ser #: 4001210201  
 Fleet: QF11, Plate: , CCNo: 17-146 A1, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 9/20/2018 by WESTMOR SUPERIOR  
 -----

-----  
**328526-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 4019300101  
 Fleet: QF11, Plate: , CCNo: 86-022A13, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/6/2018 by WESTMOR

**Quality Fuels, Inc.**

Contact: Quality Fuels, Inc. (Stacy Katz)  
 Primary Phone: (715) 723-5550 e-mail: stacy@qualitypropaneandfuels.com

-----  
**283896-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 504542  
 Fleet: QF1, Plate: MC5781, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/27/2019 by Tri State

-----  
**283900-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 600379  
 Fleet: QF5, Plate: HD30343, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/13/2018 by TRI STATE

-----  
**283901-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 593682  
 Fleet: QF5, Plate: HD30343, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/13/2018 by TRI STATE

-----  
**283787-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 504262  
 Fleet: QF1, Plate: MC5781, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/27/2019 by Tri State

-----  
**291495-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 620295  
 Fleet: QF8, Plate: HD31095, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/13/2018 by TRI STATE

-----  
**291496-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 620294  
 Fleet: QF8, Plate: HD31095, CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/13/2018 by TRI STATE

-----  
**305807-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 651238  
 Fleet: QF9, Plate: Applied for, CCNo: NR, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 3/27/2019 by Tri State

-----  
**305811-VTM** Issued: 10/22/2018  
 Addr: 14950 81st Ave, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 653752  
 Fleet: QF9, Plate: Applied for, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/27/2019 by Tri State

**River Country Co-op**

Contact: River Country Co-op (Mike Rinzel)  
 Primary Phone: (715) 723-2828 e-mail: mrinzel@rivercountrycoop.com

-----  
**288618-VTM** Issued: 10/16/2018  
 Addr: 1080 W River St, Chippewa Falls, WI - 54729  
 Directions: in front of warehouse  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7N1, Ser #: 604184  
 Fleet: 104, Plate: Applied for, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 3/21/2019 by McDonalds

-----  
**288619-VTM** Issued: 10/16/2018  
 Addr: 1080 W River St, Chippewa Falls, WI - 54729  
 Directions: In front of warehouse  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7N, Ser #: 612292  
 Fleet: 104, Plate: Applied for, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 3/21/2019 by McDonalds

-----  
**276263-VTM** Issued: 10/16/2018  
 Addr: 1110 14th Ave, Chippewa Falls, WI - 54729  
 Directions: Next to shop  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 570484  
 Fleet: 1, Plate: PB7896, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/24/2018 by MCDONALDS PETROLEUM SERVICE

-----  
**276262-VTM** Issued: 10/16/2018  
 Addr: 1080 W River St, Chippewa Falls, WI - 54729  
 Directions: next to warehouse  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 570477  
 Fleet: 1, Plate: PB7896, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/24/2018 by MCDONALDS PETROLEUM

#### Thaler Oil Co Inc.

Contact: Thaler Oil Co., Inc (Linda Brandt)  
 Work Phone: (715) 723-2822 e-mail: linda@thaleroil.com

-----  
**329377-VTM** Issued: 12/7/2018  
 Addr: 310 S Main St, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MA7, Ser #: 40325510202  
 Fleet: 103, Plate: WAITING FOR IT, CCNo: 86-022 A12, Pipe Dia: , MaxRate: 100  
 Last Private Test: 11/14/2018 by ARROW TANK

#### Thaler Oil Company, Inc.

Contact: Thaler Oil Co., Inc (Linda Brandt)  
 Work Phone: (715) 723-2822 e-mail: linda@thaleroil.com

-----  
**291926-VTM** Issued: 9/17/2018  
 Addr: 310 S Main St, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Lectro Count LCR 600, Model: M-15-1, Ser #: 620355  
 Fleet: 90, Plate: QB15511, CCNo: 92-141, Pipe Dia: 2", MaxRate: 150  
 Last Private Test: 6/5/2018 by TRI STATE

-----  
**282389-VTM** Issued: 9/17/2018  
 Addr: 310 S Main St, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: E3656, Ser #: 602726  
 Fleet: 89, Plate: QB15308, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/5/2018 by TRI STATE

-----  
**282378-VTM** Issued: 11/14/2018  
 Addr: 310 S Main St, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: E3656, Ser #: 602430  
 Fleet: 89, Plate: QB15308, CCNo: CC-92-141, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 6/5/2018 by TRI STATE

-----  
**273659-VTM** Issued: 9/17/2018  
 Addr: 310 S Main St, Chippewa Falls, WI - 54729  
 Directions: Main office  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: HX1654  
 Fleet: 74, Plate: PB6656, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/5/2018 by TRI STATE

-----  
**273663-VTM** Issued: 9/17/2018  
 Addr: 310 S Main St, Chippewa Falls, WI - 54729  
 Directions: Main office  
 Last State Test: Results:  
 Make: Schlumberger, Model: Type 4, Ser #: HX1659  
 Fleet: 74, Plate: PB6656, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/5/2018 by TRI STATE

-----  
**310860-VTM** Issued: 9/17/2018  
 Addr: 310 S Main St, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 668022  
 Fleet: 95, Plate: Applied for, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/5/2018 by TRI STATE

**310861-VTM** Issued: 9/17/2018  
 Addr: 310 S Main St, Chippewa Falls, WI - 54729  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 669333  
 Fleet: 95, Plate: Applied for, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/5/2018 by TRI STATE

**Eau Claire****Heartland Aviation, Hawthorne Global Aviation Services**

Contact: Hawthorne Global Aviation Services (Carrie Skille)  
 Work Phone: (715) 835-3181 e-mail: cskille@hawthorne.aero

**310879-VTM** Issued: 10/2/2018  
 Addr: 3800 Starr Ave, Eau Claire, WI - 54703  
 Directions: Across the parking lot from Chippewa Valley Regional Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 384794  
 Fleet: Jet A Truck International 4700, Plate: NA, CCNo: 90-176, Pipe Dia: 1, MaxRate: 100  
 Last Private Test: 4/23/2018 by Tri State

**310876-VTM** Issued: 10/2/2018  
 Addr: 3800 Starr Ave, Eau Claire, WI - 54703  
 Directions: Across parking lot from Chippewa Valley Regional Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-2, Ser #: 485957  
 Fleet: Jet A Truck International 4200, Plate: NA, CCNo: 92-141A9, Pipe Dia: 1, MaxRate: 150  
 Last Private Test: 4/23/2018 by Tri State

**310877-VTM** Issued: 10/2/2018  
 Addr: 3800 Starr Ave, Eau Claire, WI - 54703  
 Directions: Across the parking lot from Chippewa Valley Regional Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 486116  
 Fleet: Jet A Truck International 4200, Plate: NA, CCNo: 90-179PN, Pipe Dia: 1, MaxRate: 300  
 Last Private Test: 4/23/2018 by Tri State

**310878-VTM** Issued: 10/2/2018  
 Addr: 3800 Starr Ave, Eau Claire, WI - 54703  
 Directions: Across the parking lot from Chippewa Valley Regional Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 384829  
 Fleet: Jet A Truck International 4700, Plate: NA, CCNo: 90-179PN, Pipe Dia: 1, MaxRate: 300  
 Last Private Test: 4/23/2018 by Tri State

**310880-VTM** Issued: 10/2/2018  
 Addr: 3800 Starr Ave, Eau Claire, WI - 54703  
 Directions: Across the parking lot from Chippewa Valley Regional Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-5-2, Ser #: 380994  
 Fleet: Avgas Truck Ford F550, Plate: NA, CCNo: 97-023A2, Pipe Dia: 1, MaxRate: 60  
 Last Private Test: 4/23/2018 by Tri State

**Clark****Colby****ProVison Partners Cooperative**

Contact: ProVison Partners Cooperative (Troy Thompson)  
 Work Phone: (715) 387-1291 e-mail: tthompson@provisionpartners.coop

**276406-VTM** Issued: 10/8/2018  
 Addr: 105 N Division St, Colby, WI - 54421  
 Directions: Hw 29 to South in Hwy 13, west side of road.  
 Last State Test: Results:  
 Make: Neptune, Model: 834-1, Ser #: 8155EF  
 Fleet: 46, Plate: JB8517, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/23/2019 by Tri State

**276407-VTM** Issued: 10/8/2018  
 Addr: 105 N Division St, Colby, WI - 54421  
 Directions: Hwy 29 to South on Hwy 13, west side of road.  
 Last State Test: Results:  
 Make: Neptune, Model: 834-1, Ser #: EV1574  
 Fleet: 46, Plate: JB8517, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/23/2019 by Tri State

**Dorchester****Heartland Cooperative Services**

Contact: Heartland Cooperative Services (Michael Mohr)  
 Primary Phone: (715) 654-5134 e-mail: mmohras@yahoo.com

**276440-VTM** Issued: 10/16/2018  
 Addr: 100 Parkside Dr, Dorchester, WI - 54425  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 477065  
 Fleet: 723, Plate: PB7076, CCNo: 88-022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/15/2019 by Felker Truck & Equipment

**276437-VTM** Issued: 10/16/2018  
 Addr: 100 Parkside Dr, Dorchester, WI - 54425  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 485885  
 Fleet: 723, Plate: PB7076, CCNo: 88-022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/15/2019 by Felker Truck & Equipment

**Greenwood****Heartland Cooperative Services**

Contact: Heartland Cooperative Services (Michael Mohr)  
 Primary Phone: (715) 654-5134 e-mail: mmohras@yahoo.com

**276434-VTM** Issued: 10/16/2018  
 Addr: 414 S Main St, Greenwood, WI - 54437  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 379725  
 Fleet: 703, Plate: PB7074, CCNo: 88-022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/15/2019 by Felker Truck & Equipment

**276431-VTM** Issued: 10/16/2018  
 Addr: 414 S Main St, Greenwood, WI - 54437  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 379722  
 Fleet: 703, Plate: PB7074, CCNo: 88-022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/15/2019 by Felker Truck & Equipment

**Loyal****Brenner Oil Company & Sons LLC**

Contact: Brenner Oil Company & Sons LLC (George Brenner)  
 Primary Phone: (715) 255-8390 e-mail: brenneroil@frontier.net

**275818-VTM** Issued: 10/29/2018  
 Addr: 308 E Mill St, Loyal, WI - 54446  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: D411, Ser #: 411236  
 Fleet: 1, Plate: HD 23360, CCNo: NR, Pipe Dia: 1.25, MaxRate: 100  
 Last Private Test: by

**275819-VTM** Issued: 10/29/2018  
 Addr: 308 E Mill St, Loyal, WI - 54446  
 Directions:  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: C51448  
 Fleet: 2, Plate: HD 23350, CCNo: NR, Pipe Dia: 1.25, MaxRate: 50  
 Last Private Test: 8/23/2018 by MCDONALDS PETROLEUM

**275820-VTM** Issued: 10/29/2018  
 Addr: 308 E Mill St, Loyal, WI - 54446  
 Directions: Hwy 29 south on hwy P continue south on Hwy K to loyal, east on industrial drive  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: C51441  
 Fleet: 2, Plate: HD 23350, CCNo: NR, Pipe Dia: 1.25, MaxRate: 50  
 Last Private Test: 8/23/2018 by MCDONALDS PETROLEUM

**275817-VTM** Issued: 10/29/2018  
 Addr: 308 E Mill St, Loyal, WI - 54446  
 Directions: Hwy 29 south on hwy P continue south on Hwy K to loyal, east on industrial drive  
 Last State Test: Results:  
 Make: Liquid Controls, Model: D4111, Ser #: 411235  
 Fleet: 1, Plate: HD3360, CCNo: NR, Pipe Dia: 1.25, MaxRate: 100  
 Last Private Test: 8/23/2018 by MCDONALDS PETROLEUM

**Loyal Oil Company, LLC**

Contact: Loyal Oil Company LLC (Kyle Fitzl)  
 Work Phone: (715) 255-8755 e-mail: loyaloilco@gmail.com

**272703-VTM** Issued: 10/23/2018  
 Addr: 402 E Industrial Drive, Loyal, WI - 54446  
 Directions: N/A  
 Last State Test: Results:  
 Make: Actaris, Model: 834, Ser #: JD449  
 Fleet: 1, Plate: HD24004, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/31/2018 by HJ Martens

**272705-VTM** Issued: 10/23/2018  
 Addr: 402 E Industrial Drive, Loyal, WI - 54446  
 Directions: 1/2 mile N of Loyal on K  
 Last State Test: Results:  
 Make: Actaris, Model: 834, Ser #: 8006ED  
 Fleet: 1, Plate: HD24004, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/31/2018 by HJ Martens

**Neillsville****Drescher Oil Company LLC**



Contact: Drescher Oil Company LLC (Joel Raine)  
 Work Phone: (715) 743-6235 e-mail: m.rainey5@hotmail.com

-----  
**273887-VTM** Issued: 11/2/2018  
 Addr: W7174 US Hwy 10, Neillsville, WI - 54456  
 Directions: 3 1/2 miles west of neillsville on US hwy 10 truck garage located next to residence  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: FP1237  
 Fleet: 03, Plate: HD29575, CCNo: 02-046A3, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/12/2018 by FELKER

-----  
**273892-VTM** Issued: 11/2/2018  
 Addr: W7174 US Hwy 10, Neillsville, WI - 54456  
 Directions: 3 1/2 miles west of neillsville on US hwy 10 truck garage located next to residence  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: FP1235  
 Fleet: 03, Plate: HD29575, CCNo: 02-046A3, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/12/2018 by FELKER

-----  
**273894-VTM** Issued: 11/2/2018  
 Addr: W7174 US Hwy 10, Neillsville, WI - 54456  
 Directions: 3 1/2 miles west of Neillsville on US hwy 10 truck garage is located next to residence  
 Last State Test: Results:  
 Make: Schlumberger, Model: 834, Ser #: AU1527  
 Fleet: 02, Plate: GD44045, CCNo: 02-04643, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/12/2018 by FELKER

-----  
**273895-VTM** Issued: 11/2/2018  
 Addr: W7174 US Hwy 10, Neillsville, WI - 54456  
 Directions: 3 1/2 miles west of Neillsville on US hwy 10 truck garage located next to residence  
 Last State Test: Results:  
 Make: Schlumberger, Model: 834, Ser #: MT1496  
 Fleet: 02, Plate: GD44045, CCNo: 02-04643, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/12/2018 by FELKER

### Thorp

#### Ace Oil Company

Contact: Ace Oil Express, Inc. (Stanley Lis)  
 Primary Phone: (715) 669-5550 e-mail: aceoilexpressbp@gmail.com

-----  
**272817-VTM** Issued: 10/3/2018  
 Addr: 503 W Stanley St, Thorp, WI - 54771  
 Directions: Take 73 N off of 29 to cth X on Stanley St. Go west 5 blocks  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: 17783253  
 Fleet: 1, Plate: HD 25801, CCNo: 90-041A4, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 9/20/2018 by HJ MARTENS

-----  
**272818-VTM** Issued: 10/3/2018  
 Addr: 503 W Stanley St, Thorp, WI - 54771  
 Directions: take 73 N off of 29 to CTH X on Stanley St. Go West 5 blocks  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: BP1648  
 Fleet: 1, Plate: HD 25801, CCNo: 90-041A4, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 9/20/2018 by HJ MARTENS

#### Thorp Oil, LLC

Contact: Thorp Oil, LLC (Peter S. Moskiewicz)  
 Primary Phone: (715) 773-2193 e-mail: thorpoil@yahoo.com

-----  
**326579-VTM** Issued: 11/2/2018  
 Addr: W8446 County Rd X, Thorp, WI - 54771  
 Directions: 3 miles east of Thorp, WI on County Road X, north side of highway  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 483779  
 Fleet: 2, Plate: JB13594, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/23/2018 by MCDONALDS PETROLEUM

-----  
**326578-VTM** Issued: 11/2/2018  
 Addr: W8446 County Rd X, Thorp, WI - 54771  
 Directions: 3 miles East of Thorp, WI on County Road X, north side of highway  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 483778  
 Fleet: 2, Plate: , CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/23/2018 by MCDONALDS

### Clayton

#### Elkader

#### Three Rivers FS Company

Contact: Three Rivers FS Company (James Reimer)  
 Work Phone: (563) 875-0133 e-mail: jreimer@threeriversfs.com; sthole@threeriversfs.com

-----  
**277335-VTM** Issued: 9/25/2018  
 Addr: 24544 State Hwy 13, Elkader, IA - 52043  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 505597  
 Fleet: 12, Plate: SE2272, CCNo: 92-141A4, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/12/2018 by GROWMARK

-----  
**277336-VTM** Issued: 10/25/2018  
 Addr: 24544 State Hwy 13, Elkader, IA - 52043  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 505697  
 Fleet: 12, Plate: SE2272, CCNo: 92-141A4, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by Growmark

-----  
**325877-VTM** Issued: 9/25/2018  
 Addr: 24544 State Hwy 13, Elkader, IA - 52043  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3870610407  
 Fleet: 632, Plate: DX 2769, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/12/2018 by GROWMARK

-----  
**325878-VTM** Issued: 9/25/2018  
 Addr: 24544 Hwy 13 N, Elkader, IA - 52043  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 3869830303  
 Fleet: 632DX 2769, Plate: DX 2769, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/12/2018 by GROWMARK

-----  
**302141-VTM** Issued: 9/25/2018  
 Addr: 24544 State Hwy 13, Elkader, IA - 52043  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 644454  
 Fleet: 614, Plate: VB0684, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/12/2018 by GROWMARK

-----  
**310355-VTM** Issued: 9/25/2018  
 Addr: 24544 State Hwy 13, Elkader, IA - 52043  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 661570  
 Fleet: 614, Plate: VB0684, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/12/2018 by GROWMARK

## Columbia

### Arlington

#### Elsing Oil Company

Contact: Elsing Oil Company (Pam Elsing)  
 Work Phone: (608) 635-2164 e-mail: packerpam@aol.com

-----  
**276414-VTM** Issued: 9/14/2018  
 Addr: 200 US Hwy 51, Arlington, WI - 53911  
 Directions: go on Hwy 51 until you get to Arlington,  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 472297  
 Fleet: 2, Plate: PB8472, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/31/2017 by PETROLEUM SYSTEMS

-----  
**276415-VTM** Issued: 9/14/2018  
 Addr: 200 US Hwy 51, Arlington, WI - 53911  
 Directions: Go on hwy 51 until you get to Arlington  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 412916  
 Fleet: 1, Plate: QB14843, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/29/2018 by PETROLEUM SYSTEMS

-----  
**283903-VTM** Issued: 9/14/2018  
 Addr: 200 US Hwy 51, Arlington, WI - 53911  
 Directions: Go on Hwy 71 until you get to Arlington  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 472291  
 Fleet: 2, Plate: PB8472, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/28/2018 by PETROLEUM SYSTEMS

-----  
**283902-VTM** Issued: 9/14/2018  
 Addr: 200 US Hwy 51, Arlington, WI - 53911  
 Directions: Go on Hwy 51 until you get to Arlington WI  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 412849  
 Fleet: 1, Plate: QB14843, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/29/2018 by PETROLEUM SYSTEMS

## Portage

**Crawford Oil Company Inc.**

Contact: Crawford Oil Company, Inc (Jonathan J Crawford)  
 Work Phone: (608) 742-2414 e-mail: jon@crawfordoilco.com

-----  
**276378-VTM** Issued: 10/2/2018

Addr: 904 Superior St, Portage, WI - 53901  
 Directions: Hwy 33 E from portage, South on Superior  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 514884  
 Fleet: 5, Plate: HD21130, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/17/2018 by Felker

-----  
**276376-VTM** Issued: 10/2/2018

Addr: 904 Superior St, Portage, WI - 53901  
 Directions: Hwy 33 E from Portage, south on superior  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 514889  
 Fleet: 5, Plate: HD21130, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/17/2018 by Felker

-----  
**292962-VTM** Issued: 10/2/2018

Addr: 904 Superior St, Portage, WI - 53901  
 Directions: Hwy 33 E from Portage, South on Superior  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 368329  
 Fleet: NA, Plate: NB4253, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/17/2018 by Felker

-----  
**306202-VTM** Issued: 10/2/2018

Addr: 904 Superior St, Portage, WI - 53901  
 Directions: E 33 Portage, S on Superior  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M25-1, Ser #: 630035  
 Fleet: 8, Plate: NB4456, CCNo: 91-048PN, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 11/12/2018 by Felker

-----  
**310754-VTM** Issued: 10/2/2018

Addr: 904 Superior St, Portage, WI - 53901  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 368328  
 Fleet: N/A, Plate: NB4253, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/17/2018 by Felker

-----  
**325883-VTM** Issued: 10/2/2018

Addr: 904 Superior St., Portage, WI - 53901  
 Directions: E 33 Portage, S on Superior  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 669764  
 Fleet: NB4485, Plate: , CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/18/2018 by Felker

-----  
**325881-VTM** Issued: 10/2/2018

Addr: 904 Superior St., Portage, WI - 53901  
 Directions: E 33 Portage, S on Superior  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 652751  
 Fleet: , Plate: NB4485, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 12/18/2018 by Felker

## Wisconsin Dells

**Cenex**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**292394-VTM** Issued: 10/17/2018

Addr: N381 US Hwy 12 & 16, Wisconsin Dells, WI - 53965  
 Directions: Rocky Arbor Truck Repair, off I-90/94 on US Hwys 12 and 16  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 604677  
 Fleet: 132714, Plate: NA, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/5/2019 by Westmor

-----  
**292395-VTM** Issued: 10/17/2018

Addr: N381 US Hwy 12 & 16, Wisconsin Dells, WI - 53965  
 Directions: Rocky Arbor Truck Repair off I90/94 on US HWY 12 and 16  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 608254  
 Fleet: 132714, Plate: N/A, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/5/2019 by Westmor

## Dakota

## Rosemount

**Cenex**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**314529-VTM** Issued: 10/17/2018  
 Addr: 3290 140th St E, Rosemount, MN - 55068  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10-1, Ser #: 628897  
 Fleet: 142701, Plate: PR25769, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/21/2018 by CHS FLEET SERVICE

-----  
**314530-VTM** Issued: 10/17/2018  
 Addr: 3290 140th St E, Rosemount, MN - 55068  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10-1, Ser #: 631725  
 Fleet: 142701, Plate: PR25769, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/21/2018 by CHS FLEET SERVICE

**CHS AFD**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**317743-VTM** Issued: 10/17/2018  
 Addr: 3290 140th St E, Rosemount, MN - 55068  
 Directions: Jet Hwy 52 140th street 6  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10-1, Ser #: 563705  
 Fleet: 112781, Plate: PRZ1202, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/21/2018 by CHS INC.

-----  
**317742-VTM** Issued: 10/17/2018  
 Addr: 3290 140th St E, Rosemount, MN - 55068  
 Directions: Jet Hwy 52 140th street 6  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10-1, Ser #: 563599  
 Fleet: 112781, Plate: PRZ 1202, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/21/2018 by CHS INC

**Dane****Cottage Grove****Landmark Services Cooperative**

Contact: Landmark Services Cooperative (Gregory Higginbotham)  
 Work Phone: (608) 575-3704 e-mail: gregory.higginbotham@landmark.coop

-----  
**322183-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCM 10, Ser #: 3881920201  
 Fleet: 1839, Plate: TB6074, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/7/2019 by Westmor

-----  
**322184-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCM 10, Ser #: 3881920101  
 Fleet: 1839, Plate: TB6074, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/7/2019 by Westmor

-----  
**328077-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions: From US 12 Take CO. Rd. N. North to Landmark Drive  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LC M10-1, Ser #: 4018060103  
 Fleet: 3474, Plate: 76520X, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/3/2018 by WESTMOR SUPERIOR

-----  
**328078-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions: From US 12 Take Co. Rd. N. North to Landmark Dr.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCM-101, Ser #: 4001560701  
 Fleet: 3474, Plate: 76520X, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

-----  
**307001-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10, Ser #: 660004  
 Fleet: 03-9484, Plate: QB16030, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/4/2019 by Westmor

-----  
**307002-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10, Ser #: 660015  
Fleet: 03-9484, Plate: QB16030, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/4/2019 by Westmor  
-----  
**307004-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10, Ser #: 658486  
Fleet: 03-9483, Plate: QB16031, CCNo: 92-141, Pipe Dia: 2.5, MaxRate: 100  
Last Private Test: 3/11/2019 by Westmor  
-----  
**307005-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10, Ser #: 658488  
Fleet: 03-9483, Plate: QB16031, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/11/2019 by Westmore  
-----  
**313570-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 3717300501  
Fleet: 9442, Plate: 40172X, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 2/11/2019 by Westmor  
-----  
**313569-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 3717300401  
Fleet: 9442, Plate: 40172X, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 2/11/2019 by Westmor  
-----  
**313562-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 3730040202  
Fleet: 0275, Plate: QB16287, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/4/2019 by Westmor  
-----  
**313565-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 3730040102  
Fleet: 0275, Plate: QB16287, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/4/2019 by Westmor  
-----  
**274301-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions: I39 exit Hwy 12/18 to Cty Rd N North to Landmark Dr  
Last State Test: Results:  
Make: Liquid Controls, Model: LCM10-1, Ser #: 541561  
Fleet: 03-01, Plate: DB13399, CCNo: 88-022, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 12/5/2018 by Westmor  
-----  
**274299-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions: I39 exit Hwy 12/18 to Cty Rd N North to Landmark Dr  
Last State Test: Results:  
Make: Liquid Controls, Model: LCM10-1, Ser #: 541560  
Fleet: 03-01, Plate: DB13399, CCNo: 88-022, Pipe Dia: 1, MaxRate: 150  
Last Private Test: 12/5/2018 by Westmor  
-----  
**297118-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions: I39 to Hwy 12&18 E to Cty Rd N North to Landmark Dr  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10, Ser #: 636700  
Fleet: 03-9981, Plate: TEMP, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 1/22/2019 by Westmor  
-----  
**297119-VTM** Issued: 10/26/2018  
Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
Directions: I39 to hwy 12&18 E to County Rd N north  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10, Ser #: 631773  
Fleet: 03-9981, Plate: TEMP, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 1/22/2019 by Westmor

-----  
**297898-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions: from I-39 exit hwy 12&18 to county rd n north  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LC M7-1, Ser #: 467516  
 Fleet: 03-9982, Plate: 15073X, CCNo: 88022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/3/2018 by Westmor  
 -----

**297919-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions: from I-39 exit hwy 12 & 18 e to countyr rd N north  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LC M7-1, Ser #: 467515  
 Fleet: 03-9982, Plate: 15073X, CCNo: 88022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/3/2018 by Westmor  
 -----

**289148-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions: I39 exit Hwy 12/18 to Cty Rd N North to Landmark Dr  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10, Ser #: 616582  
 Fleet: 03-7282, Plate: 93030W, CCNo: 92-141, Pipe Dia: 2.5, MaxRate: 100  
 Last Private Test: 2/12/2019 by Westmor  
 -----

**289147-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions: I39 exit Hwy 12/18 to Cty Rd N North to Landmark Dr  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 616205  
 Fleet: 03-7282, Plate: 93030W, CCNo: 92-141, Pipe Dia: 2.5, MaxRate: 100  
 Last Private Test: 2/12/2019 by Westmor  
 -----

**284453-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions: I39 exit Hwy 12/18 to Cty Rd N North to Landmark Dr  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LC-M10-1, Ser #: 480156  
 Fleet: 03-186, Plate: RB22440, CCNo: 88022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/26/2019 by Westmor  
 -----

**284454-VTM** Issued: 10/26/2018  
 Addr: 1401 Landmark Dr, Cottage Grove, WI - 53527  
 Directions: I39 exit Hwy 12/18 to Cty Rd N North to Landmark Dr  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LC-M10-1, Ser #: 480157  
 Fleet: 03-186, Plate: RB22440, CCNo: 88022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/26/2019 by Westmor  
 -----

#### Jefferson

##### GROWMARK, INC., Insight FS

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com  
 -----

**293177-VTM** Issued: 10/29/2018  
 Addr: 222 E Puerner St, Jefferson, WI - 53549  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 485442  
 Fleet: 2872, Plate: PB7591, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/24/2018 by GROWMARK  
 -----

**293178-VTM** Issued: 10/29/2018  
 Addr: 222 E Puerner St, Jefferson, WI - 53549  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 485661  
 Fleet: 2872, Plate: PB7591, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/24/2018 by GROWMARK  
 -----

#### Madison

##### Wisconsin Aviation

Contact: Wisconsin Aviation - Four Lakes, Inc. (Jeff Davis)  
 Primary Phone: (608) 268-5000 e-mail: jeff.davis@wisconsinaviation.com  
 -----

**273244-VTM** Issued: 10/31/2018  
 Addr: 3606 Corben Ct, Madison, WI - 53704  
 Directions: East side of Dane County Regional Airport  
 Last State Test: Results:  
 Make: Total Control Systems, Model: 700-35SPA28XFP, Ser #: 806852  
 Fleet: 3143B, Plate: N/A, CCNo: 99-097A5, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: by

-----  
**273243-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: East side of Dane County Regional Airport  
Last State Test: Results:  
Make: Total Control Systems, Model: 700-26SPA28XFP, Ser #: 805868  
Fleet: 3143A, Plate: N/A, CCNo: 99-097A5, Pipe Dia: 2, MaxRate: 150  
Last Private Test: by -----  
**273245-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: East side of Dane County Regional Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M-25-2, Ser #: 414284  
Fleet: 3108A, Plate: N/A, CCNo: NR, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 3/20/2019 by City of Madison -----  
**273251-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: East side of Dane County Regional Airport  
Last State Test: Results:  
Make: Smith, Model: 788-700-54, Ser #: 9407575226  
Fleet: 300, Plate: N/A, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/13/2018 by CITY OF MADISON -----  
**273247-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: East side of Dane County Regional Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-2, Ser #: 414421  
Fleet: 3108B, Plate: N/A, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/20/2019 by City of Madison -----  
**273248-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: East side of Dane County Regional Airport  
Last State Test: Results:  
Make: Actaris, Model: 831, Ser #: 8100KC  
Fleet: 180, Plate: N/A, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/13/2018 by CITY OF MADISON -----  
**273249-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: East side of Dane County Regional Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M2120, Ser #: 31687A  
Fleet: 120, Plate: N/A, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/13/2018 by CITY OF MADISON -----  
**273252-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: East side of Dane County Regional Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M2120, Ser #: 771289  
Fleet: 750, Plate: N/A, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/13/2018 by CITY OF MADISON -----  
**306445-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: E side of Dane Co Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-2, Ser #: 634873  
Fleet: 5120, Plate: N/A, CCNo: 90-176, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 3/20/2019 by City of Madison -----  
**306443-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-2, Ser #: 647217  
Fleet: 5110, Plate: N/A, CCNo: 90-176, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 3/20/2019 by City of Madison -----  
**306444-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: E side of Dane Co Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M-25-2, Ser #: 634004  
Fleet: 5120, Plate: N/A, CCNo: 90-179PN, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 3/20/2019 by City of Madison -----  
**306442-VTM** Issued: 10/31/2018  
Addr: 3606 Corben Ct, Madison, WI - 53704  
Directions: E side of Dane Co Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M-25-2, Ser #: 646956  
Fleet: 5110, Plate: N/A, CCNo: 90-179PN, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 3/20/2019 by City of Madison



-----  
**306446-VTM** Issued: 10/31/2018  
 Addr: 3606 Corben Ct, Madison, WI - 53704  
 Directions: E side of Dane Co Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 646957  
 Fleet: 5130, Plate: N/A, CCNo: 90-179PN, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 3/20/2019 by City of Madison  
 -----

**McFarland****Amerigas Propane**

Contact: AmeriGas Propane LP (Mark Ellingsberg)  
 Work Phone: (608) 838-6598 e-mail: mark.ellingsberg@amerigas.com  
 -----

**325594-VTM** Issued: 11/19/2018  
 Addr: 4117 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR2, Ser #: 3920160106  
 Fleet: 318051, Plate: , CCNo: 04-097A5, Pipe Dia: 2, MaxRate: 100.17  
 Last Private Test: 7/23/2018 by Tri State  
 -----

**Cenex**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com  
 -----

**280476-VTM** Issued: 10/17/2018  
 Addr: 4517 Triangle St, McFarland, WI - 53558  
 Directions: On triangle between Voges and Siggelkow just off hwy 51, Klemm Tank Lines  
 Last State Test: Results:  
 Make: FPP, Model: TS20A, Ser #: 591D1106  
 Fleet: 112787, Plate: PRY9744, CCNo: 99-210A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by Westmor  
 -----

**280475-VTM** Issued: 10/17/2018  
 Addr: 4517 Triangle St, McFarland, WI - 53558  
 Directions: On triangle between Voges and Siggelkow just off hwy 51, Klemm Tank Lines  
 Last State Test: Results:  
 Make: FPP, Model: TS20A, Ser #: 591D1103  
 Fleet: 112787, Plate: PRY9744, CCNo: 99-210A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by Westmor  
 -----

**Jacobus Energy Inc.**

Contact: Jacobus Energy LLC (John Klein)  
 Work Phone: (414) 359-0700 e-mail: jklein@jacobusenergy.com  
 -----

**328867-VTM** Issued: 10/17/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 4042770302  
 Fleet: 2162, Plate: 81074X, CCNo: 92-141A9, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 9/14/2018 by City of Madison  
 -----

**328866-VTM** Issued: 10/17/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10-1, Ser #: 3975340201  
 Fleet: 2162, Plate: 81074X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/14/2018 by City of Madison  
 -----

Contact: Jacobus Energy LLC (Wendi Gaspar)  
 Work Phone: (414) 359-0565 e-mail: wendigaspar@jacobusenergy.com  
 -----

**328866-VTM** Issued: 10/17/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10-1, Ser #: 3975340201  
 Fleet: 2162, Plate: 81074X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/14/2018 by City of Madison  
 -----

**328867-VTM** Issued: 10/17/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 4042770302  
 Fleet: 2162, Plate: 81074X, CCNo: 92-141A9, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 9/14/2018 by City of Madison  
 -----

**Jacobus Energy LLC**

Contact: Jacobus Energy LLC (John Klein)  
Work Phone: (414) 359-0700 e-mail: jklein@jacobusenergy.com

-----  
**292967-VTM** Issued: 4/22/2019  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10, Ser #: 585660  
Fleet: 1786, Plate: M73778W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/21/2017 by City of Madison

Contact: Jacobus Energy LLC (Wendi Gaspar)  
Work Phone: (414) 359-0565 e-mail: wendigasp@jacobusenergy.com

-----  
**292967-VTM** Issued: 4/22/2019  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10, Ser #: 585660  
Fleet: 1786, Plate: M73778W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/21/2017 by City of Madison

### Jacobus Energy, Inc.

Contact: Jacobus Energy LLC (John Klein)  
Work Phone: (414) 359-0700 e-mail: jklein@jacobusenergy.com

-----  
**274256-VTM** Issued: 10/17/2018  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 442435  
Fleet: 1827, Plate: MC10063, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: by

-----  
**274255-VTM** Issued: 10/17/2018  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 442436  
Fleet: 1827, Plate: MC10063, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/14/2018 by City of Madison

-----  
**274259-VTM** Issued: 12/28/2018  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 405779  
Fleet: 1718, Plate: 65633W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 12/4/2018 by Felker

-----  
**274260-VTM** Issued: 12/28/2018  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 405763  
Fleet: 1718, Plate: 65633W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 12/4/2018 by Felker

-----  
**329059-VTM** Issued: 11/5/2018  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 3962860201  
Fleet: 2158, Plate: 78531X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/14/2018 by City of Madison

-----  
**329060-VTM** Issued: 11/5/2018  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 3975340202  
Fleet: 2138, Plate: 79384X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/14/2018 by City of Madison

-----  
**329058-VTM** Issued: 11/5/2018  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 3962860101  
Fleet: 2158, Plate: 78531X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/14/2018 by City of Madison

-----  
**329061-VTM** Issued: 11/5/2018  
Addr: 4107 Terminal Dr, McFarland, WI - 53558  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 4029540101  
Fleet: 2138, Plate: 79384X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/14/2018 by City of Madison

Contact: Jacobus Energy LLC (Wendi Gaspar)  
 Work Phone: (414) 359-0565 e-mail: wendigaspar@jacobusenergy.com

-----  
**329061-VTM** Issued: 11/5/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 4029540101  
 Fleet: 2138, Plate: 79384X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/14/2018 by City of Madison

-----  
**329060-VTM** Issued: 11/5/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 3975340202  
 Fleet: 2138, Plate: 79384X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/14/2018 by City of Madison

-----  
**329058-VTM** Issued: 11/5/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 3962860101  
 Fleet: 2158, Plate: 78531X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/14/2018 by City of Madison

-----  
**329059-VTM** Issued: 11/5/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 3962860201  
 Fleet: 2158, Plate: 78531X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/14/2018 by City of Madison

-----  
**274255-VTM** Issued: 10/17/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 442436  
 Fleet: 1827, Plate: MC10063, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/14/2018 by City of Madison

-----  
**274256-VTM** Issued: 10/17/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 442435  
 Fleet: 1827, Plate: MC10063, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

-----  
**274260-VTM** Issued: 12/28/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 405763  
 Fleet: 1718, Plate: 65633W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/4/2018 by Felker

-----  
**274259-VTM** Issued: 12/28/2018  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 405779  
 Fleet: 1718, Plate: 65633W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/4/2018 by Felker

### Jacobus Energy, LLC

Contact: Jacobus Energy LLC (John Klein)  
 Work Phone: (414) 359-0700 e-mail: jklein@jacobusenergy.com

-----  
**281387-VTM** Issued: 4/22/2019  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10, Ser #: 581837  
 Fleet: 1786, Plate: M73778W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/4/2019 by Midwest Trailer

Contact: Jacobus Energy LLC (Wendi Gaspar)  
 Work Phone: (414) 359-0565 e-mail: wendigaspar@jacobusenergy.com

-----  
**281387-VTM** Issued: 4/22/2019  
 Addr: 4107 Terminal Dr, McFarland, WI - 53558  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10, Ser #: 581837  
 Fleet: 1786, Plate: M73778W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/4/2019 by Midwest Trailer

## Middleton

**Middleton Co-op**

Contact: Middleton Farmers Cooperative (Michael Langer)  
 Work Phone: (608) 831-5921 e-mail: energy@middletoncoop.com

-----  
**273600-VTM** Issued: 10/22/2018

Addr: 1755 Pleasant View Rd, Middleton, WI - 53562

Directions: South on Pleasant View Rd off of Hwy 14 for 2 blocks. left turn (east) on Quarry Rd. 1 block to end of street. Bulk fuel storage plant on the left.

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 414655

Fleet: 3, Plate: JB8766, CCNo: NR, Pipe Dia: 2, MaxRate: 30

Last Private Test: 8/7/2018 by FELKER

-----  
**273608-VTM** Issued: 10/22/2018

Addr: 1755 Pleasant View Rd, Middleton, WI - 53562

Directions: South on Pleasant View Rd off of Hwy 14 for 2 blocks. left turn (east) on Quarry Rd 1 block to end of street. Bulk fuel storage plant on the left.

Last State Test: Results:

Make: Liquid Controls, Model: D4111, Ser #: DATCP273608

Fleet: 2, Plate: HD29322, CCNo: NR, Pipe Dia: 2, MaxRate: 30

Last Private Test: 8/7/2018 by FELKER

-----  
**273609-VTM** Issued: 10/22/2018

Addr: 1755 Pleasant View Rd, Middleton, WI - 53562

Directions: South on Pleasant View Rd off of Hwy 14 for 2 blocks. Turn left (East) on Quarry Rd for 1 block to end of street. bulk fuel storage plant is on the left.

Last State Test: Results:

Make: Liquid Controls, Model: D4111, Ser #: DATCP273609

Fleet: 2, Plate: HD29322, CCNo: NR, Pipe Dia: 2, MaxRate: 30

Last Private Test: 8/7/2018 by FELKER

-----  
**273605-VTM** Issued: 10/22/2018

Addr: 1755 Pleasant View Rd, Middleton, WI - 53562

Directions: South on Pleasant View Rd off of hwy 14 for 2 blocks. Left turn (East) on Quarry Rd. 1 block to end of street. bulk fuel storage facility is on the left.

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 414651

Fleet: 3, Plate: JB8766, CCNo: NR, Pipe Dia: 2, MaxRate: 30

Last Private Test: 8/7/2018 by FELKER

**Middleton Farmers Cooperative**

Contact: Middleton Farmers Co Op (Scott Moe)  
 Primary Phone: (608) 831-5921 e-mail: scott@tygarinc.com

-----  
**330298-VTM** Issued: 4/22/2019

Addr: 1755 Pleasant View Rd, Middleton, WI - 53562

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M10C1, Ser #: 4104510603

Fleet: 1035, Plate: applied for, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150

Last Private Test: 4/1/2019 by Seneca Tank

-----  
**330297-VTM** issued: 4/22/2019

Addr: 1755 Pleasant View Rd, Middleton, WI - 53562

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M10C1, Ser #: 4100310205

Fleet: 1035, Plate: applied for, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150

Last Private Test: 4/1/2019 by Seneca Tank

**Morey Airplane Co Inc**

Contact: Morey Airplane Co Inc (Richard Morey)  
 Work Phone: (608) 836-1711 e-mail: cfiirich@tds.net

-----  
**311829-VTM** Issued: 10/10/2018

Addr: 8300 Airport Rd, Middleton, WI - 53562

Directions: Fuel porter bullpen - W side of airport ramp

Last State Test: Results:

Make: Liquid Controls, Model: M7-40800-1, Ser #: 161668

Fleet: NA, Plate: NA, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100

Last Private Test: 1/4/2019 by Tri State

-----  
**311824-VTM** issued: 10/10/2018

Addr: 8300 Airport Rd, Middleton, WI - 53562

Directions: Fuel porter bullpen- W side of airport ramp

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 373519

Fleet: 100LL truck, Plate: NA, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100

Last Private Test: 1/4/2019 by Tri State

## Verona

**Zurbuchen Oil Inc**

Contact: Zurbuchen Oil Inc (Barth Zurbuchen)  
 Work Phone: (608) 845-6989 e-mail: barth@z-oil.net

-----  
**273677-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 328957  
 Fleet: 5, Plate: JB7506, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

**273680-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800, Ser #: 182523  
 Fleet: 6, Plate: JB7507, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

**273683-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800, Ser #: 47133  
 Fleet: 7, Plate: JB7508, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

**273685-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800, Ser #: 152747  
 Fleet: 4, Plate: JB7505, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

**273687-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800, Ser #: 322293  
 Fleet: 4, Plate: JB7507, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

**273689-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 331768  
 Fleet: 8, Plate: JB7509, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

**273690-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 331763  
 Fleet: 8, Plate: JB7509, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

**273679-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 328966  
 Fleet: 5, Plate: JB7506, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

**273681-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-4180, Ser #: 48859  
 Fleet: 6, Plate: JB7507, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

**273682-VTM** Issued: 10/2/2018  
 Addr: 309 Bruce St, Verona, WI - 53593  
 Directions: Trucks are kept in a garage on the east property line  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800, Ser #: 47109  
 Fleet: 7, Plate: JB7508, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by CITY OF MADISON  
 -----

Waunakee

Midwest Fuels

Contact: Midwest Industrial Fuels Inc (Scott Ramin)  
Work Phone: (608) 782-3308 e-mail: scott.ramin@midwestfuels.com

-----  
**273152-VTM** Issued: 11/5/2018  
Addr: 6117 County Hwy K, Waunakee, WI - 53597  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 352701  
Fleet: 12-281, Plate: NB3512, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/9/2018 by Felker Truck

-----  
**273151-VTM** Issued: 11/5/2018  
Addr: 6117 County Hwy K, Waunakee, WI - 53597  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 352917  
Fleet: 12-281, Plate: NB3512, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/9/2018 by Felker Truck

-----  
**300150-VTM** Issued: 11/5/2018  
Addr: 6117 County Hwy K, Waunakee, WI - 53597  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 640276  
Fleet: 12-348, Plate: MC9450, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/15/2019 by Felker

-----  
**300149-VTM** Issued: 11/5/2018  
Addr: 6117 County Hwy K, Waunakee, WI - 53597  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 640277  
Fleet: 12-348, Plate: MC9450, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/15/2019 by Felker

**MOC Trucking LLC**

Contact: Meffert Oil Company Inc.  
Primary Phone: (608) 849-2667 e-mail:

-----  
**273191-VTM** Issued: 10/19/2018  
Addr: 300 S Division St, Waunakee, WI - 53597  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 486192  
Fleet: 106, Plate: MC6379, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/18/2018 by CITY OF MADISON

-----  
**273193-VTM** Issued: 10/19/2018  
Addr: 300 S Division St, Waunakee, WI - 53597  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 486226  
Fleet: 106, Plate: MC 6379, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/18/2018 by CITY OF MADISON

-----  
**273194-VTM** Issued: 10/19/2018  
Addr: 300 S Division St, Waunakee, WI - 53597  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 507586  
Fleet: 108, Plate: HD23631, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/18/2018 by CITY OF MADISON

-----  
**273197-VTM** Issued: 10/19/2018  
Addr: 300 S Division St, Waunakee, WI - 53597  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 507592  
Fleet: 108, Plate: HD23631, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/18/2018 by CITY OF MADISON

Contact: MOC Trucking, LLC. (Randy Meffert)  
Work Phone: (608) 850-3835 e-mail: troy.meffert@meffertoil.com

-----  
**273191-VTM** Issued: 10/19/2018  
Addr: 300 S Division St, Waunakee, WI - 53597  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 486192  
Fleet: 106, Plate: MC6379, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/18/2018 by CITY OF MADISON

-----  
**273197-VTM** Issued: 10/19/2018  
Addr: 300 S Division St, Waunakee, WI - 53597  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 507592  
Fleet: 108, Plate: HD23631, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/18/2018 by CITY OF MADISON

-----  
**273194-VTM** Issued: 10/19/2018  
 Addr: 300 S Division St, Waunakee, WI - 53597  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 507586  
 Fleet: 108, Plate: HD23631, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by CITY OF MADISON  
 -----

**273193-VTM** Issued: 10/19/2018  
 Addr: 300 S Division St, Waunakee, WI - 53597  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 486226  
 Fleet: 106, Plate: MC 6379, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by CITY OF MADISON  
 -----

**Dodge****Beaver Dam****Corey Oil Ltd**

Contact: Corey Oil Ltd (Andy Glorioso)  
 Work Phone: (414) 840-9198 e-mail: andyglorioso@yahoo.com  
 -----

**328374-VTM** Issued: 9/21/2018  
 Addr: 540 E Burnett St, Beaver Dam, WI - 53916  
 Directions: Hwy E & Hwy 151  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800-1, Ser #: 238845  
 Fleet: #16, Plate: JB5280, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/27/2018 by PETROLEUM SYSTEMS  
 -----

**328376-VTM** Issued: 9/19/2018  
 Addr: 540 E Burnett St, Beaver Dam, WI - 53916  
 Directions: Hwy E & Hwy 151  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800-1, Ser #: 173912  
 Fleet: #16, Plate: JB 5280, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

**Corey Oil Ltd.**

Contact: Corey Oil Ltd (Andy Glorioso)  
 Work Phone: (414) 840-9198 e-mail: andyglorioso@yahoo.com  
 -----

**328369-VTM** Issued: 9/19/2018  
 Addr: 540 E Burnett St, Beaver Dam, WI - 53916  
 Directions: Hwy E & Hwy 151  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 9405566986  
 Fleet: #23, Plate: 90322W, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/27/2018 by PETROLEUM SYSTEMS  
 -----

**328370-VTM** Issued: 9/19/2018  
 Addr: 540 E Burnett St, Beaver Dam, WI - 53916  
 Directions: Hwy E & Hwy 151  
 Last State Test: Results:  
 Make: Neptune, Model: 4, Ser #: 222 123  
 Fleet: #123, Plate: 90322W, CCNo: 02-046A4, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/27/2018 by PETROLEUM SYSTEMS  
 -----

**United Cooperative**

Contact: United Cooperative (Mark Witzel)  
 Work Phone: (920) 887-1756 e-mail: mwitzel@unitedcooperative.com  
 -----

**272416-VTM** Issued: 11/2/2018  
 Addr: N7160 Raceway Rd, Beaver Dam, WI - 53916  
 Directions: North on 76 From 76 & 15 Intersection, cross tracks and turn right  
 Last State Test: Results:  
 Make: Schlumberger, Model: 834, Ser #: CR1035  
 Fleet: 38G, Plate: HD 28093, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/5/2018 by WESTMOR  
 -----

**318330-VTM** Issued: 11/2/2018  
 Addr: N7160 Raceway Rd, Beaver Dam, WI - 53916  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR 2, Ser #: 517755  
 Fleet: 273, Plate: MC10300, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by WESTMOR  
 -----

**318331-VTM** Issued: 11/2/2018  
 Addr: N7160 Raceway Rd, Beaver Dam, WI - 53916  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR2, Ser #: 503865  
 Fleet: 273, Plate: MC10300, CCNo: 90-176, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/18/2018 by WESTMOR  
 -----



-----  
**292976-VTM** Issued: 11/2/2018  
 Addr: N7160 Raceway Dr, Beaver Dam, WI - 53916  
 Directions:  
 Last State Test: Results:  
 Make: Neptune, Model: 100562, Ser #: JV1596  
 Fleet: 342, Plate: MC9306, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/2/2019 by Westmor  
 -----

**272417-VTM** Issued: 11/2/2018  
 Addr: 7160 Raceway Rd, Beaver Dam, WI - 53916  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 834, Ser #: CR1037  
 Fleet: 38G, Plate: HD 28093, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/5/2018 by WESTMOR  
 -----

**Lomira****Cole Oil Company, Inc.**

Contact: Cole Oil Company Inc (Tony Cole)  
 Work Phone: (920) 269-4542 e-mail: tony@coleoil.net  
 -----

**272643-VTM** Issued: 10/25/2018  
 Addr: 310 Pleasant Hill Ave, Lomira, WI - 53048  
 Directions: HWY 41 to 67 west to pleasant hill ave. then south to office.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: JJ2043  
 Fleet: 8, Plate: KB4250, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/13/2018 by TRI STATE  
 -----

**272646-VTM** Issued: 10/25/2018  
 Addr: 310 Pleasant Hill Ave, Lomira, WI - 53048  
 Directions: HWY 41 to 67 west to pleasant hill ave. then south to office.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: 20774342  
 Fleet: 23, Plate: HD20446, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/14/2018 by TRI STATE  
 -----

**272648-VTM** Issued: 10/25/2018  
 Addr: 310 Pleasant Hill Ave, Lomira, WI - 53048  
 Directions: HWY 41 to 67 west to pleasant hill ave. then south to office.  
 Last State Test: Results:  
 Make: Schlumberger, Model: Type 4, Ser #: GN2308  
 Fleet: 4, Plate: HD20437, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/14/2018 by TRI STATE  
 -----

**272640-VTM** Issued: 10/25/2018  
 Addr: 310 Pleasant Hill Ave, Lomira, WI - 53048  
 Directions: HWY 41 to 67 west to pleasant hill ave. then south to office.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 507928  
 Fleet: 25, Plate: NB3195, CCNo: 92-141-A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/13/2018 by TRI STATE  
 -----

**272641-VTM** Issued: 10/25/2018  
 Addr: 310 Pleasant Hill Ave, Lomira, WI - 53048  
 Directions: HWY 41 to 67 west to pleasant hill ave. then south to office.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 507929  
 Fleet: 25, Plate: NB3195, CCNo: 92-141-A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/13/2018 by TRI STATE  
 -----

**272642-VTM** Issued: 10/25/2018  
 Addr: 310 Pleasant Hill Ave, Lomira, WI - 53048  
 Directions: HWY 41 to 67 west to pleasant hill ave. then south to office.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: JJ2063  
 Fleet: 8, Plate: KB4250, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/13/2018 by TRI STATE  
 -----

**272647-VTM** Issued: 10/25/2018  
 Addr: 310 Pleasant Hill Ave, Lomira, WI - 53048  
 Directions: HWY 41 to 67 west to pleasant hill ave. then south to office.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: LL1829  
 Fleet: 23, Plate: HD20446, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/14/2018 by TRI STATE  
 -----

**272678-VTM** Issued: 10/25/2018  
 Addr: 310 Pleasant Hill Ave, Lomira, WI - 53048  
 Directions: HWY 41 to 67 west to pleasant hill ave. then south to office.  
 Last State Test: Results:  
 Make: Schlumberger, Model: Type 4, Ser #: FN1320  
 Fleet: 4, Plate: HD20437, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/14/2018 by TRI STATE  
 -----

**Lomira Petroleum Products**

Contact: Philip Majerus  
Work Phone: (920) 269-4114 e-mail:

-----  
**274212-VTM** Issued: 10/22/2018  
 Addr: 191 Church St, Lomira, WI - 53048  
 Directions: Intersection of State Rd 41&67 south east corner  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 406067  
 Fleet: 1, Plate: MC6121, CCNo: 97-075AZ, Pipe Dia: 2, MaxRate: 10-100  
 Last Private Test: 10/4/2018 by TRI STATE  
 -----  
**274211-VTM** Issued: 10/22/2018  
 Addr: 191 Church St, Lomira, WI - 53048  
 Directions: Intersection of State Rd 41&67 south east corner  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 406051  
 Fleet: 1, Plate: MC6121, CCNo: 92-075AZ, Pipe Dia: 2, MaxRate: 10-100  
 Last Private Test: 10/4/2018 by TRISTATE

### Lowell

#### Caine Petroleum and Equipment Co., Inc.

Contact: Caine Petroleum and Equipment Co., Inc. (Andrew Caine)  
Work Phone: (920) 927-3837 e-mail: caineshop@powerweb.net

-----  
**280017-VTM** Issued: 10/8/2018  
 Addr: 255 Beaver Dam St, Lowell, WI - 53557  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 477064  
 Fleet: 2, Plate: NB339, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/27/2019 by Westmor  
 -----  
**280019-VTM** Issued: 10/8/2018  
 Addr: 255 Beaver Dam St, Lowell, WI - 53557  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 476554  
 Fleet: 2, Plate: NB3399, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/27/2019 by Westmor

#### Caine Petroleum Inc.

Contact: Caine Petroleum and Equipment Co., Inc. (Andrew Caine)  
Work Phone: (920) 927-3837 e-mail: caineshop@powerweb.net

-----  
**325809-VTM** Issued: 10/8/2018  
 Addr: 255 Beaver Dam St, Lowell, WI - 53557  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4MT, Ser #: KZ 1301  
 Fleet: 43, Plate: HD 28086, CCNo: , Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/19/2018 by WESTMOR  
 -----  
**325810-VTM** Issued: 10/8/2018  
 Addr: 255 Beaver Dam St, Lowell, WI - 53557  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4MT, Ser #: KZ 1300  
 Fleet: 43, Plate: HD, CCNo: , Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/19/2018 by WESTMOR

### Mayville

#### Cole Oil & Propane

Contact: Cole Oil Company Inc (Tony Cole)  
Work Phone: (920) 269-4542 e-mail: tony@coleoil.net

-----  
**313880-VTM** Issued: 10/25/2018  
 Addr: 990 N Main St, Mayville, WI - 53050  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3715560201  
 Fleet: 54, Plate: MC10181, CCNo: 92-141, Pipe Dia: 2, MaxRate: 110  
 Last Private Test: 4/22/2019 by Petroleum Systems  
 -----  
**313884-VTM** Issued: 10/25/2018  
 Addr: 990 N Main St, Mayville, WI - 53050  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3622030201  
 Fleet: 54, Plate: MC10181, CCNo: 92-141, Pipe Dia: 2, MaxRate: 110  
 Last Private Test: 4/22/2019 by Petroleum Systems

### Door

#### Sheboygan

#### Quality State Oil Company, Inc.

Contact: Quality State Oil Company, Inc. (Jim Kussard)  
 Primary Phone: (920) 459-5640 e-mail: jim.kussard@qualitystate.com

-----  
**272928-VTM** Issued: 10/15/2018  
 Addr: 2201 Calumet Dr, Sheboygan, WI - 53083  
 Directions: N/A  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: GV1092  
 Fleet: 32, Plate: QB 12541, CCNo: 02-046A3, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by Quality  
 -----  
**272929-VTM** Issued: 10/15/2018  
 Addr: 2201 Calumet Dr, Sheboygan, WI - 53083  
 Directions: N/A  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: GV1082  
 Fleet: 32, Plate: QB 12541, CCNo: 02-046A3, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/26/2018 by Quality

### Sturgeon Bay

#### Country Visions Cooperative

Contact: Country Visions Cooperative (Steven Zutz)  
 Primary Phone: (920) 754-2213 e-mail: kschultz@cvcoop.com

-----  
**313336-VTM** Issued: 9/17/2018  
 Addr: 6817 Stagg Rd, Sturgeon Bay, WI - 54235  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3628900201  
 Fleet: 6005, Plate: RB 28302, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/11/2019 by GREAT LAKES  
 -----  
**313338-VTM** Issued: 9/17/2018  
 Addr: 6817 Stagg Rd, Sturgeon Bay, WI - 54235  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10C1, Ser #: 3706520202  
 Fleet: 6005, Plate: RB 28302, CCNo: 92-141A6, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 3/13/2018 by Great Lakes Meter

#### Quality State Oil Company Inc.

Contact: Quality State Oil Co Inc (Todd Schroeder)  
 Work Phone: (920) 459-5640 e-mail: todd.schroeder@qualitystate.com

-----  
**329025-VTM** Issued: 10/16/2018  
 Addr: 3030 Rosy Ln., Sturgeon Bay, WI - 54235  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 4023460201  
 Fleet: 46, Plate: P/B 9283, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/3/2018 by Quality State  
 -----  
**329026-VTM** Issued: 11/5/2018  
 Addr: 3030 Rosy Ln, Sturgeon Bay, WI - 54235  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 4023460101  
 Fleet: 46, Plate: P/B 9283, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/3/2018 by Quality State

#### Quality State Oil Company, Inc.

Contact: Quality State Oil Co Inc (Todd Schroeder)  
 Work Phone: (920) 459-5640 e-mail: todd.schroeder@qualitystate.com

-----  
**318370-VTM** Issued: 10/15/2018  
 Addr: 3030 Rosy Ln, Sturgeon Bay, WI - 54235  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3776200201  
 Fleet: 45, Plate: PB 8913, CCNo: 92-141, Pipe Dia: 2, MaxRate: 15-150  
 Last Private Test: 10/3/2018 by Quality  
 -----  
**318372-VTM** Issued: 10/15/2018  
 Addr: 3030 Rosy Ln, Sturgeon Bay, WI - 54235  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 3776200101  
 Fleet: 45, Plate: PB 8913, CCNo: CC; 92-141, Pipe Dia: 2, MaxRate: 15-150  
 Last Private Test: 10/3/2018 by Quality

### Washington Island

#### Death's Door Trade and Fuel

Contact: Death's Door Trade and Fuel (Tom Jordan)  
Work Phone: (920) 535-0134 e-mail:

-----  
**328142-VTM** Issued: 11/30/2018  
Addr: 1481 Main Rd, Washington Island, WI - 54246  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-41800-01, Ser #: 222902  
Fleet: , Plate: HD24078, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 64  
Last Private Test: 11/14/2018 by Felker

**Douglas****Superior****ICO**

Contact: Inter City Oil Co., Inc. (Kelly Johnson)  
Work Phone: (218) 728-3641 e-mail:

-----  
**289847-VTM** Issued: 7/11/2018  
Addr: 1011 Winter St, Superior, WI - 54880  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 568315  
Fleet: D12, Plate: JB10968, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 6/20/2018 by M COMMERCE

-----  
**289848-VTM** Issued: 7/11/2018  
Addr: 1011 Winter St, Superior, WI - 54880  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 574449  
Fleet: D12, Plate: JB10968, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 6/20/2018 by M COMMERCE

**Joe P. Kimmes Oil Co., Inc.**

Contact: Joe P. Kimmes Oil Co., Inc. (John Jacobson)  
Primary Phone: (715) 394-4233 e-mail: kimmesoil818@gmail.com

-----  
**288550-VTM** Issued: 9/14/2018  
Addr: 6327 Tower Ave, Superior, WI - 54880  
Directions: Corner of Tower Avenue and North 64th Street  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 251978  
Fleet: K04, Plate: JB9457, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/8/2017 by MINNESOTA

**Joe P. Kimmes Oil Co., Inc.**

Contact: Joe P. Kimmes Oil Co., Inc. (John Jacobson)  
Primary Phone: (715) 394-4233 e-mail: kimmesoil818@gmail.com

-----  
**317744-VTM** Issued: 9/14/2018  
Addr: 6327 Tower Ave, Superior, WI - 54880  
Directions: 64th Tower Avenue  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 251978  
Fleet: KO4, Plate: JB9457, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/8/2017 by Hansen's Welding

**Superior Flying Services LLC**

Contact: Superior Flying Services LLC (Calvin Kramp)  
Work Phone: (715) 394-6444 e-mail: calvink@superiorflying.com

-----  
**316314-VTM** Issued: 11/5/2018  
Addr: 4804 Hammond Ave, Superior, WI - 54880  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-41800-2, Ser #: 148460  
Fleet: NA, Plate: NA, CCNo: M2120, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 6/30/2018 by WESTMOR

-----  
**316312-VTM** Issued: 10/23/2018  
Addr: 4804 Hammond Ave, Superior, WI - 54880  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-41800-2, Ser #: 148454  
Fleet: NA, Plate: NA, CCNo: M2120, Pipe Dia: 2, MaxRate: 40  
Last Private Test: 6/30/2018 by WESTMOR

**Superior Fuel Company**

Contact: Superior Fuel (Jodie Suomala)  
Work Phone: (218) 336-2551 e-mail: jodies@superiorfuelcompany.com

-----  
**276280-VTM** Issued: 10/2/2018  
Addr: 128 N 21st St, Superior, WI - 54880  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 485983  
Fleet: 51, Plate: 26546W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 4/24/2019 by Felker

-----  
**276285-VTM** Issued: 10/2/2018  
 Addr: 128 N 21st St, Superior, WI - 54880  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 489146  
 Fleet: 51, Plate: 26546W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/24/2019 by Felker

-----  
**276286-VTM** Issued: 10/2/2018  
 Addr: 128 N 21st St, Superior, WI - 54880  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 480152  
 Fleet: 50, Plate: 37518W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/25/2019 by Felker

-----  
**276291-VTM** Issued: 10/2/2018  
 Addr: 128 N 21st St, Superior, WI - 54880  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 480396  
 Fleet: 50, Plate: 37518W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/25/2019 by Felker

## Dubuque

### Dubuque

#### Mulgrew Oil Company

Contact: Mulgrew Oil Company (John Bellrichard)  
 Work Phone: (563) 599-8223 e-mail: jbellrichard@perfectionoilco.com

-----  
**294393-VTM** Issued: 10/2/2018  
 Addr: 10314 Silverwood Dr, Dubuque, IA - 52003  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: NA, Ser #: 5944  
 Fleet: TR1, Plate: DB0198, CCNo: NA, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 7/11/2018 by KIRKS METER

-----  
**294392-VTM** Issued: 10/2/2018  
 Addr: 10314 Silverwood Dr, Dubuque, IA - 52003  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: NA, Ser #: 6943  
 Fleet: TR1, Plate: DB0198, CCNo: NA, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 7/11/2018 by KIRKS METER

-----  
**309974-VTM** Issued: 10/2/2018  
 Addr: 10314 Silverwood Dr, Dubuque, IA - 52003  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: NR, Ser #: 1821913  
 Fleet: TR2, Plate: Applied for, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 7/11/2018 by KIRKS METER

-----  
**309975-VTM** Issued: 10/2/2018  
 Addr: 10314 Silverwood Dr, Dubuque, IA - 52003  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: NR, Ser #: 1006167  
 Fleet: TR2, Plate: Applied for, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 7/11/2018 by KIRKS METER

#### Three Rivers FS Company

Contact: Three Rivers FS Company (James Reimer)  
 Work Phone: (563) 875-0133 e-mail: jreimer@threeriversfs.com; sthole@threeriversfs.com

-----  
**325880-VTM** Issued: 9/25/2018  
 Addr: 14828 North Cascade Rd, Dubuque, IA - 52003  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 616886  
 Fleet: 1305, Plate: VA 2924, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/11/2018 by Growmark

-----  
**325879-VTM** Issued: 9/25/2018  
 Addr: 14828 North Cascade Rd, Dubuque, IA - 52003  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-4, Ser #: 617886  
 Fleet: 1305, Plate: VA 2954, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/11/2018 by Growmark

## DUNN

### Elk Mound

#### Synergy Cooperative

Contact: Synergy Community Sooperative (Brady Arnston)  
Work Phone: (715) 879-5454 e-mail: bradya@synergycoop.com

-----  
**330372-VTM** Issued: 4/30/2019  
Addr: N6055 State Rd 40, Elk Mound, WI - 54739  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4100260102  
Fleet: 416, Plate: PB9529, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/19/2019 by Westmor

-----  
**330373-VTM** Issued: 4/30/2019  
Addr: N6055 State Rd 40, Elk Mound, WI - 54739  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 4100260701  
Fleet: 416, Plate: PB9529, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 4/19/2019 by Westmor

Contact: Synergy Cooperative (Kyle Knutson)  
Work Phone: (715) 879-5454 e-mail:

-----  
**328192-VTM** Issued: 10/31/2018  
Addr: N6055 State Rd 40, Elk Mound, WI - 54739  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 4028500103  
Fleet: 418, Plate: PB 9211, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/26/2019 by Tri State Testing

-----  
**299289-VTM** Issued: 10/31/2018  
Addr: N6055 State Rd 40, Elk Mound, WI - 54739  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 637224  
Fleet: 5116, Plate: JB12021, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/26/2019 by Tri State

-----  
**288402-VTM** Issued: 10/31/2018  
Addr: N6055 State Rd 40, Elk Mound, WI - 54739  
Directions: approx 1 mile north of elk mound on hwy 40  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 612865  
Fleet: 8705, Plate: QB15382, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/13/2018 by Tri State

-----  
**288401-VTM** Issued: 10/31/2018  
Addr: N6055 State Rd 40, Elk Mound, WI - 54739  
Directions: approx 1 mile north of elk mound on hwy 40  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 612933  
Fleet: 8705, Plate: QB15382, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 3/13/2018 by Tri State

### Menomonie

#### Cenex

Contact: CHS Transportation (Mark Prindle)  
Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**310351-VTM** Issued: 12/11/2018  
Addr: N5311 610th St, Menomonie, WI - 54751  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 661981  
Fleet: 102772, Plate: PRY8786, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 3/8/2018 by CHS Fleet Service

#### Synergy Cooperative

Contact: Synergy Cooperative (Kyle Knutson)  
Work Phone: (715) 879-5454 e-mail:

-----  
**299290-VTM** Issued: 10/31/2018  
Addr: 502 4th St, Menomonie, WI - 54751  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 640751  
Fleet: 5116, Plate: JB12021, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/26/2019 by Tri State

### Ridgeland

#### Synergy Cooperative



Contact: Synergy Cooperative (DeWayne Roe)  
Work Phone: (715) 642-0754 e-mail: dewayner@synergycoop.com

**326091-VTM** Issued: 10/2/2018  
Addr: 229 Railroad St, Ridgeland, WI - 54763  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: T11, Ser #: RK53811  
Fleet: 214, Plate: HD28288, CCNo: 95-060AZ, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/13/2018 by McDonalds Petroleum

**326088-VTM** Issued: 10/2/2018  
Addr: 229 Railroad St, Ridgeland, WI - 54763  
Directions:  
Last State Test: Results:  
Make: Schlumberger, Model: 4, Ser #: DP1134  
Fleet: 410, Plate: HD26286, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/12/2018 by McDonalds Petroleum

**326086-VTM** Issued: 10/2/2018  
Addr: 229 Railroad St, Ridgeland, WI - 54763  
Directions:  
Last State Test: Results:  
Make: Schlumberger, Model: #4, Ser #: AO1214  
Fleet: 410, Plate: HD 26286, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/12/2018 by McDonalds Petroleum

**326089-VTM** Issued: 10/2/2018  
Addr: 229 Railroad St, Ridgeland, WI - 54763  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: T11, Ser #: RK54189  
Fleet: 412, Plate: HSD28288, CCNo: 95-060AZ, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/21/2019 by Mcdonalds

## Eau Claire

### Eau Claire

#### Chippewa Valley Energy

Contact: Eau Claire Co-operative Oil Company (Joe Alf)  
Work Phone: (715) 876-6480 e-mail: compliance@eccoop.com

**308723-VTM** Issued: 10/17/2018  
Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
Directions: I-94 to exit 59, take right on Hwy 312 to 3rd stoplight(Kand Rd), take left, 1st white building on the right  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 658543  
Fleet: 208, Plate: PB8534, CCNo: 92-141, Pipe Dia: , MaxRate: 150  
Last Private Test: 5/2/2018 by MCDONALDS PETROLEUM

**329056-VTM** Issued: 11/5/2018  
Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
Directions: i-94 TO E.Claire exit 59. Go East on Hwy 312 to Kane Rd (4th Stop lights). Turn Left or North on Kane Rd. Located on East Right side of road prior to the railroad tracks.  
Last State Test: Results:  
Make: Liquid Controls, Model: MA7, Ser #: 4031110102  
Fleet: NB4626, Plate: 410, CCNo: 86-022A12, Pipe Dia: , MaxRate: 100  
Last Private Test: 9/10/2018 by ARROW TANK

**293836-VTM** Issued: 10/17/2018  
Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
Directions: I94 to Exit 59. Go Right (East) on HWY 312 to 3rd stop light on Kane. Take a left to 1st white & red building on right.  
Last State Test: Results:  
Make: Liquid Controls, Model: M10C1, Ser #: 629041  
Fleet: 206, Plate: RB23823, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 6/13/2018 by MCDONALDS PETROLEUM

**293837-VTM** Issued: 10/17/2018  
Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
Directions: I94 to Exit 59. Go Right (East) on HWY 312 to 3rd stop light on Kane. Take a left to 1st white & red building on right.  
Last State Test: Results:  
Make: Liquid Controls, Model: JM15C1, Ser #: 602856  
Fleet: 206, Plate: RB23823, CCNo: 92-141A8, Pipe Dia: 3, MaxRate: 200  
Last Private Test: by

**284447-VTM** Issued: 10/17/2018  
Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
Directions: I94 to Exit 59 to right (east) on 312 to 3rd stop light, take a right on Kane Rd - 1st white/red bldgs on right.  
Last State Test: Results:  
Make: Liquid Controls, Model: M15C1, Ser #: 602857  
Fleet: FT-1, Plate: 643895, CCNo: , Pipe Dia: 3, MaxRate: 250  
Last Private Test: 5/10/2018 by Westmor



-----  
**284449-VTM** Issued: 10/17/2018  
 Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
 Directions: I94 to Exit 59 to right (east) on 312 to 3rd stop light, take a right on Kane Rd, 1st white/red bldgs on right  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15C1, Ser #: 628076  
 Fleet: FT-1, Plate: 643895, CCNo: 92-141, Pipe Dia: 3, MaxRate: 250  
 Last Private Test: 5/10/2018 by Westmor  
 -----  
**276383-VTM** Issued: 10/17/2018  
 Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
 Directions: I-94 to exit 59. go right (east) on hwy 312 to 3rd stop light. take a left @ kane road - 1st white and red buildings on right  
 Last State Test: Results:  
 Make: Liquid Controls, Model: E3656, Ser #: 583760  
 Fleet: 202, Plate: JB11010, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/2/2018 by MCDONALDS PETROLEUM  
 -----  
**276384-VTM** Issued: 10/17/2018  
 Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
 Directions: I-94 to exit 59. go right (east) on hwy 312 to 3rd stop light. take a left @ kane road - 1st white and red buildings on right  
 Last State Test: Results:  
 Make: Liquid Controls, Model: E3656, Ser #: 583759  
 Fleet: 202, Plate: JB11010, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/2/2018 by MCDONALDS PETROLEUM  
 -----  
**308724-VTM** Issued: 12/8/2017  
 Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 658542  
 Fleet: 208, Plate: PB8534, CCNo: 92-141, Pipe Dia: , MaxRate: 150  
 Last Private Test: 5/2/2018 by MCDONALDS PETROLEUM

**Eau Claire Cooperative Oil Company**

Contact: Eau Claire Co-operative Oil Company (Joe Alf)  
 Work Phone: (715) 876-6480 e-mail: compliance@eccoop.com

-----  
**326624-VTM** Issued: 10/17/2018  
 Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
 Directions: I-94 to exit 59-take a right on Hwy 312 to 3rd stop light (Kane Rd)-take a left-1st white buildings on the right  
 Last State Test: Results:  
 Make: Liquid Controls, Model: E3658, Ser #: 3947970103  
 Fleet: 409, Plate: JB13485, CCNo: 86-022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/24/2018 by Felker Truck  
 -----  
**319728-VTM** Issued: 10/17/2018  
 Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3846870202  
 Fleet: 201, Plate: APPLIED FOR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/12/2018 by MCDONALDS PETROLEUM  
 -----  
**319729-VTM** Issued: 10/17/2018  
 Addr: 4970 Kane Rd, Eau Claire, WI - 54703  
 Directions: I94 to Exit 59 to right (east) on 312 to 3rd stop light, take a right on Kane Rd - 1st white/red bldgs on right.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10C1, Ser #: 3851620101  
 Fleet: 201, Plate: RB26992, CCNo: 92-141, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 6/12/2018 by MCDONALDS

**Fairchild****Federation Trucking, LLC**

Contact: Federation Trucking, LLC (Megan Tracy)  
 Primary Phone: (715) 284-5354 e-mail: mtracy@fedcoop.com

-----  
**285893-VTM** Issued: 9/25/2018  
 Addr: W14132 US Hwy 10, Fairchild, WI - 54741  
 Directions: At Intersection of Hwy 12/27/10 go west on Hwy 10. Bulk Plant will be on the right side of road before intersection of Hwy 10/12/27.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-1, Ser #: 600060  
 Fleet: 44, Plate: JB10576, CCNo: 94-028A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/20/2018 by TRI STATE  
 -----  
**285415-VTM** Issued: 9/25/2018  
 Addr: W14132 US Hwy 10, Fairchild, WI - 54741  
 Directions: Travel West on Hwy 10 out of Neilsville. Located on left side of Hwy 10 b/w the 2 intersections of Hwy 10/12/27  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-1, Ser #: 566727  
 Fleet: 44, Plate: JB10576, CCNo: 94-028A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/20/2018 by TRI STATE

**Fall Creek****Countryside Coop Transport of Wisconsin**

Contact: Countryside Cooperative (Samantha Carlberg)

Work Phone: (715) 672-8947 ext: 1133 e-mail: scarlberg@countrysidecoop.com

**305800-VTM** Issued: 10/2/2018

Addr: 650 E Kopplin Rd , Fall Creek, WI - 54742

Directions: LP bulk office

Last State Test: Results:

Make: Liquid Controls, Model: M-10-1, Ser #: 655718

Fleet: 58, Plate: ordered, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100

Last Private Test: 3/13/2019 by McDonald

**305801-VTM** Issued: 10/2/2018

Addr: 650 E Kopplin Rd, Fall Creek, WI - 54742

Directions: LP buld office

Last State Test: Results:

Make: Liquid Controls, Model: M-7, Ser #: 654663

Fleet: 58, Plate: ordered, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100

Last Private Test: 3/13/2019 by McDonald

**Fond du Lac****Eden****Flood Oil Co Inc**

Contact: Flood Oil Co Inc (Robert Flood)

Work Phone: (920) 477-2403 e-mail: edenflood@charter.net

**274232-VTM** Issued: 9/17/2018

Addr: 105 E Main St, Eden, WI - 53019

Directions: N/A

Last State Test: Results:

Make: Liquid Controls, Model: E365117, Ser #: 46-126543

Fleet: 2, Plate: HD28087, CCNo: 86-022, Pipe Dia: 2, MaxRate: 100

Last Private Test: 7/20/2018 by PETROLEUM SYSTEMS

**274234-VTM** Issued: 10/3/2018

Addr: 105 E Main St, Eden, WI - 53019

Directions: N/A

Last State Test: Results:

Make: Liquid Controls, Model: E365117, Ser #: 46-130729

Fleet: 1, Plate: HD27266, CCNo: 86-022, Pipe Dia: 2, MaxRate: 100

Last Private Test: 7/18/2018 by PETROLEUM SYSTEMS

**274233-VTM** Issued: 9/17/2018

Addr: 105 E Main St, Eden, WI - 53019

Directions: N/A

Last State Test: Results:

Make: Liquid Controls, Model: E365117, Ser #: 46-126526

Fleet: 2, Plate: HD28087, CCNo: 86-022, Pipe Dia: 2, MaxRate: 100

Last Private Test: 7/20/2018 by PETROLEUM SYSTEMS

**274235-VTM** Issued: 10/3/2018

Addr: 105 E Main St, Eden, WI - 53019

Directions: On site

Last State Test: Results:

Make: Liquid Controls, Model: E365117, Ser #: 46-130730

Fleet: 1, Plate: HD27266, CCNo: 86-022, Pipe Dia: 2, MaxRate: 100

Last Private Test: 7/18/2018 by PETROLEUM SYSTEMS

**Fond du Lac****Cole Oil & Propane**

Contact: Cole Oil Company Inc (Tony Cole)

Work Phone: (920) 269-4542 e-mail: tony@coleoil.net

**310749-VTM** Issued: 10/25/2018

Addr: 265 Forest Ave, Fond du Lac, WI - 54935

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 526622

Fleet: 48, Plate: HD21902, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100

Last Private Test: 6/13/2018 by TRI STATE

**310750-VTM** Issued: 10/25/2018

Addr: 265 Forest Ave, Fond du Lac, WI - 54935

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 526490

Fleet: 48, Plate: HD21902, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100

Last Private Test: 6/13/2018 by TRI STATE

**310751-VTM** Issued: 10/25/2018

Addr: 265 Forest Ave, Fond du Lac, WI - 54935

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 359968

Fleet: 47, Plate: MC9523, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 60

Last Private Test: 6/13/2018 by TRI STATE

**310752-VTM** Issued: 10/25/2018  
 Addr: 265 Forest Ave, Fond du Lac, WI - 54935  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 352916  
 Fleet: 47, Plate: MC9523, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 6/13/2018 by TRI STATE

**Fond du Lac Skyport**

Contact: West Bend Air, Inc. (Joni Dekker)  
 Primary Phone: (920) 922-6000 e-mail: joni@fdlskyport.com

**291177-VTM** Issued: 9/14/2018  
 Addr: 260 S Rolling Meadow Dr, Fond du Lac, WI - 54937  
 Directions: In fuel truck on airport ramp (jet fuel)  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25, Ser #: DATCP291177  
 Fleet: Jet Truck #1, Plate: does not go on roads, CCNo: , Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 7/17/2018 by NORTHWEST

**291178-VTM** Issued: 9/14/2018  
 Addr: 260 S Rolling Meadow Dr, Fond du Lac, WI - 54937  
 Directions: In fuel truck on airport Ramp (jet fuel)  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-30, Ser #: DATCP291178  
 Fleet: Jet Truck #2, Plate: does not go on roads, CCNo: , Pipe Dia: 3, MaxRate: 350  
 Last Private Test: 7/17/2018 by NORTHWEST

**291176-VTM** Issued: 9/14/2018  
 Addr: 260 S Rolling Meadow Dr, Fond du Lac, WI - 54937  
 Directions: 100LL Chevy, Kept on Airport Ramp Area  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 98419  
 Fleet: Avgas Truck, Plate: NA, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/17/2018 by NORTHWEST

**Merwin Oil Company, LLC**

Contact: Merwin Oil Company LLC (Gary Merwin)  
 Work Phone: (920) 929-6100 e-mail: tfeiereisen@merwinoil.com

**325811-VTM** Issued: 10/26/2018  
 Addr: 311 W Rolling Meadows Dr, Fond du Lac, WI - 54937  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 599634  
 Fleet: 48, Plate: 10396, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/19/2018 by PETRO CHEMICAL

**325812-VTM** Issued: 10/26/2018  
 Addr: 311 W Rolling Meadows Dr, Fond du Lac, WI - 54937  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 599394  
 Fleet: 48, Plate: 10396, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/19/2018 by PETRO CHEMICAL

**272764-VTM** Issued: 10/26/2018  
 Addr: 311 W Rolling Meadows Dr, Fond du Lac, WI - 54937  
 Directions: N/A  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: CA1914  
 Fleet: 39, Plate: HD 24214, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/19/2018 by PETRO CHEMICAL

**272763-VTM** Issued: 10/26/2018  
 Addr: 311 W Rolling Meadows Dr, Fond du Lac, WI - 54937  
 Directions: N/A  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: CA1818  
 Fleet: 24, Plate: HD 24132, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/19/2018 by PETRO CHEMICAL

**272724-VTM** Issued: 10/26/2018  
 Addr: 311 W Rolling Meadows Dr, Fond du Lac, WI - 54937  
 Directions: N/A  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: CA1885  
 Fleet: 39, Plate: HD24214, CCNo: 02-046A3, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/19/2018 by PETRO CHEMICAL

Ripon

**Condon Oil Co. Inc**

Contact: Condon Oil Co Inc (Thomas Reinsch)  
 Work Phone: (920) 748-3186 e-mail: treinsch@condoncompanies.com

-----  
**276092-VTM** Issued: 10/22/2018  
 Addr: 850 N Douglas St, Ripon, WI - 54971  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 469251  
 Fleet: 43, Plate: HD24706, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

-----  
**276094-VTM** Issued: 10/22/2018  
 Addr: 850 N Douglas St, Ripon, WI - 54971  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 303434  
 Fleet: Jeff Keel, Plate: HD24465, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

-----  
**276095-VTM** Issued: 10/22/2018  
 Addr: 850 N Douglas St, Ripon, WI - 54971  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 254519  
 Fleet: 54, Plate: HD24465, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

-----  
**276104-VTM** Issued: 10/22/2018  
 Addr: 850 N Douglas St, Ripon, WI - 54971  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 466502  
 Fleet: 22, Plate: HD20501, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

-----  
**276102-VTM** Issued: 10/22/2018  
 Addr: 805 N Douglas St, Ripon, WI - 54971  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 326014  
 Fleet: 62, Plate: JB9081, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

-----  
**276103-VTM** Issued: 10/22/2018  
 Addr: 850 N Douglas St, Ripon, WI - 54971  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 326017  
 Fleet: 62, Plate: JB9081, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

-----  
**276093-VTM** Issued: 10/22/2018  
 Addr: 850 N Douglas St, Ripon, WI - 54971  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 469255  
 Fleet: 43 Harold, Plate: HD24706, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

-----  
**276105-VTM** Issued: 10/22/2018  
 Addr: 850 N Douglas St, Ripon, WI - 54971  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 466501  
 Fleet: 22 Steve, Plate: HD20501, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

### Waupun

#### Farmers Elevator Comany LTD of Waupun

Contact: Farmers Elevator Company (Limited) of Waupun (Byron Mulder)  
 Work Phone: (920) 324-3593 e-mail: farmers53963@gmail.com

-----  
**323897-VTM** Issued: 11/2/2018  
 Addr: 2 W Main St, Waupun, WI - 53963  
 Directions: HWY 151 to HWY 49/Main Street west to address  
 Last State Test: Results:  
 Make: Neptune, Model: , Ser #: hd394  
 Fleet: 10, Plate: , CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/8/2018 by Felker Truck & Equipment Inc

#### Farmers Elevator Company LTD of Waupun

Contact: Farmers Elevator Company (Limited) of Waupun (Byron Mulder)  
 Work Phone: (920) 324-3593 e-mail: farmers53963@gmail.com

-----  
**275321-VTM** Issued: 11/2/2018  
 Addr: 2 W Main St, Waupun, WI - 53963  
 Directions: Hwy 151 to Hwy 49/main st west to address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 5745 DATCP 275321  
 Fleet: 2, Plate: HD 24023, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/8/2018 by FELKER

-----  
**275322-VTM** Issued: 11/2/2018  
 Addr: 2 W Main St, Waupun, WI - 53963  
 Directions: Hwy 151 to Hwy 49/Main Street, West to address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 224296  
 Fleet: 2, Plate: HD 24023, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/8/2018 by Felker Truck & Equipment Inc

-----  
**275325-VTM** Issued: 11/2/2018  
 Addr: 2 W Main St, Waupun, WI - 53963  
 Directions: Hwy 151 to Hwy 49/Main Street, West to address  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: KB1548  
 Fleet: 1, Plate: HD 24034, CCNo: 02-046A3, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/8/2018 by Felker Truck & Equipment Inc

-----  
**275323-VTM** Issued: 11/2/2018  
 Addr: 2 W Main St, Waupun, WI - 53963  
 Directions: Hwy 151 to Hwy 49/Main Street, West to address  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: JP4071  
 Fleet: 1, Plate: HD 24034, CCNo: 02-046A3, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/8/2018 by Felker Truck & Equipment Inc

-----  
**323898-VTM** Issued: 11/2/2018  
 Addr: 2 W Main St, Waupun, WI - 53963  
 Directions: HWY 151 to HWY 49/Main St west to address  
 Last State Test: Results:  
 Make: Neptune, Model: , Ser #: HD 397  
 Fleet: 10, Plate: , CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/8/2018 by Felker Truck & Equipment Inc

## Forest

### Laona

#### Yaeger Oil Company, Inc.

Contact: Yaeger Oil Company, Inc. (Rus Yaeger)  
 Work Phone: (715) 674-2601 e-mail: rus@laonamachine.com

-----  
**272288-VTM** Issued: 9/19/2018  
 Addr: 4902 US Hwy 8, Laona, WI - 54541  
 Directions: Corner of Hwy 8 & 32  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 541524  
 Fleet: 09-HD26470, Plate: HD26470, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/25/2018 by Felker

-----  
**272287-VTM** Issued: 9/19/2018  
 Addr: 4902 US Hwy 8, Laona, WI - 54541  
 Directions: Corner of Hwy 8 & 32  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 541525  
 Fleet: 09-HD26470, Plate: HD26470, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/25/2018 by Felker

-----  
**302230-VTM** Issued: 9/19/2018  
 Addr: 4902 US Hwy 8, Laona, WI - 54541  
 Directions: corner of hwy 8 and 32  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 301171  
 Fleet: NA, Plate: TVA10516, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/25/2018 by Felker

-----  
**302231-VTM** Issued: 9/19/2018  
 Addr: 4902 US Hwy 8, Laona, WI - 54541  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 301158  
 Fleet: NA, Plate: TVA10516, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/25/2018 by Felker

## Gogebic

### Bessemer

#### Stempihar Inc

Contact: Stempihar Inc (James Durkee)  
Work Phone: (906) 667-0852 e-mail: stempihar49911@sbcglobal.net

**274227-VTM** Issued: 10/29/2018  
Addr: E6066 US Hwy 2, Bessemer, MI - 49911  
Directions: Take 51 N until it ends, turn e on US 12, go 5 miles on Hwy 2, on left hand side  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 345426  
Fleet: NR, Plate: AB68650, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/23/2018 by Tri State  
**274229-VTM** Issued: 10/29/2018  
Addr: E6066 US Hwy 2, Bessemer, MI - 49911  
Directions: Take 51 N until it ends, turn e on US 12, go 5 miles on Hwy 2, on left hand side  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 80593  
Fleet: NR, Plate: AB68650, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/23/2018 by Tri State Testing

**Ironwood****Chief Oil Distributing Company**

Contact: Chief Oil Distributing Company (Robin Kafczynski)  
Primary Phone: (906) 932-5212 e-mail: chiefoil@outlook.com

**275326-VTM** Issued: 10/29/2018  
Addr: 120 E Cloverland Dr, Ironwood, MI - 49938  
Directions: NA  
Last State Test: Results:  
Make: Schlumberger, Model: 4-MT, Ser #: CY1630  
Fleet: 1, Plate: AA 35615, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/23/2018 by Tri State  
**275327-VTM** Issued: 10/29/2018  
Addr: 120 E Cloverland Drive, Ironwood, MI - 49938  
Directions: NA  
Last State Test: Results:  
Make: Schlumberger, Model: 4-MT, Ser #: CY1639  
Fleet: 1, Plate: AA 35615, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/23/2018 by Tri State

**Goodhue****Goodhue****Ag Partners Coop**

Contact: AG PARTNERS COOP (Jim McNamara)  
Work Phone: (651) 345-3328 e-mail: jimmm@agpartners.net

**324880-VTM** Issued: 9/17/2018  
Addr: 101 Broadway Ave, Goodhue, MN - 55027  
Directions: 1st Ave & Broadway  
Last State Test: Results:  
Make: Liquid Controls, Model: MA7, Ser #: 3787020102  
Fleet: 328, Plate: 196299, CCNo: 86-022A1Z, Pipe Dia: , MaxRate: 100  
Last Private Test: 8/2/2018 by STATE OF MINNESOTA

**Miesville****Lubrication Technologies, Inc.**

Contact: Lubrication Technologies (Alex Johnson)  
Work Phone: (612) 366-6395 e-mail: alexjohn@lubetech.com

**318952-VTM** Issued: 11/2/2018  
Addr: 14390 240th St E, Miesville, MN - 55009  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 386366  
Fleet: 009, Plate: YAH8190, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 8/30/2018 by PROCAL  
**318953-VTM** Issued: 11/2/2018  
Addr: 14390 240th St E, Miesville, MN - 55009  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 386375  
Fleet: 009, Plate: YAH8190, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/26/2017 by Lube Tech

**Milesville****Lubrication Technologies, Inc.**

Contact: Lubrication Technologies (Alex Johnson)  
Work Phone: (612) 366-6395 e-mail: alexjohn@lubetech.com

**319406-VTM** Issued: 11/2/2018  
Addr: 14390 240th St E, Milesville, MN - 55009  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 368631  
Fleet: 086, Plate: YAJ7167, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: by



**Grant****Cuba City****New Horizons Supply Cooperative**

Contact: NEW HORIZONS ENERGY LLC (David Neal)  
Work Phone: (608) 723-7800 e-mail: deneal@tds.net

-----  
**316309-VTM** Issued: 10/22/2018

Addr: , Cuba City, WI - 53807

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M7C1, Ser #: 483664

Fleet: 9418, Plate: 90689W, CCNo: 92-141A9/86-022A13, Pipe Dia: 2, MaxRate: 100

Last Private Test: 6/27/2018 by FELKER

-----  
**316311-VTM** Issued: 10/22/2018

Addr: , Cuba City, WI - 53807

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M7C1, Ser #: 483667

Fleet: 9418, Plate: 90689W, CCNo: 92-141A9/86-022A13, Pipe Dia: 2, MaxRate: 100

Last Private Test: by

**Dickeyville****New Horizons Energy LLC**

Contact: NEW HORIZONS ENERGY LLC (David Neal)  
Work Phone: (608) 723-7800 e-mail: deneal@tds.net

-----  
**273948-VTM** Issued: 10/22/2018

Addr: 3631 Tower Ln, Dickeyville, WI - 53533

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: MA-7, Ser #: 412490

Fleet: 9-5245, Plate: JB9295, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100

Last Private Test: 6/28/2018 by FELKER

-----  
**273949-VTM** Issued: 10/22/2018

Addr: 3631 Tower Ln, Dickeyville, WI - 53533

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: MA-7, Ser #: 412495

Fleet: 9-5245, Plate: JB9295, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100

Last Private Test: 6/28/2018 by FELKER

**Fennimore****New Horizons Energy LLC**

Contact: NEW HORIZONS ENERGY LLC (David Neal)  
Work Phone: (608) 723-7800 e-mail: deneal@tds.net

-----  
**273939-VTM** Issued: 10/22/2018

Addr: 1624 4th St, Fennimore, WI - 53809

Directions:

Last State Test: Results:

Make: Neptune, Model: 4D-MT, Ser #: DB606

Fleet: 3819, Plate: MC8088, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150

Last Private Test: 6/28/2018 by FELKER

-----  
**273935-VTM** Issued: 10/22/2018

Addr: 1624 4th St, Fennimore, WI - 53809

Directions:

Last State Test: Results:

Make: Actaris, Model: 4D-MT, Ser #: FB490

Fleet: 3819, Plate: MC8088, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150

Last Private Test: 6/28/2018 by FELKER TRUCK

-----  
**320150-VTM** Issued: 10/22/2018

Addr: 1775 4th St, Fennimore, WI - 53809

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M7C1, Ser #: 3829640201

Fleet: 4181, Plate: NOT RECEIVED, CCNo: LC-92-141A6 NEPTUNE 02-046 A2 99-097AB, Pipe Dia: 2, MaxRate: 100

Last Private Test: 6/28/2018 by FELKER

-----  
**320154-VTM** Issued: 10/22/2018

Addr: 1775 4th St, Fennimore, WI - 53809

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M7C1, Ser #: 3829640101

Fleet: 4181, Plate: NOT YET RECEIVED, CCNo: LC-92-141A6 NEPTUNE 02-046A2 99-097A8, Pipe Dia: 2, MaxRate: 100

Last Private Test: 6/28/2018 by FELKER



-----  
**273946-VTM** Issued: 10/22/2018  
 Addr: 1624 4th St, Fennimore, WI - 53809  
 Directions:  
 Last State Test: Results:  
 Make: Actaris, Model: MA-7, Ser #: 431394  
 Fleet: 9136, Plate: MC5528, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/20/2019 by Felker

-----  
**273947-VTM** Issued: 10/22/2018  
 Addr: 1624 4th St, Fennimore, WI - 53809  
 Directions:  
 Last State Test: Results:  
 Make: Actaris, Model: MA-7, Ser #: 431412  
 Fleet: 9136, Plate: MC5528, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/20/2019 by Felker

-----  
**273943-VTM** Issued: 10/22/2018  
 Addr: 770 Lincoln Ave, Fennimore, WI - 53809  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MA-7, Ser #: 508575  
 Fleet: 03-8925, Plate: MC8089, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/27/2018 by FELKER

-----  
**273945-VTM** Issued: 10/22/2018  
 Addr: 770 Lincoln Ave, Fennimore, WI - 53809  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MA-7, Ser #: 508574  
 Fleet: 03-8925, Plate: MC8089, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/16/2018 by Felker

### Lancaster

#### Allegiant Oil

Contact: Allegiant Oil LLC (Tina Jones)  
 Primary Phone: (608) 723-4139 e-mail: scottsenenergy@yahoo.com

-----  
**309742-VTM** Issued: 10/10/2018  
 Addr: 1486 Industrial Park Rd, Lancaster, WI - 53813  
 Directions: located off Hwy 61 N.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 656865  
 Fleet: 2, Plate: HD32030, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/9/2018 by TRI STATE

-----  
**309740-VTM** issued: 10/10/2018  
 Addr: 1486 Industrial Park Rd, Lancaster, WI - 53813  
 Directions: Right off of Hwy 61 N.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 656869  
 Fleet: 2, Plate: HD32030, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/9/2018 by TRI STATE

-----  
**309744-VTM** Issued: 10/10/2018  
 Addr: 1486 Industrial Park Rd, Lancaster, WI - 53813  
 Directions: Industrial park rd is off Hwy 61 N.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 644870  
 Fleet: 3, Plate: HD31442, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

#### New Horizons Energy LLC

Contact: NEW HORIZONS ENERGY LLC (David Neal)  
 Work Phone: (608) 723-7800 e-mail: deneal@tds.net

-----  
**273951-VTM** issued: 10/22/2018  
 Addr: 227 US Hwy 61, Lancaster, WI - 53813  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MA-7, Ser #: 523027  
 Fleet: 34-4287, Plate: HD24176, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/20/2019 by Felker

-----  
**273952-VTM** Issued: 10/22/2018  
 Addr: 227 US Hwy 61, Lancaster, WI - 53813  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MA-7, Ser #: 522997  
 Fleet: 34-4287, Plate: HD24176, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/20/2019 by Felker

-----  
**273966-VTM** issued: 10/22/2018  
 Addr: 227 US Hwy 61, Lancaster, WI - 53813  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MA-7, Ser #: 442203  
 Fleet: 39-9026, Plate: NS1004, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/29/2018 by FELKER

-----  
**273967-VTM** Issued: 10/22/2018  
 Addr: 227 US Hwy 61, Lancaster, WI - 53813  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MA-7, Ser #: 442202  
 Fleet: 39-9026, Plate: NS1004, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/29/2018 by FELKER

**New Horizon's Supply Cooperative**

Contact: NEW HORIZONS ENERGY LLC (David Neal)  
 Work Phone: (608) 723-7800 e-mail: deneal@tds.net

-----  
**275792-VTM** Issued: 10/22/2018  
 Addr: 227 US Hwy 61, Lancaster, WI - 53813  
 Directions: NA  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 472545  
 Fleet: 9-9148, Plate: HD 21828, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/28/2018 by FELKER

-----  
**275793-VTM** Issued: 10/22/2018  
 Addr: 227 US Hwy 61, Lancaster, WI - 53813  
 Directions: NA  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 472558  
 Fleet: 9-9148, Plate: HD 21828, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/28/2018 by FELKER

**Premier Cooperative**

Contact: Premier Cooperative (Denise Jensen)  
 Work Phone: (608) 723-4181 e-mail: denise.jensen@premiercooperative.com

-----  
**299777-VTM** Issued: 9/19/2018  
 Addr: 405 W Linden St, Lancaster, WI - 53813  
 Directions: on truck 628  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR11, Ser #: 619828  
 Fleet: 628, Plate: JB10116, CCNo: 04-097A5, Pipe Dia: 2.0, MaxRate: 100  
 Last Private Test: 6/19/2018 by WESTMOR

-----  
**301217-VTM** Issued: 9/19/2018  
 Addr: 405 W Linden St, Lancaster, WI - 53813  
 Directions: On truck 669  
 Last State Test: Results:  
 Make: Veeder Root, Model: LCR11, Ser #: 283132  
 Fleet: 669, Plate: JB9377, CCNo: 04-097A5, Pipe Dia: NR, MaxRate: 100  
 Last Private Test: 3/25/2019 by Westmor

-----  
**299778-VTM** Issued: 9/19/2018  
 Addr: 405 W Linden St, Lancaster, WI - 53813  
 Directions: on truck 628  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR11, Ser #: 619829  
 Fleet: 628, Plate: JB10116, CCNo: 04-097A5, Pipe Dia: 2.0, MaxRate: 100  
 Last Private Test: 6/19/2018 by WESTMOR

-----  
**299781-VTM** Issued: 9/19/2018  
 Addr: 405 W Linden St, Lancaster, WI - 53813  
 Directions: on truck 669  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 155475  
 Fleet: 669, Plate: JB9377, CCNo: 92-141A7, Pipe Dia: 2.0, MaxRate: 100  
 Last Private Test: 3/25/2019 by Westmor

**Livingston****Livingston Co-op Oil Company**

Contact: Livingston Co-Operative Oil Company (Steve Barth)  
 Primary Phone: (608) 943-6251 e-mail: livcoopoil@outlook.com

-----  
**285682-VTM** Issued: 10/25/2018  
 Addr: 405 W Barber Ave, Livingston, WI - 53554  
 Directions: From Hwy80, turn on W Barber Ave, go 3 blocks on Left  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 432579  
 Fleet: 1, Plate: HD20689, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/9/2018 by Midwest

-----  
**306554-VTM** Issued: 10/25/2018  
 Addr: 405 W Barber Ave, Livingston, WI - 53554  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 432582  
 Fleet: 1, Plate: HD20689, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/9/2018 by Midwest

**Platteville****Allegiant Oil LLC**

Contact: Allegiant Oil LLC (Tina Jones)  
 Primary Phone: (608) 723-4139 e-mail: scottsenenergy@yahoo.com

-----  
**292673-VTM** Issued: 10/10/2018  
 Addr: 75 Means Dr, Platteville, WI - 53818  
 Directions: off business 151, take Eastside Rd to means Dr  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 594976  
 Fleet: 4, Plate: MC8802, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/9/2018 by TRI STATE

**Green***Brodhead***GROWMARK, INC., Insight FS**

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

-----  
**293237-VTM** Issued: 10/29/2018  
 Addr: W664 State Hwy 81, Brodhead, WI - 53520  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 329411  
 Fleet: 2779, Plate: KB3790, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/30/2018 by MIDWEST

-----  
**293238-VTM** Issued: 10/29/2018  
 Addr: W664 State Hwy 81, Brodhead, WI - 53520  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 335133  
 Fleet: 2779, Plate: KB3790, CCNo: 95-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

**Speich Oil Inc**

Contact: Speich Oil, Inc. (Tami Jacobson)  
 Work Phone: (608) 897-3366 e-mail: speichoil@frontier.com

-----  
**273703-VTM** Issued: 11/2/2018  
 Addr: N3461 State Hwy 104, Brodhead, WI - 53520  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 449559  
 Fleet: 373, Plate: HD25921, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/9/2018 by MIDWEST

-----  
**273704-VTM** Issued: 11/2/2018  
 Addr: N3461 State Hwy 104, Brodhead, WI - 53520  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M--7, Ser #: 449562  
 Fleet: 373, Plate: HD25921, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/9/2018 by MIDWEST

-----  
**289022-VTM** Issued: 11/2/2018  
 Addr: N3461 State Hwy 104, Brodhead, WI - 53520  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 613085  
 Fleet: 374, Plate: LB9630, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/19/2018 by MIDWEST

-----  
**289023-VTM** Issued: 11/2/2018  
 Addr: N3461 State Hwy 104, Brodhead, WI - 53520  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 613084  
 Fleet: 374, Plate: LB9630, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/19/2018 by MIDWEST TRAILER

*Monroe***Southern Wisconsin Coop**

Contact: Southern Wisconsin Cooperative (Ron Fager)  
 Work Phone: (608) 325-4320 e-mail: ronfager66@gmail.com

-----  
**321947-VTM** Issued: 9/14/2018  
 Addr: W5186 County Rd KK, Monroe, WI - 53566  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: 7889, Ser #: 419834  
 Fleet: 8, Plate: applied for, CCNo: older model per customer application, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/11/2018 by TRI STATE

-----  
**321948-VTM** Issued: 9/14/2018  
 Addr: W5186 County Rd KK, Monroe, WI - 53566  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: 7889, Ser #: 419835  
 Fleet: 8, Plate: APPLIED FOR, CCNo: OLDER MODEL PER CUSTOMER APPLICATION, Pipe Dia: 2,  
 MaxRate: 100  
 Last Private Test: 7/11/2018 by TRI STATE  
 -----

**New Glarus****Blanchardville Coop Oil Association**

Contact: Blanchardville Cooperative Oil Association (Jason Cullen)  
 Work Phone: (608) 523-4293 e-mail: jrcullen@tds.net

-----  
**328825-VTM** Issued: 11/2/2018  
 Addr: 1401 State Hwy 69, New Glarus, WI - 53574  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 4032590102  
 Fleet: 9551, Plate: , CCNo: LC-92-141 A6-02-046A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/6/2018 by SENECA TANK  
 -----

-----  
**328826-VTM** Issued: 11/2/2018  
 Addr: 1401 State Hwy 69, New Glarus, WI - 53574  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 4032590202  
 Fleet: 9551, Plate: , CCNo: LC-92-141A6 02-046-A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/6/2018 by SENECA TANK  
 -----

**Green Lake****Markesan****Condon Oil Co**

Contact: Condon Oil Co Inc (Thomas Reinsch)  
 Work Phone: (920) 748-3186 e-mail: treinsch@condoncompanies.com

-----  
**302145-VTM** Issued: 10/22/2018  
 Addr: 1271 N Margaret St, Markesan, WI - 53946  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 624638  
 Fleet: 124, Plate: TB5326, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON  
 -----

-----  
**302144-VTM** Issued: 10/22/2018  
 Addr: 1271 N Margaret St, Markesan, WI - 53946  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 622616  
 Fleet: 124, Plate: TB5326, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON  
 -----

**Hennepin****Loretto****Lubrication Technologies**

Contact: Lubrication Technologies (Alex Johnson)  
 Work Phone: (612) 366-6395 e-mail: alexjohn@lubetech.com

-----  
**302293-VTM** Issued: 11/2/2018  
 Addr: 260 St John St, Loretto, MN - 55357  
 Directions: Truck yard behind building  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 382655  
 Fleet: 24, Plate: YB D9101, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 200  
 Last Private Test: 9/11/2017 by Lube Tech  
 -----

**Houston****Hokah****Hokah Co-op Oil**

Contact: Hokah Co-op Oil (Cory Lorenz)  
 Primary Phone: (507) 894-4480 e-mail: ksmock@hokahcoop.com

-----  
**314056-VTM** Issued: 9/17/2018  
 Addr: 113 Main St, Hokah, MN - 55941  
 Directions: In parking lot @ 113 main st. Hokah MN 55941  
 Last State Test: Results:  
 Make: Neptune, Model: T-10, Ser #: CE1931  
 Fleet: 14, Plate: YBJ847, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/27/2018 by KIRKS METER  
 -----

-----  
**314057-VTM** Issued: 9/17/2018  
 Addr: 113 Main St, Hokah, MN - 55941  
 Directions: In parking lot @ 113 main st. Hokah MN 55941  
 Last State Test: Results:  
 Make: Neptune, Model: T-10, Ser #: CE1970  
 Fleet: 14, Plate: YBJ847, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/27/2018 by KIRKS METER  
 -----

**282037-VTM** Issued: 9/17/2018  
 Addr: 113 Main St, Hokah, MN - 55941  
 Directions: In parking lot @ 113 main st. Hokah MN 55941  
 Last State Test: Results:  
 Make: Neptune, Model: M-7-1, Ser #: 404110  
 Fleet: 27, Plate: YAK1448, CCNo: NR, Pipe Dia: 2.5, MaxRate: 100  
 Last Private Test: 3/21/2019 by KIRKS METER  
 -----

**282038-VTM** Issued: 9/17/2018  
 Addr: 113 Main St, Hokah, MN - 55941  
 Directions: In parking lot @ 113 main st. Hokah MN 55941  
 Last State Test: Results:  
 Make: Neptune, Model: M-7-1, Ser #: 404172  
 Fleet: 27, Plate: YAK1448, CCNo: NR, Pipe Dia: 2.5, MaxRate: 100  
 Last Private Test: 3/21/2019 by KIRKS METER  
 -----

### Hokah Cooperative Oil Association

Contact: Hokah Co-op Oil (Cory Lorenz)  
 Primary Phone: (507) 894-4480 e-mail: ksmock@hokahcoop.com  
 -----

**325756-VTM** Issued: 9/17/2018  
 Addr: 113 Main St, Hokah, MN - 55941  
 Directions: In parking lot @ 113 main st. Hokah MN 55941  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 414363  
 Fleet: 60, Plate: YBT1286, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/21/2019 by KIRKS METER  
 -----

**325757-VTM** Issued: 9/17/2018  
 Addr: 113 Main St, Hokah, MN - 55941  
 Directions: In parking lot @ 113 main st. Hokah MN 55941  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 414634  
 Fleet: 60, Plate: YBT1286, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/21/2019 by KIRKS METER  
 -----

### Houston

#### Severson Oil Co.

Contact: Severson Oil Co. (Sherri Wendland)  
 Primary Phone: (507) 452-4743 e-mail: sherri@seversonoil.com  
 -----

**276008-VTM** Issued: 10/26/2018  
 Addr: 110 N Ellsworth St, Houston, MN - 55943  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 553549  
 Fleet: 27, Plate: PRY8347, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/28/2018 by KIRK'S METER  
 -----

**276007-VTM** Issued: 10/26/2018  
 Addr: 110 N Ellsworth St, Houston, MN - 55943  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 553552  
 Fleet: 27, Plate: PRY8347, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/28/2018 by KIRK'S METER  
 -----

### Iowa

#### Barneveld

#### MOC Trucking LLC

Contact: Meffert Oil Company Inc.  
 Primary Phone: (608) 849-2667 e-mail:  
 -----

**273189-VTM** Issued: 10/19/2018  
 Addr: 102 County Hwy ID, Barneveld, WI - 53507  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 507585  
 Fleet: 121, Plate: HD23605, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by CITY OF MADISON  
 -----

**273186-VTM** Issued: 10/19/2018  
 Addr: 102 County Hwy ID, Barneveld, WI - 53507  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 507591  
 Fleet: 121, Plate: HD23605, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by  
 -----

Contact: MOC Trucking, LLC. (Randy Meffert)  
 Work Phone: (608) 850-3835 e-mail: troy.meffert@meffertoil.com

-----  
**273186-VTM** Issued: 10/19/2018  
 Addr: 102 County Hwy ID, Barneveld, WI - 53507  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 507591  
 Fleet: 121, Plate: HD23605, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by -----  
**273189-VTM** Issued: 10/19/2018  
 Addr: 102 County Hwy ID, Barneveld, WI - 53507  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 507585  
 Fleet: 121, Plate: HD23605, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by CITY OF MADISON

### Highland

#### Michek Oil Company Inc

Contact: Michek Oil Company Inc (Jeff Michek)  
 Work Phone: (608) 929-4993 e-mail: jeff@michekoilco.com

-----  
**276547-VTM** Issued: 9/21/2018  
 Addr: 854 Main St, Highland, WI - 53543  
 Directions: 854 Main St - East side of Main St behind 864 Main st. truck garage  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 379160  
 Fleet: 95, Plate: LB10020, CCNo: 82-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker  
 -----  
**276551-VTM** Issued: 9/21/2018  
 Addr: 854 Main St, Highland, WI - 53543  
 Directions: 854 Main St - East side of Main St behind 864 Main st. truck garage  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 432581  
 Fleet: 97, Plate: LB8698, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker  
 -----  
**276552-VTM** Issued: 9/21/2018  
 Addr: 854 Main St, Highland, WI - 53543  
 Directions: 854 Main St - East side of Main St behind 864 Main st. truck garage  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 432580  
 Fleet: 97, Plate: LB8698, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker  
 -----  
**276549-VTM** Issued: 9/21/2018  
 Addr: 854 Main St, Highland, WI - 53543  
 Directions: 854 Main St - East side of Main St behind 864 Main st. truck garage  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 379161  
 Fleet: 95, Plate: LB10020, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker  
 -----  
**298011-VTM** Issued: 9/21/2018  
 Addr: 854 Main St , Highland, WI - 53543  
 Directions: Grey truck garage- east side of main st behind 864 main.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 625338  
 Fleet: 7, Plate: LB10612, CCNo: n/a, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker  
 -----  
**297939-VTM** Issued: 9/21/2018  
 Addr: 854 Main St, Highland, WI - 53543  
 Directions: east side of main st behind 864 main st  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 625386  
 Fleet: 07, Plate: LB10612, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker

### Hollandale

#### Blanchardville Cooperative Oil Association Inc

Contact: Blanchardville Cooperative Oil Association (Jason Cullen)  
 Work Phone: (608) 523-4293 e-mail: jrcullen@tds.net

-----  
**311867-VTM** Issued: 11/2/2018  
 Addr: 402 Commerce St, Hollandale, WI - 53544  
 Directions: Storage shed at address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: 0788700-062, Ser #: 0608313424  
 Fleet: 4, Plate: JB10572, CCNo: NR, Pipe Dia: 2, MaxRate: 45  
 Last Private Test: 11/2/2018 by Midwest



-----  
**311866-VTM** Issued: 11/2/2018  
 Addr: 402 Commerce St, Hollandale, WI - 53544  
 Directions: Storage shed @ address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: 788700, Ser #: 9001419815  
 Fleet: 3136, Plate: JB10572, CCNo: NR, Pipe Dia: 2, MaxRate: 45  
 Last Private Test: 11/2/2018 by Midwest  
 -----

**273868-VTM** Issued: 11/14/2018  
 Addr: 402 Commerce St, Hollandale, WI - 53544  
 Directions: bulk plant at location listed above  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 446687  
 Fleet: 7493, Plate: NB4601, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/31/2018 by Midwest  
 -----

**273862-VTM** Issued: 11/2/2018  
 Addr: 402 Commerce St, Hollandale, WI - 53544  
 Directions: bulk plant at location listed above  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 507784  
 Fleet: 6281, Plate: NB4426, CCNo: 92-141, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 10/30/2018 by Midwest  
 -----

**273864-VTM** Issued: 11/2/2018  
 Addr: 402 Commerce St, Hollandale, WI - 53544  
 Directions: bulk plant at location listed above  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 507805  
 Fleet: 0281, Plate: NB4426, CCNo: 92-141, Pipe Dia: 2, MaxRate: 160  
 Last Private Test: 10/30/2018 by Midwest  
 -----

**273865-VTM** Issued: 11/14/2018  
 Addr: 402 Commerce St, Hollandale, WI - 53544  
 Directions: bulk plant at location listed above  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 446688  
 Fleet: 7493, Plate: NB4601, CCNo: 92-141, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: by  
 -----

#### Mineral Point

##### Poad Oil Company, Inc.

Contact: Poad Oil Company, Inc. (Terry Poad)  
 Primary Phone: (608) 987-3282 e-mail: leda.poad@triplepexpress.com  
 -----

**278301-VTM** Issued: 9/17/2018  
 Addr: 1045 Branger Dr, Mineral Point, WI - 53565  
 Directions: From Madison take St Hwy 151 S, take exit 40, turn right onto Hwy 23. Take right onto Branger Dr.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 424504  
 Fleet: N/A, Plate: HD20333, CCNo: NR, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 3/27/2019 by McDonalds  
 -----

**278299-VTM** Issued: 9/17/2018  
 Addr: 1045 Branger Dr, Mineral Point, WI - 53565  
 Directions: From Madison take St Hwy 151 S, take exit 40, turn right onto Hwy 23. Take right onto Branger Dr.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 424505  
 Fleet: N/A, Plate: HD20333, CCNo: NR, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 3/27/2019 by McDonalds  
 -----

#### Rewey

##### Allegiant Oil LLC

Contact: Allegiant Oil LLC (Tina Jones)  
 Primary Phone: (608) 723-4139 e-mail: scottsenegy@yahoo.com  
 -----

**292674-VTM** Issued: 10/10/2018  
 Addr: 401 West St, Rewey, WI - 53580  
 Directions: Take Cty Rd A west off HWY 151  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 589933  
 Fleet: 4, Plate: MC8802, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/9/2018 by TRI STATE  
 -----

#### Iron

##### Hurley

##### South Shore Oil Co.



Contact: South Shore Oil Co. (Mike Berghorn)  
 Work Phone: (877) 850-2728 e-mail: southshoreoilco@hotmail.com

-----  
**324718-VTM** Issued: 9/17/2018  
 Addr: 6896 W Town Park Rd, Hurley, WI - 54534  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3792470301  
 Fleet: 12, Plate: APPLIED FOR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/31/2018 by HJ Martens

-----  
**324719-VTM** Issued: 9/17/2018  
 Addr: 6896 W Town Park Rd, Hurley, WI - 54534  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3792470401  
 Fleet: APPLIED FOR, Plate: 12, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/31/2018 by HJ MARTENS

-----  
**319256-VTM** Issued: 9/17/2018  
 Addr: 6896 W Town Park Rd, Hurley, WI - 54534  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 485725  
 Fleet: 7, Plate: 77798W, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/3/2018 by HJ MARTENS

-----  
**319257-VTM** Issued: 9/17/2018  
 Addr: 6896 W Town Park Rd, Hurley, WI - 54534  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 485600  
 Fleet: 7, Plate: 77798W, CCNo: 92-07A2, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 5/3/2018 by HJ MARTENS

-----  
**302111-VTM** Issued: 9/17/2018  
 Addr: 6896 W Town Park Rd, Hurley, WI - 54534  
 Directions: US 2 W out of Hurley, turn left on River Rd  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 636945  
 Fleet: 50, Plate: NR, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 5/7/2018 by HJ MARTENS

-----  
**302112-VTM** Issued: 9/17/2018  
 Addr: 6896 W Town Park Rd, Hurley, WI - 54534  
 Directions: US 2 W out of Hurley, left on River Rd  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 302448  
 Fleet: 50, Plate: NR, CCNo: 92-075A2, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 5/7/2018 by HJ MARTENS

-----  
**302113-VTM** Issued: 9/17/2018  
 Addr: 6896 W Town Park Rd, Hurley, WI - 54534  
 Directions: US 2 W out of Hurley, left on River Rd  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 575139  
 Fleet: 53, Plate: NR, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/6/2018 by HJ MARTENS

-----  
**302114-VTM** Issued: 9/17/2018  
 Addr: 6896 W Town Park Rd, Hurley, WI - 54534  
 Directions: US 2 W out of Hurley, left on River Rd  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 572810  
 Fleet: 53, Plate: NR, CCNo: 92-075A2, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 12/6/2018 by H.J. MARTENS

#### Iron River

##### Krist Oil Co.

Contact: Krist Oil Co. (Jim Sabinash)  
 Work Phone: (906) 265-6144 e-mail: jim.sabinash@kristoil.com

-----  
**273932-VTM** Issued: 10/30/2018  
 Addr: 303 Selden Rd, Iron River, MI - 49935  
 Directions: At Krist Oil Iron Rive shop  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR II, Ser #: 489750  
 Fleet: 109, Plate: RA63870, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/17/2018 by HJ MARTENS

#### Isanti

##### Cambridge

##### Federated Co-ops, Inc.

Contact: Federated Co-ops, Inc. (Raquel Ulmer)  
 Primary Phone: (763) 389-2582 e-mail: rulmer@federatedcoops.com

-----  
**275488-VTM** Issued: 9/19/2018  
 Addr: 211 Cleveland St S, Cambridge, MN - 55008  
 Directions: hwy 95 to cambridge right on cleveland  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 467905  
 Fleet: 415, Plate: AB2214, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/24/2018 by Westmor  
 -----  
**275490-VTM** Issued: 9/19/2018  
 Addr: 211 Cleveland St S, Cambridge, MN - 55008  
 Directions: hwy 95 to cambridge right on cleveland  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 467927  
 Fleet: 415, Plate: AB2214, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/24/2018 by Westmor

## Jackson

### Black River Falls

#### Federation Trucking, LLC

Contact: Federation Trucking, LLC (Megan Tracy)  
 Primary Phone: (715) 284-5354 e-mail: mtracy@fedcoop.com

-----  
**305821-VTM** Issued: 9/25/2018  
 Addr: W10260 Clinton Rd, Black River Falls, WI - 54615  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 655717  
 Fleet: 13, Plate: NB4418, CCNo: 92-141, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 4/10/2019 by Westmor  
 -----  
**305823-VTM** Issued: 9/25/2018  
 Addr: W10260 Clinton Rd, Black River Falls, WI - 54615  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 653751  
 Fleet: 13, Plate: NB4418, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/20/2018 by TRI STATE  
 -----  
**279481-VTM** Issued: 9/25/2018  
 Addr: W10260 Clinton Rd, Black River Falls, WI - 54615  
 Directions: South on Hwy 27 out of Black River Falls, Turn right onto Clinton Rd., on right.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 588706  
 Fleet: 6, Plate: NB4149, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/22/2018 by TRI STATE  
 -----  
**279474-VTM** Issued: 9/25/2018  
 Addr: W10620 Clinton Rd, Black River Falls, WI - 54615  
 Directions: South on Hwy. 27 out of bLack River Falls, Turn right on Clinton Rd., on right.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 544054  
 Fleet: 4, Plate: JB9513, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/15/2019 by Westmor  
 -----  
**279476-VTM** Issued: 9/25/2018  
 Addr: W10620 Clinton Rd, Black River Falls, WI - 54615  
 Directions: South on Hwy 27 out of Black River Falls, Turn right onto Clinton Rd., on right.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 544050  
 Fleet: 4, Plate: JB9513, CCNo: 92-075A3, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/15/2019 by Westmor  
 -----  
**279479-VTM** Issued: 9/25/2018  
 Addr: W10620 Clinton Rd., Black River Falls, WI - 54615  
 Directions: South on Hwy 27 out of Black River Falls, Turn right onto Clinton Rd., on right.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 588703  
 Fleet: 6, Plate: NB4149, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/22/2018 by TRI STATE

### Melrose

#### Melrose Farm Service Inc.

Contact: Melrose Farm Service Inc (Rodney Draeger)  
 Work Phone: (608) 488-6661 e-mail: draegerdm@gmail.com

-----  
**273896-VTM** Issued: 9/21/2018  
 Addr: 308 Mill St, Melrose, WI - 54642  
 Directions: In Shed  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 0612385050  
 Fleet: 1994 gasoline, Plate: HD22882, CCNo: B4 97, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/4/2018 by HJ MARTENS

**273893-VTM** Issued: 11/21/2018  
 Addr: 308 Mill St, Melrose, WI - 54642  
 Directions: south end of mill street in melrose, WI  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 0503319701  
 Fleet: 1994 f.o., Plate: HD22882, CCNo: B4 97, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/4/2018 by HJ MARTENS

## Jefferson

### Arlington

#### GROWMARK, INC., Insight FS

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

**293190-VTM** Issued: 10/29/2018  
 Addr: 1310 County Hwy I, Arlington, WI - 53911  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 448672  
 Fleet: 2118, Plate: JB8542, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/24/2018 by FELKER

**293191-VTM** Issued: 10/29/2018  
 Addr: 1310 County Hwy I, Arlington, WI - 53911  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 447473  
 Fleet: 2118, Plate: JB8542, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/24/2018 by FELKER

**293224-VTM** Issued: 10/29/2018  
 Addr: 1310 County Hwy I, Arlington, WI - 53911  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 252007  
 Fleet: 3065, Plate: MC8018, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/30/2018 by GROWMARK

### Arlington

#### GROWMARK, INC., Insight FS

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

**293223-VTM** Issued: 10/29/2018  
 Addr: 1310 County Hwy I, Arlington, WI - 53911  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 239058  
 Fleet: 3065, Plate: MC8018, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/24/2018 by GROWMARK

### Jefferson

#### Growmark Inc, Insight FS

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

**320804-VTM** Issued: 11/14/2018  
 Addr: 222 E Puerner St, Jefferson, WI - 53549  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: m-7, Ser #: 3837740306  
 Fleet: 17PeteJB, Plate: QB16619, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/26/2018 by Growmark

**318367-VTM** Issued: 10/29/2018  
 Addr: 213 E Puerner St, Jefferson, WI - 53549  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 587189  
 Fleet: 10297TS, Plate: PB8866, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/24/2018 by GROWMARK

**318369-VTM** Issued: 10/29/2018  
 Addr: 222 E Puerner St, Jefferson, WI - 53549  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 627909  
 Fleet: 10297T5, Plate: PB8866, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/24/2018 by GROWMARK

#### Growmark Inc.

Contact: Growmark Inc (Joe Sikora)  
Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

-----  
**320806-VTM** Issued: 11/14/2018  
Addr: 222 E Puerner St, Jefferson, WI - 53549  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: m-7, Ser #: 3732940501  
Fleet: 17PeteJB, Plate: QB16619, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 7/26/2018 by Growmark

**GROWMARK, INC., Insight FS**

Contact: Growmark Inc (Joe Sikora)  
Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

-----  
**293192-VTM** Issued: 12/14/2018  
Addr: 222 E Puerner St, Jefferson, WI - 54549  
Directions: address  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 421440  
Fleet: 34629, Plate: JB11078, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 12/5/2018 by GROWMARK

-----  
**293193-VTM** Issued: 10/29/2018  
Addr: 222 E Puerner St, Jefferson, WI - 53549  
Directions: address  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 415663  
Fleet: 34629, Plate: JB11078, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 12/5/2018 by GROWMARK

**Jo Daviess****Stockton****Stephenson Service Company**

Contact: Stephenson Service Company (Marty Reed)  
Fax Phone: (815) 235-7526 e-mail: mreed@stephensonfs.com

-----  
**309987-VTM** Issued: 10/5/2018  
Addr: 1859 State Hwy 78, Stockton, IL - 61085  
Directions: US Rt 20 to Rock City Rd turn North, 1/4 mile Plant on East side of Road  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 627979  
Fleet: 227, Plate: P857405, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/15/2018 by GROWMARK

-----  
**309986-VTM** Issued: 10/5/2018  
Addr: 1859 State Hwy 78, Stockton, IL - 61085  
Directions: US Rt 20 to IL RT 78, turn North go about 3 mile. Plant on East side of the road.  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 628034  
Fleet: 227, Plate: P857405, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/15/2018 by GROWMARK

**Warren****Saunders Oil Co Inc**

Contact: Saunders Oil Co Inc (Brian or Karlene Saunders)  
Work Phone: (815) 745-2267 e-mail: saunders@aeroinc.net

-----  
**314569-VTM** Issued: 10/3/2018  
Addr: 115 Gratiot St, Warren, IL - 61087  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 599993  
Fleet: 2013, Plate: P682267, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 4/11/2019 by Growmark

-----  
**314566-VTM** Issued: 10/3/2018  
Addr: 115 Gratiot St, Warren, IL - 61087  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-16, Ser #: 665093  
Fleet: 2016, Plate: P691409, CCNo: 92-075, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/11/2019 by Growmark

-----  
**314567-VTM** Issued: 10/3/2018  
Addr: 115 Gratiot St, Warren, IL - 61087  
Directions:  
Last State Test: Results:  
Make: Lectro Cont LCR 600, Model: M-10-1, Ser #: 661276  
Fleet: 2016, Plate: P691409, CCNo: 92-141, Pipe Dia: 3, MaxRate: 150  
Last Private Test: 4/11/2019 by Growmark

-----  
**314568-VTM** Issued: 10/3/2018  
 Addr: 115 Gratiot St, Warren, IL - 61087  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-16, Ser #: 597163  
 Fleet: 2013, Plate: P682267, CCNo: 92-075, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/11/2019 by Growmark  
 -----

**318549-VTM** Issued: 10/3/2018  
 Addr: 115 Gratiot St, Warren, IL - 61087  
 Directions:  
 Last State Test: Results:  
 Make: Lectro Cont LCR 600, Model: M-15-1, Ser #: 3786320201  
 Fleet: 2017, Plate: P741518, CCNo: 92-141, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 4/11/2019 by Growmark  
 -----

**318546-VTM** Issued: 10/3/2018  
 Addr: 115 Gratiot St, Warren, IL - 61087  
 Directions: Box 307  
 Last State Test: Results:  
 Make: Lectro Cont LCR 600, Model: M-10-1, Ser #: 3786320101  
 Fleet: P741518, Plate: 2017, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/11/2019 by Growmark  
 -----

## Juneau

### Camp Douglas

#### Camp Douglas Farmers Cooperative

Contact: Camp Douglas Farmers Cooperative (Terese Barth)  
 Primary Phone: (608) 427-3188 e-mail: cdcoop@mwt.net  
 -----

**281383-VTM** Issued: 9/21/2018  
 Addr: 120 US Hwy 12, Camp Douglas, WI - 54618  
 Directions: Bulk Plant  
 Last State Test: Results:  
 Make: Schlumberger, Model: 833, Ser #: DZ1240  
 Fleet: N/A, Plate: JB9395, CCNo: 90-017, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/15/2018 by WESTMOR  
 -----

**281385-VTM** Issued: 9/21/2018  
 Addr: 120 US Hwy 12, Camp Douglas, WI - 54618  
 Directions: Bulk Plant  
 Last State Test: Results:  
 Make: Actaris, Model: 834, Ser #: DA356  
 Fleet: N/A, Plate: JB9395, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/15/2018 by WESTMOR  
 -----

### Lyndon Station

#### Scully Transportation

Contact: Scully Oil Co Inc (Evan Schuh)  
 Work Phone: (608) 666-2662 e-mail: jeffscully@scullyoil.com  
 -----

**276117-VTM** Issued: 9/14/2018  
 Addr: 300 Industrial Ave, Lyndon Station, WI - 53944  
 Directions: Exit 79 of J90/94. Turn west on HH. Go to stop sign. Turn Left on 12/16. go 1 block  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 477075  
 Fleet: 12, Plate: KB3474, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by Westmor  
 -----

**276113-VTM** Issued: 9/14/2018  
 Addr: 300 Industrial Ave, Lyndon Station, WI - 53944  
 Directions: Exit 79 of J90/94. Turn west on HH. Go to stop sign. Turn Left on 12/16. go 1 block  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 476543  
 Fleet: 12, Plate: KB3474, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by Westmor  
 -----

#### Scully Transportation Company

Contact: Scully Oil Company Inc (Jeffrey T Scully)  
 Phone: (608) 666-2662 e-mail: dispatch@scullyoil.com  
 -----

**322464-VTM** Issued: 9/14/2018  
 Addr: 300 Industrial Ave, Lyndon Station, WI - 53944  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3808010101  
 Fleet: 33, Plate: HD 33597, CCNo: 92-141, Pipe Dia: , MaxRate: 100  
 Last Private Test: 10/16/2018 by Westmor  
 -----

**322466-VTM** Issued: 9/14/2018  
 Addr: 300 Industrial Ave, Lyndon Station, WI - 53944  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3808010201  
 Fleet: 33, Plate: HD 33597, CCNo: 92-141, Pipe Dia: , MaxRate: 100  
 Last Private Test: 10/16/2018 by West mor  
 -----

### Wisconsin Dells

**Cenex**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**310201-VTM** Issued: 10/17/2018  
 Addr: N381 US Hwy 12 & 16, Wisconsin Dells, WI - 53965  
 Directions: Rocky Arbor Truck Repair  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 665592  
 Fleet: 162701/164601, Plate: Applied for, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 7/5/2018 by WESTMOR  
 -----  
**310200-VTM** Issued: 10/17/2018  
 Addr: N381 US Hwy 12 & 16, Wisconsin Dells, WI - 53965  
 Directions: Rocky Arbor Truck Repair  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 665742  
 Fleet: 162701/164601, Plate: Applied for, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 7/5/2018 by WESTMOR

**Kenosha***Kenosha***AVP Kenosha Aviation LLC**

Contact: AVP Kenosha Aviation LLC (Larry Borchardt)  
 Work Phone: (262) 653-8881 e-mail: avpkenoshaaviation@tds.net

-----  
**312341-VTM** Issued: 10/12/2018  
 Addr: 9894 52nd St, Kenosha, WI - 53144  
 Directions: SE corner of facility on aircraft operation side  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-41800-2, Ser #: 211528  
 Fleet: 1, Plate: NA, CCNo: NA, Pipe Dia: 3, MaxRate: 250  
 Last Private Test: 8/22/2018 by PETROLEUM SYSTEMS  
 -----  
**312344-VTM** Issued: 10/12/2018  
 Addr: 9894 52nd St, Kenosha, WI - 53144  
 Directions: On ramp in front of Hangar  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 314882  
 Fleet: 2, Plate: NA, CCNo: NA, Pipe Dia: 3, MaxRate: 250  
 Last Private Test: 8/22/2018 by PETROLEUM SYSTEMS  
 -----  
**312342-VTM** Issued: 10/12/2018  
 Addr: 9894 52nd St, Kenosha, WI - 53144  
 Directions: On ramp in front of Hangar  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 211646  
 Fleet: 1, Plate: NA, CCNo: NA, Pipe Dia: 3, MaxRate: 250  
 Last Private Test: 8/22/2018 by PETROLEUM SYSTEMS  
 -----  
**312343-VTM** Issued: 10/12/2018  
 Addr: 9894 52nd St, Kenosha, WI - 53144  
 Directions: On ramp in front of Hangar  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 312016  
 Fleet: 2, Plate: NA, CCNo: NA, Pipe Dia: 3, MaxRate: 250  
 Last Private Test: 8/22/2018 by PETROLEUM SYSTEMS  
 -----  
**326205-VTM** Issued: 10/12/2018  
 Addr: 9894 52nd St, Kenosha, WI - 53144  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 602469  
 Fleet: LL, Plate: , CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/22/2018 by PETROLEUM SYSTEMS

**Stein's Aircraft Services, LLC**

Contact: Stein's Aircraft Services, LLC (Michael Stein)  
 Work Phone: (262) 597-1087 e-mail:

-----  
**317954-VTM** Issued: 9/25/2018  
 Addr: 4222 91st Ave, Kenosha, WI - 53144  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 661839  
 Fleet: NA, Plate: NA, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/21/2018 by GREAT LAKES  
 -----  
**317957-VTM** Issued: 9/25/2018  
 Addr: 4222 91st Ave, Kenosha, WI - 53144  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 574375  
 Fleet: NA, Plate: NA, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/21/2018 by GREAT LAKES



-----  
**317956-VTM** Issued: 9/25/2018  
 Addr: 4222 91st Ave, Kenosha, WI - 53144  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25, Ser #: 574438  
 Fleet: NA, Plate: NA, CCNo: 92-141, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 8/21/2018 by GREAT LAKES

**Stein`s Aircraft Services,LLC**

Contact: Stein`s Aircraft Services, LLC (Michael Stein)  
 Work Phone: (262) 597-1087 e-mail:

-----  
**317955-VTM** Issued: 9/25/2018  
 Addr: 4222 91st Ave, Kenosha, WI - 53144  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25, Ser #: 661843  
 Fleet: NA, Plate: NA, CCNo: 92-141, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 8/21/2018 by GREAT LAKES

**Wisconsin Fuel & Heating Inc.**

Contact: Wisconsin Fuel and Heating, Inc. (Gregg Althoff)  
 Work Phone: (262) 654-0241 e-mail: gregg.althoff@wisconsinfuel.com

-----  
**275332-VTM** Issued: 10/25/2018  
 Addr: 5724 49th St, Kenosha, WI - 53144  
 Directions: NA  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 228312  
 Fleet: 25, Plate: K8502, CCNo: 92-075A2, Pipe Dia: 3", MaxRate: 200  
 Last Private Test: 10/10/2018 by Petroleum Systems Inc

-----  
**275340-VTM** Issued: 10/25/2018  
 Addr: 5724 49th St, Kenosha, WI - 53144  
 Directions: NA  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 314978  
 Fleet: 941, Plate: K8505, CCNo: 92-075A2, Pipe Dia: 3", MaxRate: 200  
 Last Private Test: 10/9/2018 by Petroleum Systems Inc

-----  
**275342-VTM** Issued: 10/25/2018  
 Addr: 5724 49th St, Kenosha, WI - 53144  
 Directions: NA  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 296222  
 Fleet: 941, Plate: K8505, CCNo: 92-075A2, Pipe Dia: 3", MaxRate: 200  
 Last Private Test: 10/9/2018 by Petroleum Systems, Inc.

**Somers****Jerry Williams Inc.**

Contact: Jerry Willkomm, Inc. (Jim Willkomm)  
 Work Phone: (262) 925-9500 e-mail: jim@jwimobil.com

-----  
**324495-VTM** Issued: 10/2/2018  
 Addr: 991 119th Ct, Somers, WI - 53171  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3808220202  
 Fleet: 72, Plate: 62461X, CCNo: 92-141, Pipe Dia: 2, MaxRate: 10-100  
 Last Private Test: 6/21/2018 by Petroleum Systems

-----  
**324497-VTM** Issued: 10/2/2018  
 Addr: 991 119th Ct, Somers, WI - 53171  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 3840860101  
 Fleet: 72, Plate: 62461X, CCNo: 92-141, Pipe Dia: 3, MaxRate: 20-200  
 Last Private Test: 6/21/2018 by Petroleum Systems

**Jerry Willkomm Inc**

Contact: Jerry Willkomm, Inc. (Jim Willkomm)  
 Work Phone: (262) 925-9500 e-mail: jim@jwimobil.com

-----  
**305304-VTM** Issued: 10/2/2018  
 Addr: 991 119th Ct, Somers, WI - 53171  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 538660  
 Fleet: 23, Plate: 31272, CCNo: 92-441, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/21/2018 by Petroleum Systems

-----  
**305307-VTM** Issued: 10/2/2018  
 Addr: 991 119th Ct, Somers, WI - 53171  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 348056  
 Fleet: 3, Plate: 31273, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/21/2018 by Petroleum Systems



-----  
**305308-VTM** Issued: 10/2/2018  
 Addr: 991 119th Ct, Somers, WI - 53171  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 348057  
 Fleet: 3, Plate: 31273, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/21/2018 by Petroleum Systems  
 -----

**305306-VTM** Issued: 10/2/2018  
 Addr: 991 119th Ct, Somers, WI - 53171  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 539045  
 Fleet: 23, Plate: 31272, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/21/2018 by Petroleum Systems  
 -----

**Kewaunee****Casco****Quality State Oil Company, Inc.**

Contact: Quality State Oil Co Inc (Todd Schroeder)  
 Work Phone: (920) 459-5640 e-mail: todd.schroeder@qualitystate.com  
 -----

**318371-VTM** Issued: 10/15/2018  
 Addr: 2372 State Hwy 54, Casco, WI - 54205  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3761600102  
 Fleet: 21, Plate: JB12418, CCNo: 92-141, Pipe Dia: 2, MaxRate: 10-100  
 Last Private Test: 10/2/2018 by Quality  
 -----

**318378-VTM** Issued: 10/15/2018  
 Addr: 2372 State Hwy 54, Casco, WI - 54205  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3761600202  
 Fleet: 21, Plate: JB 12418, CCNo: 92-141, Pipe Dia: 2, MaxRate: 10-100  
 Last Private Test: 10/2/2018 by Quality  
 -----

Contact: Quality State Oil Company, Inc. (Jim Kussard)  
 Primary Phone: (920) 459-5640 e-mail: jim.kussard@qualitystate.com  
 -----

**272905-VTM** Issued: 10/15/2018  
 Addr: E2372 State Road 54, Casco, WI - 54205  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-16, Ser #: 568048  
 Fleet: 16, Plate: QB 13891, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/2/2018 by Quality  
 -----

**272906-VTM** Issued: 10/15/2018  
 Addr: E2372 State Road 54, Casco, WI - 54205  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 568049  
 Fleet: 16, Plate: QB 13891, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/2/2018 by Quality  
 -----

**Rueckl Oil Inc.**

Contact: Rueckl Oil, Inc. (David Rueckl)  
 Work Phone: (920) 837-7480 e-mail: notsoslim2483@yahoo.com  
 -----

**301315-VTM** Issued: 9/14/2018  
 Addr: E2483 County Rd K, Casco, WI - 54205  
 Directions: Hwy 54 E to Co AB N to Co K E to location  
 Last State Test: Results:  
 Make: Actaris Neptune, Model: E4000, Ser #: FD364  
 Fleet: NA, Plate: HD31639, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/21/2018 by Petroleum Equipment  
 -----

**301322-VTM** Issued: 9/14/2018  
 Addr: E2483 County Rd K, Casco, WI - 54205  
 Directions: Hwy 54 E to Co AB N to Co K E to location  
 Last State Test: Results:  
 Make: Neptune, Model: E4000, Ser #: FD365  
 Fleet: NA, Plate: HD31639, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/21/2018 by Petroleum Equipment  
 -----

**Kewaunee****Parkos Oil Co., Inc.**

Contact: Parkos Oil Company Inc (Dean Parkos)  
Work Phone: (920) 388-2656 e-mail: parkosoil@gmail.com

**280850-VTM** Issued: 10/23/2018  
Addr: N4401 State Hwy 42, Kewaunee, WI - 54216  
Directions: 1.5 miles north of Hwy 29  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 461996  
Fleet: N/A, Plate: PB4757, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 5/18/2018 by Felker Truck

**280851-VTM** Issued: 10/23/2018  
Addr: N4401 State Hwy 42, Kewaunee, WI - 54216  
Directions: North of Hwy29 2 miles north of hwy 29  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 462003  
Fleet: N/A, Plate: PB4757, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 5/18/2018 by Felker Truck

### Luxemburg

#### Ellisville Luxemburg Cooperative

Contact: Ellisville Luxemburg Cooperative (Lyle Jandrin)  
Work Phone: (920) 845-2622 e-mail: luxcoop@centurytel.net

**302147-VTM** Issued: 9/24/2018  
Addr: 413 Cedar St, Luxemburg, WI - 54217  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 632534  
Fleet: NA, Plate: 9600, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 2/14/2019 by Felker Truck & Equipment

**302146-VTM** Issued: 9/24/2018  
Addr: 413 Cedar St, Luxemburg, WI - 54217  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 640117  
Fleet: MC9600, Plate: NA, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 2/14/2019 by Felker Truck & Equipment

#### Van Drisse Oil Company, Inc.

Contact: Van Drisse Oil Company Inc (Kyle Kahr)  
Work Phone: (920) 536-0022 e-mail: vanhaen03@gmail.com

**272600-VTM** Issued: 10/16/2018  
Addr: 231 Elm St, Luxemburg, WI - 54217  
Directions: Hwy 54 to Luxemburg, right at stop light, right on elm, corner of elm and 2nd  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 379715  
Fleet: 5233, Plate: G401, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/14/2018 by Petroleum Equip Service

**272602-VTM** Issued: 10/16/2018  
Addr: 231 Elm St, Luxemburg, WI - 54217  
Directions: Hwy 54 to Luxemburg, right at stop light, right on elm, corner of elm and 2nd  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 379714  
Fleet: 5233, Plate: G401, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/14/2018 by Petroleum Equip Service

### La Crosse

#### La Crosse

#### Colgan Air Services

Contact: Colgan Air Service (Mike Lubinsky)  
Primary Phone: (608) 783-8359 e-mail: mlubinsky@centurytel.net

**286268-VTM** Issued: 10/31/2018  
Addr: 2709 Fanta Reed Rd, La Crosse, WI - 54603  
Directions: Trck 3317, Located outside north of building  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-2, Ser #: 395009  
Fleet: 3317, Plate: N/A, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/29/2018 by Westmor

**286270-VTM** Issued: 10/31/2018  
Addr: 2709 Fanta Reed Rd, La Crosse, WI - 54603  
Directions: On Fuel Truck 8S-S1033 Located on North side of Building  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-2, Ser #: 148445  
Fleet: 85-51033, Plate: N/A, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/29/2018 by Westmor

-----  
**286271-VTM** Issued: 10/31/2018  
 Addr: 2709 Fanta Reed Rd, La Crosse, WI - 54603  
 Directions: Fuel Truck 85-S1033 Located outside, north of Building  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 148649  
 Fleet: 85-51033, Plate: N/A, CCNo: 92-141A8, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 10/29/2018 by Westmor

-----  
**286272-VTM** Issued: 10/31/2018  
 Addr: 2709 Fanta Reed Rd, La Crosse, WI - 54603  
 Directions: On Fuel Truck 85-45 located north of building  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 152070  
 Fleet: 85-45, Plate: N/A, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/29/2018 by Westmor

-----  
**286269-VTM** Issued: 10/31/2018  
 Addr: 2709 Fanta Reed Rd, La Crosse, WI - 54603  
 Directions: On Fuel Truck 3317 Locatde, outside north of building  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 395200  
 Fleet: 3317, Plate: N/A, CCNo: 92-141A8, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 10/29/2018 by Westmor

**Midwest Fuels**

Contact: Midwest Industrial Fuels Inc (Scott Ramin)  
 Work Phone: (608) 782-3308 e-mail: scott.ramin@midwestfuels.com

-----  
**273149-VTM** Issued: 11/5/2018  
 Addr: 615 Sumner St, La Crosse, WI - 54603  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 306435  
 Fleet: 12-280, Plate: MC6629, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/15/2019 by Felker

-----  
**273150-VTM** Issued: 11/5/2018  
 Addr: 615 Sumner St, La Crosse, WI - 54603  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 314567  
 Fleet: 12-280, Plate: MC6629, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/15/2019 by Felker

-----  
**329156-VTM** Issued: 11/5/2018  
 Addr: 615 Sumner St, La Crosse, WI - 54603  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10C1, Ser #: 4057280101  
 Fleet: 84-17, Plate: , CCNo: , Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 4/16/2019 by Felker

-----  
**329157-VTM** Issued: 11/5/2018  
 Addr: 615 Sumner St, La Crosse, WI - 54603  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 4052390201  
 Fleet: 84-17, Plate: , CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/16/2019 by Felker

**Mindoro**

**Allied Cooperative**

Contact: Allied Cooperative (Jeff Bunker)  
 Primary Phone: (608) 786-1100 e-mail: jrbunker@allied.coop

-----  
**307561-VTM** Issued: 10/25/2018  
 Addr: N8319 State Hwy 108, Mindoro, WI - 54644  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 659087  
 Fleet: 191, Plate: RB25125, CCNo: 92-141A9, Pipe Dia: 1.375, MaxRate: 200  
 Last Private Test: 4/17/2019 by Felker

-----  
**307566-VTM** Issued: 10/25/2018  
 Addr: N8319 State Hwy 108, Mindoro, WI - 54644  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 656759  
 Fleet: 191, Plate: RB25125, CCNo: 92-141A9, Pipe Dia: 1.375, MaxRate: 150  
 Last Private Test: 4/17/2019 by Felker

**West Salem**

**Allied Cooperative**

Contact: Allied Cooperative (Jeff Bunker)  
 Primary Phone: (608) 786-1100 e-mail: jlbunker@allied.coop

-----  
**322323-VTM** Issued: 10/25/2018  
 Addr: 570 Commerce St, West Salem, WI - 54669  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MC 10C1, Ser #: 3876600105  
 Fleet: 206, Plate: SB 12839, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/25/2019 by Felker

-----  
**322322-VTM** Issued: 10/25/2018  
 Addr: 570 Commerce St, West Salem, WI - 54669  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15C1, Ser #: 6492185  
 Fleet: 206, Plate: SB 12839, CCNo: 92-141A6, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 4/17/2019 by Felker

-----  
**289890-VTM** Issued: 10/25/2018  
 Addr: 570 Commerce St, West Salem, WI - 54669  
 Directions: Hwy 16 to Commerce St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 566830  
 Fleet: 6, Plate: MC8333, CCNo: 92-141, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 4/17/2019 by Felker

-----  
**289891-VTM** Issued: 10/25/2018  
 Addr: 570 Commerce St, West Salem, WI - 54669  
 Directions: Hwy 16 to commerce St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 575094  
 Fleet: 6, Plate: MC8333, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/17/2019 by Felker

-----  
**289894-VTM** Issued: 10/25/2018  
 Addr: 570 Commerce St, West Salem, WI - 54669  
 Directions: off Hwy 16 to Commerce St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-41800, Ser #: 202195  
 Fleet: 32, Plate: JB7552, CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/12/2018 by FELKER

-----  
**289895-VTM** Issued: 10/25/2018  
 Addr: 570 Commerce St, West Salem, WI - 54669  
 Directions: off Hwy 16 to Commerce St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800, Ser #: DATCP274173  
 Fleet: 32, Plate: JB7552, CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/12/2018 by FELKER

## Lafayette

### Darlington

#### GROWMARK, INC., Insight FS

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

-----  
**293245-VTM** Issued: 10/29/2018  
 Addr: , Darlington, WI - 53530  
 Directions: address PO Box 210  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 478475  
 Fleet: 2192, Plate: JB8160, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/23/2018 by GROWMARK

-----  
**293225-VTM** Issued: 10/29/2018  
 Addr: , Darlington, WI - 53530  
 Directions: address PO Box 210  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 515771  
 Fleet: 3064, Plate: 90282W, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by GROWMARK

-----  
**293226-VTM** Issued: 10/29/2018  
 Addr: , Darlington, WI - 53530  
 Directions: address PO Box 210  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 515772  
 Fleet: 3064, Plate: 90282W, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by GROWMARK

-----  
**293246-VTM** Issued: 10/29/2018  
 Addr: , Darlington, WI - 53530  
 Directions: address PO Box 210  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 478465  
 Fleet: 2192, Plate: JB8160, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/23/2018 by GROWMARK

## South Wayne

**Pecatonica Coop Oil Co.**

Contact: Pecatonica Cooperative Oil Company (Dennis Larson)  
Work Phone: (608) 439-5301 e-mail: denanddeb@tds.net

**328642-VTM** Issued: 9/21/2018

Addr: 103 State Hwy 11, South Wayne, WI - 53587

Directions: North of Hwy11 So. Wayne

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 449332

Fleet: 2, Plate: JB 13725, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100

Last Private Test: 8/8/2018 by MIDWEST TRAILER

**328641-VTM** Issued: 9/21/2018

Addr: 103 State Hwy 11, South Wayne, WI - 53587

Directions: North of Hwy11 So. Wayne

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 449329

Fleet: 2, Plate: JB 13725, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100

Last Private Test: 8/8/2018 by MIDWEST TRAILER

**Pecatonica Cooperative Oil Company**

Contact: Pecatonica Cooperative Oil Company (Dennis Larson)  
Work Phone: (608) 439-5301 e-mail: denanddeb@tds.net

**313332-VTM** Issued: 9/21/2018

Addr: 103 State Hwy 11, South Wayne, WI - 53587

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: NR, Ser #: 3710320301

Fleet: NA, Plate: JB12737, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 2/21/2019 by MIDWEST

**313333-VTM** Issued: 9/21/2018

Addr: 103 State Hwy 11, South Wayne, WI - 53587

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: NR, Ser #: 3710320401

Fleet: NA, Plate: JB12737, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 2/21/2019 by MIDWEST

## Langlade

## Antigo

**Draeger Oil Co., Inc.**

Contact: Draeger Oil Co., Inc. (Joe Draeger)  
Work Phone: (715) 623-4518 e-mail: info@lpgasoline.com

**275610-VTM** Issued: 9/24/2018

Addr: N4005 US Hwy 45, Antigo, WI - 54409

Directions: North end of antigo

Last State Test: Results:

Make: Liquid Controls, Model: MA7, Ser #: 430992

Fleet: 402, Plate: PB 6141, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 2/22/2019 by Tri State Testing

**275613-VTM** Issued: 9/24/2018

Addr: N4005 US Hwy 45, Antigo, WI - 54409

Directions: North end of Antigo

Last State Test: Results:

Make: Veeder Root, Model: M-7-1, Ser #: 471722

Fleet: 403, Plate: NB 3221, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 2/22/2019 by Tri State Testing

**275611-VTM** Issued: 9/24/2018

Addr: N4005 US Hwy 45, Antigo, WI - 54409

Directions: North end of Antigo

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 430982

Fleet: 402, Plate: PB 6141, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 2/22/2019 by Tri State Testing

**275612-VTM** Issued: 9/24/2018

Addr: N4005 US Hwy 45, Antigo, WI - 54409

Directions: North end of Antigo

Last State Test: Results:

Make: Veeder Root, Model: M-7-1, Ser #: 471729

Fleet: 403, Plate: NB 3221, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 2/22/2019 by Tri State Testing

**Growmark Inc Servco FS Division**

Contact: Insight FS (Bart Lubinski)  
Work Phone: (920) 437-0466 e-mail: blubinski@servcofs.com

-----  
**274281-VTM** Issued: 10/31/2018  
Addr: 2311 Clermont St, Antigo, WI - 54409  
Directions: Hwy 45-64 to Century W to Clermont N  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 587337  
Fleet: 42, Plate: New Truck, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/5/2018 by Felker Truck & Equipment Inc

-----  
**274283-VTM** Issued: 10/31/2018  
Addr: 2311 Clermont St, Antigo, WI - 54409  
Directions: Hwy 45-64 to Century W to Clermont N  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 582550  
Fleet: 42, Plate: New Truck, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/5/2018 by Felker Truck & Equipment Inc

-----  
**274296-VTM** Issued: 10/31/2018  
Addr: 2311 Clermont St, Antigo, WI - 54409  
Directions: NA  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 528815  
Fleet: 95, Plate: MC6705, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/5/2018 by Felker Truck & Equipment Inc

-----  
**274297-VTM** Issued: 10/31/2018  
Addr: 2311 Clermont St, Antigo, WI - 54409  
Directions: NA  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 528629  
Fleet: 95, Plate: MC6705, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/5/2018 by Felker Truck & Equipment Inc

-----  
**285527-VTM** Issued: 10/31/2018  
Addr: 2311 Clermont St, Antigo, WI - 54409  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M10-C-1, Ser #: 604504  
Fleet: 219, Plate: QB15395, CCNo: 92-141A4, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/5/2018 by Felker Truck & Equipment Inc

-----  
**285528-VTM** Issued: 10/31/2018  
Addr: 2311 Clermont St, Antigo, WI - 54409  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M15-C-1, Ser #: 529393  
Fleet: 219, Plate: QB15395, CCNo: 92-141A4, Pipe Dia: 3, MaxRate: 200  
Last Private Test: 10/5/2018 by Felker Truck & Equipment Inc

### Remington Trucking LLC

Contact: Remington Trucking LLC (Dean Sorano)  
Work Phone: (715) 623-7500 e-mail: remoil@frontier.com

-----  
**273651-VTM** Issued: 11/2/2018  
Addr: N2305 US Hwy 45 S, Antigo, WI - 54409  
Directions: South of Antigo on Hwy 45  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 9703001001  
Fleet: 3, Plate: HD24987, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/25/2018 by REMINGTON

-----  
**273645-VTM** Issued: 11/2/2018  
Addr: N2305 US Hwy 45 S, Antigo, WI - 54409  
Directions: Hwy 45 S of Antigo, approx 1 mile  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 245759  
Fleet: 11, Plate: JB10712, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/25/2018 by REMINGTON

-----  
**273643-VTM** Issued: 11/2/2018  
Addr: N2305 Hwy 45 S, Antigo, WI - 54409  
Directions: Hwy 45 S of Antigo, approx 1 mile  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: DATCP10509  
Fleet: 11, Plate: JB10712, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/25/2018 by REMINGTON

-----  
**273640-VTM** Issued: 11/2/2018  
Addr: N2305 US Hwy 45 S, Antigo, WI - 54409  
Directions: Hwy 45 S of Antigo, approx 1 mile  
Last State Test: Results:  
Make: Neptune, Model: Type 4, Ser #: 09848  
Fleet: 10, Plate: JB13634, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/25/2018 by REMINGTON

273642-VTM Issued: 11/2/2018  
 Addr: N2305 US Hwy 45 S, Antigo, WI - 54409  
 Directions: South of Antigo on Hwy 45  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: H01499  
 Fleet: 10, Plate: JB13634, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/25/2018 by REMINGTON

**Lincoln****Gleason****Remington Trucking LLC**

Contact: Remington Trucking LLC (Dean Sorano)  
 Work Phone: (715) 623-7500 e-mail: remoil@frontier.com

273648-VTM Issued: 11/2/2018  
 Addr: N5362 State Hwy 17, Gleason, WI - 54435  
 Directions: Hwy 17 to Gleason west side of road  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 196464  
 Fleet: 3, Plate: HD24987, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/25/2018 by REMINGTON

**Tomahawk****Remington Trucking LLC**

Contact: Remington Trucking LLC (Dean Sorano)  
 Work Phone: (715) 623-7500 e-mail: remoil@frontier.com

273653-VTM Issued: 11/2/2018  
 Addr: 301 Conservation St, Tomahawk, WI - 54487  
 Directions: west of tomahawk off of somo ave.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: 18792359  
 Fleet: 9, Plate: JB9310, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/25/2018 by REMINGTON

273656-VTM Issued: 11/2/2018  
 Addr: 301 Conservation St, Tomahawk, WI - 54487  
 Directions: West of Tomahawk off of somo ave.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: R00426  
 Fleet: 9, Plate: JB9310, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/25/2018 by REMINGTON

**Manitowoc****Cato****Country Visions Cooperative**

Contact: Country Visions Cooperative (Steven Zutz)  
 Primary Phone: (920) 754-2213 e-mail: kschultz@cvcoop.com

321225-VTM Issued: 9/17/2018  
 Addr: 10832 US Hwy 10, Cato, WI - 54230  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3821340201  
 Fleet: 6007, Plate: PB8890, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/25/2018 by City of Madison

321220-VTM Issued: 9/17/2018  
 Addr: 10832 US Hwy 10, Cato, WI - 54230  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3821340101  
 Fleet: 6007, Plate: PB8890, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/25/2018 by City of Madison

318362-VTM Issued: 9/17/2018  
 Addr: 10832 US Hwy 10, Cato, WI - 54230  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10C1, Ser #: 3781990202  
 Fleet: 6008, Plate: LB 11095, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 3/12/2019 by GREAT LAKES

318361-VTM Issued: 9/17/2018  
 Addr: 10832 US Hwy 10, Cato, WI - 54230  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3780280101  
 Fleet: 6008, Plate: LB 11095, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/12/2019 by GREAT LAKES



-----  
**328492-VTM** Issued: 9/17/2018  
 Addr: 10832 US Hwy 10, Cato, WI - 54230  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3974130101  
 Fleet: 6009, Plate: QB17190, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

-----  
**328367-VTM** Issued: 9/17/2018  
 Addr: 10832 US Hwy10, Cato, WI - 54230  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 4042770101  
 Fleet: 6011, Plate: LB 11396, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2019 by GREAT LAKES

-----  
**328368-VTM** Issued: 9/17/2018  
 Addr: 10832 US Hwy 10, Cato, WI - 54230  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 4042770203  
 Fleet: 6011, Plate: LB 11396, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2019 by GREAT LAKES

-----  
**328491-VTM** Issued: 9/17/2018  
 Addr: 10832 US Hwy 10, Cato, WI - 54230  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3944130201  
 Fleet: 6009, Plate: QB17190, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/26/2018 by Tri State

**Keil**

**Weber Trucking, LLC**

Contact: Weber Trucking LLC (Connie Klapperich)  
 Work Phone: (920) 894-3611 e-mail: connie@weber-oil.com

-----  
**295799-VTM** Issued: 9/21/2018  
 Addr: 23153 Ehnert Dr, Keil, WI - 53042  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 631936  
 Fleet: 3600, Plate: JB11839, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 1/18/2019 by Felker Truck & Equipment

**Kiel**

**Weber Trucking LLC.**

Contact: Weber Trucking LLC (Connie Klapperich)  
 Work Phone: (920) 894-3611 e-mail: connie@weber-oil.com

-----  
**328766-VTM** Issued: 10/26/2018  
 Addr: 23153 Ehnert Dr, Kiel, WI - 53042  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15C1, Ser #: 4050380301  
 Fleet: 7134, Plate: APPLIED FOR, CCNo: 92-141A9, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 8/23/2018 by SENECA TANK

-----  
**328767-VTM** Issued: 10/26/2018  
 Addr: 23153 Ehnert Dr, Kiel, WI - 53042  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 4050480201  
 Fleet: 7134, Plate: APPLIED FOR, CCNo: 92-14149, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by SENECA TANK

**Weber Trucking, LLC**

Contact: Weber Trucking LLC (Connie Klapperich)  
 Work Phone: (920) 894-3611 e-mail: connie@weber-oil.com

-----  
**325717-VTM** Issued: 9/21/2018  
 Addr: 23153 Ehnert Rd, Kiel, WI - 53042  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3907340101  
 Fleet: 8440, Plate: APPLIED FOR, CCNo: 92-171A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/31/2018 by FELKER

-----  
**325718-VTM** Issued: 9/21/2018  
 Addr: 23153 Ehnert Dr, Kiel, WI - 53042  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15C1, Ser #: 3913430101  
 Fleet: 8440, Plate: APPLIED FOR, CCNo: 92-171A6, Pipe Dia: 2, MaxRate: 200  
 Last Private Test: 7/31/2018 by FELKER

-----  
**318473-VTM** Issued: 9/21/2018  
 Addr: 23153 Ehnert Dr, Kiel, WI - 53042  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-16, Ser #: 3811240101  
 Fleet: 4101, Plate: HD21538, CCNo: 92-075, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/31/2018 by FELKER  
 -----

**301672-VTM** Issued: 9/21/2018  
 Addr: 23153 Ehnert Rd, Kiel, WI - 53042  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 641497  
 Fleet: 4630, Plate: Applied For, CCNo: 92-141A6, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 9/7/2018 by FELKER  
 -----

**301673-VTM** Issued: 9/21/2018  
 Addr: 23153 Ehnert Rd, Kiel, WI - 53042  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 644458  
 Fleet: 4630, Plate: Applied For, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/7/2018 by FELKER  
 -----

**289840-VTM** Issued: 9/21/2018  
 Addr: 23153 Ehnert Dr, Kiel, WI - 53042  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 612672  
 Fleet: 7181, Plate: PB8302, CCNo: 92-141A8, Pipe Dia: 3, MaxRate: 100  
 Last Private Test: 3/8/2019 by Felker Truck & Equipment  
 -----

**289842-VTM** Issued: 9/21/2018  
 Addr: 23153 Ehnert Dr, Kiel, WI - 53042  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10C1, Ser #: 612302  
 Fleet: 7181, Plate: PB8302, CCNo: 92-141A8, Pipe Dia: 3, MaxRate: 100  
 Last Private Test: 3/8/2019 by Felker Truck & Equipment  
 -----

**295800-VTM** Issued: 9/21/2018  
 Addr: 23153 Ehnert Dr, Kiel, WI - 53042  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 631933  
 Fleet: 3600, Plate: JB11839, CCNo: 92-171A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 1/18/2019 by Felker Truck & Equipment  
 -----

#### Manitowoc

##### Manitowoc County Airport

Contact: County of Manitowoc (Gary Robinson)  
 Work Phone: (920) 683-7083 e-mail: garyrobinson@co.manitowoc.wi.us  
 -----

**293723-VTM** Issued: 10/24/2018  
 Addr: 1815 Freedom Way, Manitowoc, WI - 54220  
 Directions: address  
 Last State Test: Results:  
 Make: Smith AO, Model: T6, Ser #: 72676  
 Fleet: NA, Plate: NA, CCNo: N/A, Pipe Dia: 1.5", MaxRate: 60  
 Last Private Test: 9/26/2018 by PETRO CHEM  
 -----

**293741-VTM** Issued: 10/24/2018  
 Addr: 1815 Freedom Way, Manitowoc, WI - 54220  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15, Ser #: 150512  
 Fleet: NA, Plate: NA, CCNo: NA, Pipe Dia: 3, MaxRate: 120  
 Last Private Test: 9/26/2018 by PETRO CHEM  
 -----

#### Maribel

##### Maribel Grain Company

Contact: Maribel Grain Company (Brian Rabas)  
 Primary Phone: (920) 863-2289 e-mail: mgbrian@baycomwi.com  
 -----

**272987-VTM** Issued: 10/10/2018  
 Addr: 12828 County Rd T, Maribel, WI - 54227  
 Directions: Hwy T 2 miles south of Maribel to 12828 Hwy T fuel truck w/meter in shed next to drivers house  
 Last State Test: Results:  
 Make: Liquid Controls, Model: 0789212-700, Ser #: 472290  
 Fleet: Nathan (gas), Plate: JB8861, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/5/2018 by Felker Truck  
 -----

-----  
**272988-VTM** Issued: 11/19/2018  
 Addr: 12828 County Rd T, Maribel, WI - 54227  
 Directions: County T 2 miles south of Maribel, right side of road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: 0789808-701, Ser #: 472294  
 Fleet: Nathan (fuel), Plate: JB8861, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/5/2018 by Felker Truck  
 -----

**Reedsville****Country Visions Cooperative**

Contact: Country Visions Cooperative (Steven Zutz)  
 Primary Phone: (920) 754-2213 e-mail: [kschultz@cvcoop.com](mailto:kschultz@cvcoop.com)  
 -----

**293159-VTM** Issued: 9/17/2018  
 Addr: 305 N 6th St, Reedsville, WI - 54230  
 Directions: I43 W/B HWY 10 14 miles to Reedsville, WI. Left side of road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 422664  
 Fleet: B31, Plate: QB15323, CCNo: 86-022A12, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2018 by Great Lakes  
 -----

**293160-VTM** Issued: 9/17/2018  
 Addr: 305 N 6th St, Reedsville, WI - 54230  
 Directions: I43 w/b/ Hwy 10 W/B 14 miles to Reedsville, WI left side of road  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR11, Ser #: 422669  
 Fleet: B31, Plate: QB15323, CCNo: 86-022A12, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2018 by Great Lakes Meter  
 -----

**Valders****Country Visions Cooperative**

Contact: Country Visions Cooperative (Steven Zutz)  
 Primary Phone: (920) 754-2213 e-mail: [kschultz@cvcoop.com](mailto:kschultz@cvcoop.com)  
 -----

**309490-VTM** Issued: 9/17/2018  
 Addr: 2513 Marken Rd, Valders, WI - 54245  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 664214  
 Fleet: 6003, Plate: LB 10910, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2019 by GREAT LAKES  
 -----

**309492-VTM** Issued: 9/17/2018  
 Addr: 2513 Marken Rd, Valders, WI - 54245  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 664213  
 Fleet: 6003, Plate: LB 10910, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2019 by GREAT LAKES  
 -----

**Whitelaw****Country Visions Cooperative**

Contact: Country Visions Cooperative (Steven Zutz)  
 Primary Phone: (920) 754-2213 e-mail: [kschultz@cvcoop.com](mailto:kschultz@cvcoop.com)  
 -----

**274995-VTM** Issued: 9/17/2018  
 Addr: 10836 US Hwy10, Whitelaw, WI - 54247  
 Directions: I43 Exit 154 W/B on Hwy 10 3.5 miles N/S of Road 10826 Hwy 10  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1 Digital, Ser #: 536291  
 Fleet: 6001, Plate: NB4769, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2019 by GREAT LAKES  
 -----

**274997-VTM** Issued: 9/17/2018  
 Addr: 10826 US Hwy 10, Whitelaw, WI - 54247  
 Directions: I43 Exit 154 W/B on Hwy 10 3.5 miles N/S of road. 10826 Hwy 10  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1 Digital, Ser #: 535101  
 Fleet: 6001, Plate: NB4769, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2019 by GREAT LAKES  
 -----

**293702-VTM** Issued: 9/17/2018  
 Addr: 10832 US Hwy 10, Whitelaw, WI - 54247  
 Directions: Interstate 43 to HWY 10 West Exit, Follow HWY 10 W/B 7 miles - Large White Building on Rt of Rd inside City Limits  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 611406  
 Fleet: 57, Plate: LB10467, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/25/2018 by City of Madison  
 -----

-----  
**293701-VTM** Issued: 9/17/2018  
Addr: 10832 US Hwy 10, Whitelaw, WI - 54247  
Directions: Interstate 43 to HWY 10 West Exit, Follow HWY 10 W/B 7 miles - Large White Building on Rt of Rd inside City Limits  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 611358  
Fleet: 57, Plate: LB10467, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/11/2019 by GREAT LAKES  
-----  
**280660-VTM** Issued: 9/17/2018  
Addr: 10832 US Hwy 10, Whitelaw, WI - 54247  
Directions: I43 Exit 154. W/B on Hwy 10. 3.5 miles N/S of Road 10832 hwy 10  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 597682  
Fleet: 70, Plate: LB10399, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/21/2019 by GREAT LAKES  
-----  
**280719-VTM** Issued: 9/17/2018  
Addr: 10836 US Hwy 10, Whitelaw, WI - 54247  
Directions: Exit 154 W/B on Hwy 10 3.5 miles N/S of Road 10832 Hwy 10  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 591753  
Fleet: 70, Plate: LB10399, CCNo: 92-141A1, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/21/2019 by GREAT LAKES  
-----  
**274975-VTM** Issued: 9/17/2018  
Addr: 10836 US Hwy 10, Whitelaw, WI - 54247  
Directions: I43 Exit 154. W/B on Hwy 10. 3.5 miles N/S of road 10832 Hwy 10  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 442199  
Fleet: 69, Plate: HD 25280, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/25/2018 by City of Madison  
-----  
**274985-VTM** Issued: 9/17/2018  
Addr: 10836 US Hwy 10, Whitelaw, WI - 54247  
Directions: Exit 154 on I43 west bound 3.5 miles on hwy 10 N/S of Road 10826 Hwy 10  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 436074  
Fleet: 501, Plate: HD 25275, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/13/2019 by GREAT LAKES  
-----  
**274976-VTM** Issued: 9/17/2018  
Addr: 10832 US Hwy 10, Whitelaw, WI - 54247  
Directions: I43 Exit 154. W/B on Hwy 10. 3.5 miles N/S of road Tuesch's septic building  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 442201  
Fleet: 69, Plate: HD 25280, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/25/2018 by City of Madison  
-----  
**274979-VTM** Issued: 9/17/2018  
Addr: 10836 US Hwy 10, Whitelaw, WI - 54247  
Directions: Exit 154 W/B on Hwy 10 3.5 miles N/S Road 10832 Hwy 10  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 418064  
Fleet: 71, Plate: HD 31435, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/12/2019 by GREAT LAKES  
-----  
**274986-VTM** Issued: 9/17/2018  
Addr: 10836 US Hwy 10, Whitelaw, WI - 54247  
Directions: I43 Exit 154 - W/B on Hwy 10 3/5 miles N/S of Road 10832 Hwy 10  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 435991  
Fleet: 501, Plate: HD 25275, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/13/2019 by GREAT LAKES  
-----  
**275002-VTM** Issued: 9/17/2018  
Addr: 10832 US Hwy 10, Whitelaw, WI - 54247  
Directions: I43 Exit 154 W/B on hwy 10 3.5 miles N/S of Road 10832 hwy 10  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 583318  
Fleet: 58, Plate: HD 29633, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/21/2019 by GREAT LAKES  
-----  
**275000-VTM** Issued: 9/17/2018  
Addr: 10836 US Hwy 10, Whitelaw, WI - 54247  
Directions: I43 Exit 154 W/B on Hwy 10 3/5 miles N/S road 10826  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 583317  
Fleet: 58, Plate: HD 29633, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/21/2019 by GREAT LAKES  
-----  
**274964-VTM** Issued: 9/17/2018  
Addr: 10836 US Hwy 10, Whitelaw, WI - 54247  
Directions: I43 - Exit 154 W/B on Hwy 10 3.5 miles N/S of Road 10826 Hwy 10  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 472549  
Fleet: 51, Plate: HD 25279, CCNo: NR, Pipe Dia: 2, MaxRate: 100

-----  
 Last Private Test: 3/11/2019 by GREAT LAKES  
**274969-VTM** Issued: 9/17/2018  
 Addr: 10836 US Hwy 10, Whitelaw, WI - 54247  
 Directions: I43 Exit 154 W/B on Hwy 10 3.5 miles. N/S of Road 10826 Hwy 10  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 472556  
 Fleet: 51, Plate: HD 25279, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/11/2019 by GREAT LAKES  
 -----  
**274971-VTM** Issued: 9/17/2018  
 Addr: 10836 US Hwy 10, Whitelaw, WI - 54247  
 Directions: I43 Exit 154 W/B Hwy 10 3.5 miles N/S of road 10826 hwy 10  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 559292  
 Fleet: 56, Plate: QB 14597, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2019 by GREAT LAKES  
 -----  
**274972-VTM** Issued: 9/17/2018  
 Addr: 10832 US Hwy 10, Whitelaw, WI - 54247  
 Directions: I43 exit 154 west bound 3.5mi on hwy 10 N/S of Road 10832 Hwy 10  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 558036  
 Fleet: 56, Plate: QB14597, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/13/2019 by GREAT LAKES

**Marathon**

*Athens*

**A & L Oil Inc**

Contact: A & L Oil Inc (Lori Ellenbecker)  
 Work Phone: (715) 581-2547 e-mail: lori@aloilinc.com

-----  
**310874-VTM** Issued: 10/25/2018  
 Addr: 425 Mueller St, Athens, WI - 54411  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: MZ1373  
 Fleet: 1, Plate: JB8246, CCNo: 02-046A3, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 3/26/2019 by Felker  
 -----  
**310875-VTM** Issued: 10/25/2018  
 Addr: 425 Mueller St, Athens, WI - 54411  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: MZ1372  
 Fleet: 1, Plate: JB8246, CCNo: 02-046A3, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 3/26/2019 by Felker

*Colby*

**ProVison Partners Cooperative**

Contact: ProVison Partners Cooperative (Troy Thompson)  
 Work Phone: (715) 387-1291 e-mail: tthompson@provisionpartners.coop

-----  
**273082-VTM** Issued: 10/8/2018  
 Addr: 105 N Division St, Colby, WI - 54421  
 Directions: Hw 29 to South in Hwy 13, west side of road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 539686  
 Fleet: 3, Plate: TB4642, CCNo: N/A, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/23/2019 by Tri State  
 -----  
**273083-VTM** Issued: 10/8/2018  
 Addr: 105 N Division St, Colby, WI - 54421  
 Directions: Hw 29 to South in Hwy 13, west side of road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 544140  
 Fleet: 3, Plate: TB4642, CCNo: N/A, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 4/23/2019 by Tri State  
 -----  
**303149-VTM** Issued: 10/8/2018  
 Addr: 105 N Division St, Colby, WI - 54421  
 Directions: Hw 29 to South in Hwy 13, west side of road.  
 Last State Test: Results:  
 Make: Schlumberger, Model: Type 4, Ser #: KR1197  
 Fleet: 95, Plate: JB9356, CCNo: , Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 4/23/2019 by Tri State  
 -----  
**301019-VTM** Issued: 10/8/2018  
 Addr: 105 N Division St, Colby, WI - 54421  
 Directions: Hw 29 to South in Hwy 13, west side of road.  
 Last State Test: Results:  
 Make: Schlumberger, Model: KR1195, Ser #: KR1195  
 Fleet: 95, Plate: JB9356, CCNo: NR, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 4/23/2019 by Tri State

*Hatley*

**Rightway and Stratford Propane**

Contact: Nowinsky Acquisitions LLC (John Nowinsky)  
Work Phone: (715) 572-9100 e-mail: jnowinsky@gmail.com

-----  
**328640-VTM** Issued: 9/17/2018  
Addr: 100 Kuhlman Ave, Hatley, WI - 54440  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: MA7-10, Ser #: 665895  
Fleet: 2015 FREIGHTLINER, Plate: , CCNo: 86-022 AV2342, Pipe Dia: 2, MaxRate: 20-100  
Last Private Test: 6/7/2018 by GROWMARK

**Marathon****Heartland Cooperative Services**

Contact: Heartland Cooperative Services (Michael Mohr)  
Primary Phone: (715) 654-5134 e-mail: mmohras@yahoo.com

-----  
**297857-VTM** Issued: 10/16/2018  
Addr: 219 Main St, Marathon, WI - 54448  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 636792  
Fleet: 763, Plate: RB23826, CCNo: CC92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/30/2019 by Felker

-----  
**297858-VTM** Issued: 10/16/2018  
Addr: 219 Main St, Marathon, WI - 54448  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 637668  
Fleet: 763, Plate: RB23826, CCNo: CC92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/30/2019 by Felker

-----  
**276441-VTM** Issued: 10/16/2018  
Addr: 219 Main St, Marathon, WI - 54448  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 387295  
Fleet: 742, Plate: LB10164, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/15/2019 by Felker Truck & Equipment

-----  
**276442-VTM** Issued: 10/16/2018  
Addr: 219 Main St, Marathon, WI - 54448  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 252495  
Fleet: 742, Plate: LB10164, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/15/2019 by Felker Truck & Equipment

**Hurtis Oil Co Inc**

Contact: Hurtis Oil Co Inc (Bruce Hurtis)  
Work Phone: (715) 443-2014 e-mail:

-----  
**287773-VTM** Issued: 10/10/2018  
Addr: 711 3rd St, Marathon, WI - 54448  
Directions: 29 west 107 south 3rd street west  
Last State Test: Results:  
Make: Schlumberger, Model: 834, Ser #: JU1363  
Fleet: 33, Plate: HD23677, CCNo: 4-MT, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/10/2018 by UNITED

-----  
**320768-VTM** Issued: 10/10/2018  
Addr: 711 3rd St, Marathon, WI - 54448  
Directions: 1070 s 3rd st west  
Last State Test: Results:  
Make: Liquid Controls, Model: E3656, Ser #: 46-146956-DF  
Fleet: 99, Plate: NB-4644, CCNo: 86-022A13, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/12/2018 by HJ MARTENS

-----  
**320776-VTM** Issued: 10/10/2018  
Addr: 711 3rd St, Marathon, WI - 54448  
Directions: 29w 102 s 3rd west  
Last State Test: Results:  
Make: Liquid Controls, Model: E3656, Ser #: 46-146942  
Fleet: 99, Plate: NB4644, CCNo: 86-022A13, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 9/12/2018 by HJ MARTENS

**Hurtis Oil Co Inc.**

Contact: Hurtis Oil Co Inc (Bruce Hurtis)  
Work Phone: (715) 443-2014 e-mail:

-----  
**325921-VTM** Issued: 10/10/2018  
Addr: 711 3rd St, Marathon, WI - 54448  
Directions: 1070 s 3rd st west  
Last State Test: Results:  
Make: Schlumberger, Model: 834, Ser #: JU 1363/ 28773 FR199412  
Fleet: 33, Plate: , CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 7/23/2018 by HJ MARTENS

**Myszka Oil and Motors, LLC**

Contact: Myszka Oil & Motors LLC (Duane Myszka)  
Work Phone: (715) 443-2400 e-mail:

-----  
**277155-VTM** Issued: 10/2/2018  
Addr: 1299 Windly Ln, Marathon, WI - 54448  
Directions:  
Last State Test: Results:  
Make: Neptune, Model: 60001, Ser #: 1507784  
Fleet: 1, Plate: 22441, CCNo: NR, Pipe Dia: 1.5, MaxRate: 60  
Last Private Test: 9/24/2018 by HJ MARTENS  
-----  
**273869-VTM** Issued: 10/2/2018  
Addr: 1299 Windly Ln, Marathon, WI - 54448  
Directions:  
Last State Test: Results:  
Make: Neptune, Model: 60001, Ser #: 105630  
Fleet: 22441, Plate: 1, CCNo: NR, Pipe Dia: 1.5, MaxRate: 60  
Last Private Test: 9/24/2018 by HJ MARTENS

### Mosinee

#### Central Wisconsin Aviation

Contact: Central Wisconsin Aviation Inc (Mark Turkiewicz)  
Work Phone: (715) 693-6111 e-mail: mark@cwa-fbo.com

-----  
**310766-VTM** Issued: 10/2/2018  
Addr: 400 CWA Dr, Mosinee, WI - 54455  
Directions: Central Wisconsin Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M-25-2, Ser #: 421936  
Fleet: 2, Plate: NA, CCNo: 90-179PN, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 9/24/2018 by NORTHWEST  
-----  
**310767-VTM** Issued: 10/2/2018  
Addr: 400 CWA Dr, Mosinee, WI - 54455  
Directions: Central Wisconsin Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-2, Ser #: 423580  
Fleet: 2, Plate: NA, CCNo: 90-176, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/24/2018 by NORTHWEST  
-----  
**310768-VTM** Issued: 10/2/2018  
Addr: 400 CWA Dr, Mosinee, WI - 54455  
Directions: Central Wisconsin Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-41800-2, Ser #: 207956  
Fleet: AV Truck, Plate: NA, CCNo: 92-075A2, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/24/2018 by NORTHWEST

### Stratford

#### ProVison Partners Cooperative

Contact: ProVison Partners Cooperative (Troy Thompson)  
Work Phone: (715) 387-1291 e-mail: tthompson@provisionpartners.coop

-----  
**276408-VTM** Issued: 10/8/2018  
Addr: 645 E State Hwy 153, Stratford, WI - 54484  
Directions: Hwy 39/51 N to 153 W to Fir St.  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 462656  
Fleet: 20, Plate: LB8562, CCNo: 86-022A12, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/23/2019 by Tri State  
-----  
**276409-VTM** Issued: 10/8/2018  
Addr: 645 E State Hwy 153, Stratford, WI - 54484  
Directions: Hwy 29 to south on 97 to East on Hwy 153, South side of road  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 462657  
Fleet: 20, Plate: LB8562, CCNo: 86-022A12, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/23/2019 by Tri State

### Unity

#### ProVison Partners Cooperative

Contact: ProVison Partners Cooperative (Troy Thompson)  
Work Phone: (715) 387-1291 e-mail: tthompson@provisionpartners.coop

-----  
**273080-VTM** Issued: 10/8/2018  
Addr: 221 N Madison, Unity, WI - 54488  
Directions: Hw 29 to South in Hwy 13, west side on N.Madison.  
Last State Test: Results:  
Make: Liquid Controls, Model: MA7-42800-10, Ser #: 327760  
Fleet: 84, Plate: JB8994, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/24/2018 by Tri State

### Wausau

#### City of Wausau



Contact: City of Wausau (John Chmiel)  
Work Phone: (715) 845-3400 e-mail: taildraggerflyer@yahoo.com

-----  
**312619-VTM** Issued: 10/23/2018  
Addr: 725 Woods Pl, Wausau, WI - 54403  
Directions: Enter red brick terminal building at 725 Woods Pl, airport personnel will give access to the vehicle through vehicle gate #2  
Last State Test: Results:  
Make: Liquid Controls, Model: M-25-2, Ser #: 314981  
Fleet: 751, Plate: NA, CCNo: 90-179PN, Pipe Dia: NR, MaxRate: 300  
Last Private Test: 10/5/2017 by PETROLEUM WALT

-----  
**312620-VTM** Issued: 10/23/2018  
Addr: 725 Woods Pl, Wausau, WI - 54403  
Directions: Enter red brick terminal building at 725 Woods Pl, airport personnel will give access to the vehicle through vehicle gate #2  
Last State Test: Results:  
Make: Liquid Controls, Model: M-25-2, Ser #: 312021  
Fleet: 751, Plate: NA, CCNo: 90-179PN, Pipe Dia: NR, MaxRate: 100  
Last Private Test: 6/4/2018 by WALT

**Riiser Energy**

Contact: Riiser Fuels LLC (Kurt VanVuren)  
Work Phone: (715) 845-7272 e-mail: kvanvuren@riiser.com

-----  
**326212-VTM** Issued: 10/26/2018  
Addr: 709 S 20th Ave, Wausau, WI - 54401  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 362515  
Fleet: 311, Plate: JB12673, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/13/2018 by HJ MARTENS

-----  
**309228-VTM** Issued: 10/26/2018  
Addr: 709 S 20th Ave, Wausau, WI - 54401  
Directions:  
Last State Test: Results:  
Make: Total Control Systems, Model: 700-259PAIORAT, Ser #: 824688  
Fleet: 309, Plate: MC9980, CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 6/25/2018 by HJ MARTENS

-----  
**309229-VTM** Issued: 10/26/2018  
Addr: 709 S 20th Ave, Wausau, WI - 54401  
Directions:  
Last State Test: Results:  
Make: Total Control Systems, Model: 700-20SPIORAT, Ser #: 819478  
Fleet: 309, Plate: MC9980, CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 6/25/2018 by HJ MARTENS

-----  
**273254-VTM** Issued: 10/26/2018  
Addr: 709 S 20th Ave, Wausau, WI - 54401  
Directions: Hwy 51 North to Sherman St exit, north on 24th Ave to Helmke St. East on Helmke to 20th Ave, South on 20th Ave to address  
Last State Test: Results:  
Make: Schlumberger, Model: 834, Ser #: HW1212  
Fleet: 33, Plate: JB8379, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 9/12/2018 by HJ MARTENS

-----  
**273260-VTM** Issued: 10/26/2018  
Addr: 709 S 20th Ave, Wausau, WI - 54401  
Directions: Hwy 51 N To Sherman st exit, take 24th Ave to Helmke, right to 22nd Ave, right to Nehring St, left to 20th Ave  
Last State Test: Results:  
Make: Schlumberger, Model: 834, Ser #: FV1549  
Fleet: 34, Plate: JB8365, CCNo: 02-047, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 8/21/2018 by HJ MARTENS

-----  
**273282-VTM** Issued: 10/26/2018  
Addr: 709 S 20th Ave, Wausau, WI - 54401  
Directions: Hwy 51 North to Sherman St exit, north on 24th Ave to Helmke St. East on Helmke to 20th Ave, South on 20th Ave to address  
Last State Test: Results:  
Make: Liquid Controls, Model: E365117, Ser #: 447372  
Fleet: 5600, Plate: JB9045, CCNo: 86-022A12, Pipe Dia: 2, MaxRate: 10-100  
Last Private Test: 9/12/2018 by HJ MARTENS

-----  
**273294-VTM** Issued: 10/26/2018  
Addr: 709 S 20th Ave, Wausau, WI - 54401  
Directions: rear driver side of truck  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 362512  
Fleet: 311, Plate: HD2237, CCNo: 90-176, Pipe Dia: 2, MaxRate: 10-100  
Last Private Test: 8/13/2018 by HJ Martens

-----  
**273302-VTM** Issued: 10/26/2018  
 Addr: 709 S 20th Ave, Wausau, WI - 54401  
 Directions: Hwy 51 North to Sherman St exit, north on 24th Ave to Helmke St. East on Helmke to 20th Ave, South on 20th Ave to address  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: DATCP273302  
 Fleet: 304, Plate: GD46136, CCNo: 02-047, Pipe Dia: 1.5, MaxRate: 50  
 Last Private Test: by -----  
**273278-VTM** Issued: 10/26/2018  
 Addr: 709 S 20th Ave, Wausau, WI - 54401  
 Directions: Hwy 51 North to Sherman St exit, north on 24th Ave to Helmke St. East on Helmke to 20th Ave, South on 20th Ave to address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: E365117, Ser #: 513547  
 Fleet: 5600, Plate: JB9045, CCNo: 86-022A12, Pipe Dia: 2, MaxRate: 10-100  
 Last Private Test: 9/12/2018 by HJ MARTENS -----  
**273255-VTM** Issued: 10/26/2018  
 Addr: 709 S 20th Ave, Wausau, WI - 54401  
 Directions: Hwy 51 North to Sherman St exit, north on 24th Ave to Helmke St. East on Helmke to 20th Ave, South on 20th Ave to address  
 Last State Test: Results:  
 Make: Schlumberger, Model: 834, Ser #: HW1214  
 Fleet: 33, Plate: JB8379, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/12/2018 by HJ MARTENS -----  
**273258-VTM** Issued: 10/26/2018  
 Addr: 709 S 20th Ave, Wausau, WI - 54401  
 Directions: Hwy 51 N To Sherman st exit, take 24th Ave to Helmke, right to 22nd Ave, right to Nehring St, left to 20th Ave  
 Last State Test: Results:  
 Make: Schlumberger, Model: 834, Ser #: FV1548  
 Fleet: 34, Plate: JB8365, CCNo: 02-047, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/21/2018 by HJ MARTENS -----  
**273303-VTM** Issued: 10/26/2018  
 Addr: 709 S 20th Ave, Wausau, WI - 54401  
 Directions: Hwy 51 North to Sherman St exit, north on 24th Ave to Helmke St. East on Helmke to 20th Ave, South on 20th Ave to address  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: 18507123  
 Fleet: 304, Plate: GD43136, CCNo: NR, Pipe Dia: 1.5, MaxRate: 50  
 Last Private Test: 8/13/2018 by HJ MARTENS

**Windsor****CENEX**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**292400-VTM** Issued: 10/17/2018  
 Addr: 6395 Lake Rd, Windsor, WI - 53598  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: KV1232  
 Fleet: 082757, Plate: NA, CCNo: 02-046A3, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/12/2018 by HJ MARTENS -----  
**292403-VTM** issued: 10/17/2018  
 Addr: 6375 Lake Rd, Windsor, WI - 53598  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 600203  
 Fleet: 122715, Plate: NA, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 5/21/2018 by Tri State -----  
**292404-VTM** Issued: 10/17/2018  
 Addr: 6395 Lake Rd, Windsor, WI - 53598  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 600204  
 Fleet: 122715, Plate: NA, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 5/21/2018 by Tri State -----  
**292399-VTM** issued: 10/17/2018  
 Addr: 6395 Lake Rd, Windsor, WI - 53598  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: KV1231  
 Fleet: 082757, Plate: NA, CCNo: 02-046A3, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/12/2018 by HJ MARTENS

**Menominee****Menominee****Country Visions Cooperative**

Contact: Country Visions Cooperative (Steven Zutz)  
 Primary Phone: (920) 754-2213 e-mail: kschultz@cvcoop.com

-----  
**293157-VTM** Issued: 9/17/2018  
 Addr: 1803 10th Ave, Menominee, WI - 49858  
 Directions: address  
 Last State Test: Results:  
 Make: Actaris, Model: Neptune 834-1, Ser #: JB416  
 Fleet: 516, Plate: HD22230, CCNo: NA, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 3/21/2019 by GREAT LAKES

-----  
**293155-VTM** Issued: 9/17/2018  
 Addr: 1803 10th Ave, Menominee, WI - 49858  
 Directions:  
 Last State Test: Results:  
 Make: Actaris 4, Model: Neptune 834-1, Ser #: JB415  
 Fleet: 516, Plate: HD22230, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 3/15/2018 by Great Lakes Meter

-----  
**274982-VTM** Issued: 9/17/2018  
 Addr: 1083 10th Ave, Menominee, MI - 49858  
 Directions: Hwy 41 N/B thru Marinette. Cross bridge into menominee, MI 1st left onto 10th Ave  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 418065  
 Fleet: 71, Plate: HD 31435, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/12/2019 by GREAT LAKES

-----  
**274989-VTM** Issued: 9/17/2018  
 Addr: 1083 10th Ave, Menominee, MI - 49858  
 Directions: Hwy 41 North thru Marinette, WI over bridge into Michigan first left onto 1803 10th ave  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 423144  
 Fleet: 502, Plate: HD 31368, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/14/2018 by Great Lakes Meter

-----  
**274993-VTM** Issued: 9/17/2018  
 Addr: 1083 10th Ave, Menominee, MI - 49858  
 Directions: Hwy 41 North thru Marinette, WI over bridge into michigan First left onto 1803 10th Ave  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 423147  
 Fleet: 502, Plate: HD 31368, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/14/2018 by Great Lakes Meter

## Menomonie

### Menomonie

#### Cenex

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**280471-VTM** Issued: 12/18/2018  
 Addr: N5311 610th St, Menomonie, WI - 54751  
 Directions: From intersection of 610th st and 530th ave go N take 1st left onto long driveway take right turn off drive towards N house  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3822420401  
 Fleet: 102772, Plate: PRY8786, CCNo: 92-141, Pipe Dia: na, MaxRate: 100  
 Last Private Test: 3/8/2018 by CHS Fleet

## Milwaukee

### Milwaukee

#### City Oil Co.

Contact: Kahin Corporation (Ahmed Kahin)  
 Work Phone: (414) 277-1300 e-mail:

-----  
**302125-VTM** Issued: 10/26/2018  
 Addr: 840 W Virginia St, Milwaukee, WI - 53204  
 Directions:  
 Last State Test: Results:  
 Make: Veeder Root, Model: 4083060101, Ser #: 1801730257  
 Fleet: 10, Plate: GD78955, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 55  
 Last Private Test: 10/15/2018 by Petroleum Systems

-----  
**274141-VTM** Issued: 10/26/2018  
 Addr: 840 W Virginia St, Milwaukee, WI - 53204  
 Directions: N/A  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: 4748  
 Fleet: 9, Plate: HD23400, CCNo: 02-046A3, Pipe Dia: .5, MaxRate: 55  
 Last Private Test: 9/26/2017 by City of Milwaukee

#### Rote Oil LTD

Contact: Rote Oil, Ltd. (David Schwartz)  
 Work Phone: (262) 248-2733 e-mail: dschwartz@roteoil.com

-----  
**310281-VTM** Issued: 9/19/2018  
 Addr: 5931 N 91st St, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 499606  
 Fleet: 6235, Plate: JB12374, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/13/2018 by PETROLEUM SYSTEMS

-----  
**310278-VTM** Issued: 9/19/2018  
 Addr: 5931 N 91st St, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 633404  
 Fleet: 6240, Plate: JB12372, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/13/2018 by PETROLEUM SYSTEMS

-----  
**310279-VTM** Issued: 9/19/2018  
 Addr: 5931 N 91st St, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 633280  
 Fleet: 6240, Plate: JB12372, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/13/2018 by PETROLEUM SYSTEMS

-----  
**310280-VTM** Issued: 9/19/2018  
 Addr: 5931 N 91st St, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 500573  
 Fleet: 6235, Plate: JB12374, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/13/2018 by PETROLEUM SYSTEMS

**Spring City Aviation East LLC**

Contact: Spring City Aviation East LLC  
 Work Phone: (414) 461-3222 e-mail: charter@flymilwaukee.com

-----  
**319978-VTM** Issued: 10/22/2018  
 Addr: 9305 W Appleton Ave, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800-2, Ser #: 148455  
 Fleet: NA, Plate: JET2, CCNo: , Pipe Dia: 1.25, MaxRate: 100  
 Last Private Test: 9/27/2018 by CITY OF MILWAUKEE

-----  
**319970-VTM** Issued: 10/22/2018  
 Addr: 9305 W Appleton Ave, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-4200-2, Ser #: 138946  
 Fleet: NA, Plate: 100LL#1, CCNo: , Pipe Dia: 1.25, MaxRate: 100  
 Last Private Test: 9/27/2018 by CITY OF MILWAUKEE

-----  
**319977-VTM** Issued: 10/22/2018  
 Addr: 9305 W Appleton Ave, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41810-1, Ser #: 161663  
 Fleet: NA, Plate: 100LL#2, CCNo: , Pipe Dia: 1.25, MaxRate: 100  
 Last Private Test: 9/28/2018 by CITY OF MILWAUKEE

-----  
**319979-VTM** Issued: 10/22/2018  
 Addr: 9305 W Appleton Ave, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 151872  
 Fleet: NA, Plate: , CCNo: , Pipe Dia: 2, MaxRate: 200  
 Last Private Test: 9/27/2018 by CITY OF MILWAUKEE

-----  
**319980-VTM** Issued: 10/22/2018  
 Addr: 9305 W Appleton Ave, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800-2, Ser #: 151137  
 Fleet: NA, Plate: JET 1, CCNo: , Pipe Dia: 1.25, MaxRate: 100  
 Last Private Test: 9/27/2018 by CITY OF MILWAUKEE

-----  
**319981-VTM** Issued: 10/22/2018  
 Addr: 9305 W Appleton Ave, Milwaukee, WI - 53225  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 148644  
 Fleet: NA, Plate: JET1, CCNo: , Pipe Dia: 2, MaxRate: 200  
 Last Private Test: 9/27/2018 by CITY OF MILWAUKEE

Contact: Jacobus Energy LLC (John Klein)  
Work Phone: (414) 359-0700 e-mail: jklein@jacobusenergy.com

-----  
**325719-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 3839720201  
Fleet: 2107, Plate: 55513X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM

-----  
**328778-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 4014670101  
Fleet: 2136, Plate: 77107X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**328777-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4014670201  
Fleet: 2136, Plate: 77107X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**328774-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 438765  
Fleet: 2128, Plate: 71327X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**328776-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 3991040101  
Fleet: 2133, Plate: 75147X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**328771-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 591439  
Fleet: 2040, Plate: 79835W, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**328773-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 438640  
Fleet: 2128, Plate: 71327X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**328772-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 583431  
Fleet: 2040, Plate: 79835W, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**328775-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 3991040201  
Fleet: 2133, Plate: 75147X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

Contact: Jacobus Energy LLC (Wendi Gaspar)  
Work Phone: (414) 359-0565 e-mail: wendigasp@jacobusenergy.com

-----  
**325719-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 3839720201  
Fleet: 2107, Plate: 55513X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM

-----  
**328774-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 438765  
 Fleet: 2128, Plate: 71327X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

**328776-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 3991040101  
 Fleet: 2133, Plate: 75147X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

**328775-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3991040201  
 Fleet: 2133, Plate: 75147X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

**328772-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 583431  
 Fleet: 2040, Plate: 79835W, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

**328773-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 438640  
 Fleet: 2128, Plate: 71327X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

**328771-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 591439  
 Fleet: 2040, Plate: 79835W, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

**328777-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 4014670201  
 Fleet: 2136, Plate: 77107X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

**328778-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 4014670101  
 Fleet: 2136, Plate: 77107X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

### Jacobus Energy, Inc.

Contact: Jacobus Energy LLC (John Klein)  
 Work Phone: (414) 359-0700 e-mail: jklein@jacobusenergy.com

-----  
**272303-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 543359  
 Fleet: 1779, Plate: MC 7667, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

**272310-VTM** Issued: 10/17/2018  
 Addr: 435 S 116th St, West Allis, WI - 53214  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 299232  
 Fleet: 1530, Plate: JB 8822, CCNo: 92-141A6, Pipe Dia: 21, MaxRate: 100  
 Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
 -----

-----  
**272317-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 374826  
Fleet: 1514, Plate: JB 8816, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM

-----  
**272302-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 543820  
Fleet: 1779, Plate: MC7667, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**292969-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: address  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 610764  
Fleet: 1791, Plate: 89384W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM

-----  
**292968-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: address  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 610765  
Fleet: 1791, Plate: 89384W, CCNo: M7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**325720-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 3839720101  
Fleet: 2107, Plate: 55513X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**301682-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 90512  
Fleet: 1516, Plate: JB8818, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**310222-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 647052  
Fleet: 1795, Plate: 23698X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**310224-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 525901  
Fleet: 1534, Plate: 19482X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

-----  
**310223-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M10, Ser #: 645580  
Fleet: 1795, Plate: 23698X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS

Contact: Jacobus Energy LLC (Wendi Gaspar)  
Work Phone: (414) 359-0565 e-mail: wendigaspar@jacobusenergy.com

-----  
**301682-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 90512  
Fleet: 1516, Plate: JB8818, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS



-----  
**310222-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 647052  
Fleet: 1795, Plate: 23698X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**310223-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M10, Ser #: 645580  
Fleet: 1795, Plate: 23698X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**310224-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 525901  
Fleet: 1534, Plate: 19482X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**325720-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 3839720101  
Fleet: 2107, Plate: 55513X, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**272303-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 543359  
Fleet: 1779, Plate: MC 7667, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**272310-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 299232  
Fleet: 1530, Plate: JB 8822, CCNo: 92-141A6, Pipe Dia: 21, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**272302-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 543820  
Fleet: 1779, Plate: MC7667, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**272317-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: N/A  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 374826  
Fleet: 1514, Plate: JB 8816, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**292968-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: address  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 610765  
Fleet: 1791, Plate: 89384W, CCNo: M7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**292969-VTM** Issued: 10/17/2018  
Addr: 435 S 116th St, West Allis, WI - 53214  
Directions: address  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 610764  
Fleet: 1791, Plate: 89384W, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/23/2018 by PETROLEUM SYSTEMS  
-----

**Monroe**

Cashton

**Brueggen Oil Co. LLC**

Contact: Brueggen Oil Company LLC (Brian Brueggen)  
Work Phone: (608) 654-7358 e-mail: bbmvd1@gmail.com

**323784-VTM** Issued: 9/14/2018  
Addr: 1307 Front St, Cashton, WI - 54619  
Directions: Outside of Cashton on Cty Hwy, you Heading toward Norwalk.  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 485404  
Fleet: 2, Plate: KB 3223, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/17/2019 by HJ Martens

**323783-VTM** Issued: 9/14/2018  
Addr: 1307 Front St, Cashton, WI - 54619  
Directions: Outside of Cashton on Cty Hwy, you Heading toward Norwalk.  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 505428  
Fleet: 2, Plate: KB 3223, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/17/2019 by HJ Martens

**Sparta****Midwest Industrial Fuels, Inc.**

Contact: Midwest Industrial Fuels Inc (Scott Ramin)  
Work Phone: (608) 782-3308 e-mail: scott.ramin@midwestfuels.com

**322989-VTM** Issued: 11/5/2018  
Addr: 1010 River Rd, Sparta, WI - 54656  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 3857420501  
Fleet: 81-166, Plate: RB27281, CCNo: 92-141, Pipe Dia: 2, MaxRate: 15-150 GPM  
Last Private Test: 4/16/2019 by Felker

**322988-VTM** Issued: 11/5/2018  
Addr: 1010 River Rd, Sparta, WI - 54656  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 3869840201  
Fleet: 81-166, Plate: RB27281, CCNo: 92-141, Pipe Dia: 2, MaxRate: 15-150 GPM  
Last Private Test: 4/16/2019 by Felker

**Tomah****Allied Cooperative**

Contact: Allied Cooperative (Jeff Bunker)  
Primary Phone: (608) 786-1100 e-mail: jrbunker@allied.coop

**289900-VTM** Issued: 10/25/2018  
Addr: 711 Fair St, Tomah, WI - 54669  
Directions: next to fairgrounds on hwy 16  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 472292  
Fleet: T-40, Plate: MC9015, CCNo: , Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/13/2019 by Felker Truck & Equipment

**289901-VTM** Issued: 10/25/2018  
Addr: 711 Fair St, Tomah, WI - 54660  
Directions: next to fairgrounds off hwy 16  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 472293  
Fleet: T-40, Plate: MC9015, CCNo: , Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/13/2019 by Felker Truck & Equipment

**Oconto****Gillett****Buchholz Oil, LLC**

Contact: Buchholz Oil LLC (Larry Buchholz)  
Primary Phone: (920) 855-6226 e-mail:

**275844-VTM** Issued: 10/31/2018  
Addr: 320 Park St, Gillett, WI - 54124  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 438498  
Fleet: 1, Plate: HD25425, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/16/2018 by GREAT LAKES

**275846-VTM** Issued: 10/31/2018  
Addr: 320 Park St, Gillett, WI - 54124  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 438499  
Fleet: 1, Plate: HD25425, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/16/2018 by GREAT LAKES

**Flynn Energy**

Contact: Flynn Energy (Rhonda Flynn)  
 Primary Phone: (920) 842-2999 e-mail: rara7088@hotmail.com

-----  
**275193-VTM** Issued: 10/12/2018  
 Addr: 8285 State Hwy 32, Gillett, WI - 54124  
 Directions: 6 miles north of Gillett, 4 miles south of Surling on hwy 32 N  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 329767  
 Fleet: 48, Plate: HD1163, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/24/2018 by Great Lakes

-----  
**275190-VTM** Issued: 10/12/2018  
 Addr: 8285 State Hwy 32, Gillett, WI - 54124  
 Directions: 6 miles north of Gillett, 4 miles south of Surling on hwy 32 N  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 331361  
 Fleet: 48, Plate: HD1163, CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/24/2018 by Great Lakes

-----  
**328217-VTM** Issued: 10/12/2018  
 Addr: 8285 State Hwy 32, Gillett, WI - 54124  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 364450  
 Fleet: 01, Plate: MC1165, CCNo: 92-075, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/24/2018 by Great Lakes Meter

-----  
**328216-VTM** Issued: 10/12/2018  
 Addr: 8285 State Hwy 32, Gillett, WI - 54124  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 296902  
 Fleet: 01, Plate: MC1165, CCNo: 92-075, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/24/2018 by Great Lakes Meter

#### Oconto

##### Staidl Oil, LLC

Contact: Staidl Oil LLC (Jerid Staidl)  
 Primary Phone: (920) 834-2615 e-mail: staidloil@hotmail.com

-----  
**286669-VTM** Issued: 9/26/2018  
 Addr: 3662 County Hwy A, Oconto, WI - 54153  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 612676  
 Fleet: 5, Plate: Applied for, CCNo: 92-141, Pipe Dia: 1.5, MaxRate: 100  
 Last Private Test: 8/14/2018 by PETROLEUM

-----  
**286670-VTM** Issued: 9/26/2018  
 Addr: 3662 County Hwy A, Oconto, WI - 54153  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 615447  
 Fleet: 5, Plate: Applied for, CCNo: 92-141, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 8/14/2018 by PETROLEUM

#### Oconto Falls

##### Growmark Inc Servco FS Division

Contact: Insight FS (Bart Lubinski)  
 Work Phone: (920) 437-0466 e-mail: blubinski@servcofs.com

-----  
**294330-VTM** Issued: 10/31/2018  
 Addr: 970 Sounders St, Oconto Falls, WI - 54154  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 582530  
 Fleet: 24, Plate: QB15076, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/1/2018 by Felker Truck & Equipment, Inc

-----  
**294331-VTM** Issued: 10/31/2018  
 Addr: 970 Sounders St, Oconto Falls, WI - 54154  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 582551  
 Fleet: 24, Plate: QB15076, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/1/2018 by Felker Truck & Equipment, Inc.

#### Oneida

##### Minocqua

##### Ritchie Lakeland Oil Company

Contact: Ritchie - Lakeland Oil Co Inc (Nancy Ritchie)  
 Work Phone: (715) 356-3245 e-mail: sgreisinger@ritchieoil.com

-----  
**314053-VTM** Issued: 11/5/2018  
 Addr: 8783 Hansen Rd, Minocqua, WI - 54548  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 430191  
 Fleet: 78, Plate: JB12780, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/22/2019 by Tri State Testing  
 -----  
**314055-VTM** Issued: 11/9/2018  
 Addr: 8783 Hansen Rd, Minocqua, WI - 54548  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 430190  
 Fleet: 78, Plate: JB12780, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/22/2019 by Tri State Testing

**Ritchie Lakeland Oil Company, Inc.**

Contact: Ritchie - Lakeland Oil Co Inc (Nancy Ritchie)  
 Work Phone: (715) 356-3245 e-mail: sgreisinger@ritchieoil.com

-----  
**273555-VTM** Issued: 11/5/2018  
 Addr: 8783 Hansen Rd, Minocqua, WI - 54548  
 Directions: Hwy 51 N to minocqua - Hwy J to the east to Hansen Rd  
 Last State Test: Results:  
 Make: Schlumberger, Model: 833, Ser #: KR1514  
 Fleet: F3, Plate: HD29186, CCNo: B4 97, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/22/2019 by Tri State Testing  
 -----  
**273558-VTM** Issued: 11/5/2018  
 Addr: 8783 Hansen Rd, Minocqua, WI - 54548  
 Directions: Hwy 51 N to minocqua - Hwy J to the east to Hansen Rd  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: LR1002  
 Fleet: F3, Plate: HD29186, CCNo: B4 97, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/22/2019 by Tri State Testing

**Rhineland**

**Rhineland Flying Service Inc**

Contact: Rhineland Flying Service Inc (Russ Seamans)  
 Work Phone: (715) 365-3456 e-mail: aviation@newnorth.net

-----  
**311796-VTM** Issued: 9/19/2018  
 Addr: 3400 Airport Rd, Rhineland, WI - 54501  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 313359  
 Fleet: NA, Plate: NA, CCNo: NA, Pipe Dia: 2, MaxRate: 40  
 Last Private Test: 9/25/2018 by NORTHWEST

**Rhineland Oneida County Airport**

Contact: Rhineland/Oneida County Airport (Matthew Leitner)  
 Work Phone: (715) 365-3418 e-mail: mleitner@fly-rhi.org

-----  
**311795-VTM** Issued: 9/25/2018  
 Addr: 3400 Airport Rd, Rhineland, WI - 54501  
 Directions: U.S. Hwy 8 to Airport road, first right, proceed to Rhineland Flying Service Parking Lot.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 477628  
 Fleet: NA, Plate: NA, CCNo: 04-070, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 9/25/2018 by NORTHWEST PETROLEUM

**Out of State**

**Duluth**

**Como Oil & Propane**

Contact: ThompsonGas LLC (Michael Fisher)  
 Work Phone: (301) 302-8054 e-mail: mfisher@thompsongas.com

-----  
**329273-VTM** Issued: 1/11/2019  
 Addr: 5820 Old Hwy 61 W, Duluth, MN - 55810  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 4065260101  
 Fleet: 985, Plate: Applied for, CCNo: 90-176, Pipe Dia: , MaxRate: 100  
 Last Private Test: 9/25/2018 by Westmor  
 -----  
**329272-VTM** Issued: 11/21/2018  
 Addr: 5820 Old Hwy 61 W, Duluth, MN - 55810  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 4064140101  
 Fleet: 985, Plate: T720354, CCNo: 90-176, Pipe Dia: , MaxRate: 100  
 Last Private Test: 9/25/2018 by Westmor

**Outagamie**

**Appleton**

**Appleton International Airport**

Contact: Appleton International Airport (Scott Volberding)

Work Phone: (920) 832-5267 e-mail: svolberding@atwairport.com

-----  
**310881-VTM** Issued: 11/8/2018  
 Addr: N259 Ares Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 385712  
 Fleet: J-5 front meter, Plate: NA, CCNo: 04-070, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 5/7/2018 by Petro-Chemical  
 -----

**310887-VTM** Issued: 11/8/2018  
 Addr: N259 Ares Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Veeder Root, Model: 788700-002, Ser #: 364758  
 Fleet: J-1, Plate: NA, CCNo: NA, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 5/7/2018 by Petro-Chemical Systems  
 -----

**310888-VTM** Issued: 11/8/2018  
 Addr: N259 Ares Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 446749  
 Fleet: J-6 front, Plate: NA, CCNo: 04-070, Pipe Dia: 3, MaxRate: 100  
 Last Private Test: 5/7/2018 by Petro-Chemical Systems, Inc.  
 -----

**310884-VTM** Issued: 11/8/2018  
 Addr: N259 Ares Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Veeder Root, Model: 0788700-063, Ser #: 396050  
 Fleet: J-4 rear, Plate: NA, CCNo: 04-070, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 5/7/2018 by Petro-Chemical  
 -----

**310882-VTM** Issued: 11/8/2018  
 Addr: N259 Ares Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Veeder Root, Model: 8788700-039, Ser #: 700970  
 Fleet: J-5 rear meter, Plate: NA, CCNo: 04-070, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 5/7/2018 by Petro-Chemical Systems  
 -----

**310889-VTM** Issued: 11/8/2018  
 Addr: N259 Ares Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 447113  
 Fleet: J-6 rear, Plate: NA, CCNo: 04-070, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 5/7/2018 by Petro-Chemical Systems  
 -----

**328522-VTM** Issued: 11/8/2018  
 Addr: N259 Ares Dr, Appleton, WI - 54914  
 Directions: N259 Ares Dr  
 Last State Test: Results:  
 Make: Veeder Root, Model: R788700-039, Ser #: 375985  
 Fleet: J-3 FRONT, Plate: N/A, CCNo: 15-065, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 5/7/2018 by PETRO CHEMICAL  
 -----

**328521-VTM** Issued: 11/8/2018  
 Addr: N259 Ares Dr, Appleton, WI - 54914  
 Directions: N259 Ares Dr  
 Last State Test: Results:  
 Make: Veeder Root, Model: R788700-039, Ser #: 396050  
 Fleet: J-3 REAR, Plate: N/A, CCNo: 15-065, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 5/7/2018 by PETRO-CHEMICAL  
 -----

**329215-VTM** Issued: 11/15/2018  
 Addr: 259 Ares Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: TCS, Model: TCS 3000, Ser #: 833637  
 Fleet: J-7 FRONT, Plate: N/A, CCNo: 11-18, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 8/30/2018 by PETRO CHEMICAL  
 -----

**329216-VTM** Issued: 1/3/2019  
 Addr: 259 Ares Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: TCS, Model: TCS 3000, Ser #: 833620  
 Fleet: J-7 REAR, Plate: N/A, CCNo: 11-18, Pipe Dia: 2, MaxRate: 80  
 Last Private Test: 8/30/2018 by PETRO CHEMICAL  
 -----

**Appleton Oil Company**

Contact: Appleton Oil Company (Jon Beecher)  
 Work Phone: (920) 733-4737 e-mail: appletonoil@hotmail.com

-----  
**283686-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 584457  
 Fleet: 2011, Plate: JB11018, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

-----  
**283685-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 584455  
 Fleet: 2011, Plate: JB11018, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

-----  
**309658-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 605512  
 Fleet: 2013 Truck E, Plate: JB12411, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

-----  
**309659-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 602811  
 Fleet: 2013 Truck E, Plate: JB12411, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

**Appleton Oil Company, Inc.**

Contact: Appleton Oil Company (Jon Beecher)  
 Work Phone: (920) 733-4737 e-mail: appletonoil@hotmail.com

-----  
**271825-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions: Same as Address  
 Last State Test: Results:  
 Make: Neptune, Model: 4MT w/didget, Ser #: CC354  
 Fleet: Truck B, Plate: JB 8474, CCNo: SWA632, Pipe Dia: 2, MaxRate: 40  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

-----  
**271808-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions: Same as Address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 395365  
 Fleet: Truck A, Plate: JB1423, CCNo: N/A, Pipe Dia: 2, MaxRate: 58  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

-----  
**271818-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions: Same as Address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 387357  
 Fleet: Truck A, Plate: JB1423, CCNo: N/A, Pipe Dia: 2, MaxRate: 58  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

-----  
**271824-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions: Same as Address  
 Last State Test: Results:  
 Make: Neptune, Model: 4MT w/didget, Ser #: CC259  
 Fleet: Truck B, Plate: JB 8474, CCNo: 02-046, Pipe Dia: 2, MaxRate: 64  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

-----  
**271826-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions: Same as Address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 536683  
 Fleet: Truck C, Plate: HD 23667, CCNo: 92-141, Pipe Dia: 2, MaxRate: 70  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

-----  
**271827-VTM** Issued: 9/14/2018  
 Addr: 2390 W Nordale Dr, Appleton, WI - 54914  
 Directions: Same as Address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 536684  
 Fleet: Truck C, Plate: HD 23667, CCNo: 92-141, Pipe Dia: 2, MaxRate: 64  
 Last Private Test: 8/8/2018 by CITY OF APPLETON

**Gulfstream Aerospace**

Contact: Gulfstrea Aerospace Corporation (Nick Reynolds)  
Work Phone: (920) 735-7000 e-mail: nick.reynolds@gulfstream.com

-----  
**329349-VTM** Issued: 12/5/2018  
Addr: W6365 Discovery Dr, Appleton, WI - 54914  
Directions: Main hangar ramp SE corner  
Last State Test: Results:  
Make: Total Control Systems, Model: 700-355PA2DX, Ser #: 833899  
Fleet: Truck #2 / Meter #1, Plate: na, CCNo: 99-097, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 11/16/2018 by Petro-Chemical

-----  
**329350-VTM** Issued: 12/5/2018  
Addr: W6365 Discovery Dr, Appleton, WI - 54914  
Directions: Main hangar ramp SE corner  
Last State Test: Results:  
Make: Total Control Systems, Model: 700-20SPA2DX, Ser #: 833611  
Fleet: Truck #2 / Meter #2, Plate: na, CCNo: 99-097, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 11/16/2018 by Petro-Chemical

#### Gulfstream Aerospace Corporation

Contact: Gulfstrea Aerospace Corporation (Nick Reynolds)  
Work Phone: (920) 735-7000 e-mail: nick.reynolds@gulfstream.com

-----  
**293987-VTM** Issued: 10/16/2018  
Addr: W6365 Discovery Dr, Appleton, WI - 54914  
Directions: #1  
Last State Test: Results:  
Make: Neptune, Model: 40, Ser #: H-04671  
Fleet: 1 meter #1, Plate: NA, CCNo: NA, Pipe Dia: 3", MaxRate: 300  
Last Private Test: 8/13/2018 by GREAT LAKES

-----  
**293989-VTM** Issued: 10/16/2018  
Addr: W6365 Discovery Dr, Appleton, WI - 54914  
Directions: address  
Last State Test: Results:  
Make: Neptune, Model: 40, Ser #: H04670  
Fleet: 1 meter #2, Plate: NA, CCNo: NA, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 8/13/2018 by GREAT LAKES

#### Jacobus Energy Inc.

Contact: Jacobus Energy LLC (John Klein)  
Work Phone: (414) 359-0700 e-mail: jklein@jacobusenergy.com

-----  
**329149-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4039660101  
Fleet: 2160, Plate: 81073X, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by CITY OF APPLETON

-----  
**329150-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4027200201  
Fleet: 2160, Plate: 81073X, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by CITY OF APPLETON

-----  
**329147-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4070270301  
Fleet: 2147, Plate: 82447X, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by City of Appleton

-----  
**329148-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4056240101  
Fleet: 2147, Plate: 82447X, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by City of Appleton

Contact: Jacobus Energy LLC (Wendi Gaspar)  
Work Phone: (414) 359-0565 e-mail: wendigaspar@jacobusenergy.com

-----  
**329147-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4070270301  
Fleet: 2147, Plate: 82447X, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by City of Appleton



-----  
**329150-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4027200201  
Fleet: 2160, Plate: 81073X, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by CITY OF APPLETON  
-----

**329148-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4056240101  
Fleet: 2147, Plate: 82447X, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by City of Appleton  
-----

**329149-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 4039660101  
Fleet: 2160, Plate: 81073X, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by CITY OF APPLETON  
-----

### Jacobus Energy, LLC

Contact: Jacobus Energy LLC (John Klein)  
Work Phone: (414) 359-0700 e-mail: jklein@jacobusenergy.com  
-----

**315207-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M25, Ser #: 645963  
Fleet: 9602, Plate: 3426CS (Florida), CCNo: 92-141A6, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 3/27/2019 by Felker  
-----

Contact: Jacobus Energy LLC (Wendi Gaspar)  
Work Phone: (414) 359-0565 e-mail: wendigaspar@jacobusenergy.com  
-----

**315207-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M25, Ser #: 645963  
Fleet: 9602, Plate: 3426CS (Florida), CCNo: 92-141A6, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 3/27/2019 by Felker  
-----

### Jacobus NE, LLC

Contact: Jacobus Energy LLC (John Klein)  
Work Phone: (414) 359-0700 e-mail: jklein@jacobusenergy.com  
-----

**327834-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-15-1, Ser #: 576016  
Fleet: 196331, Plate: 710605, CCNo: 92-075A2, Pipe Dia: 3, MaxRate: 200  
Last Private Test: by  
-----

**318015-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 616525  
Fleet: 125, Plate: RB23607, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/23/2017 by City of Appleton  
-----

**318014-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 543921  
Fleet: 121, Plate: QB14236, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----

**318013-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/26/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w digital, Ser #: 484022  
Fleet: 119, Plate: RB17507, CCNo: NR, Pipe Dia: 3, MaxRate: 65  
Last Private Test: 10/23/2018 by City of Madison  
-----

-----  
**318012-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 504797  
Fleet: 120, Plate: QB12968, CCNo: 92-147A7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**318009-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 484017  
Fleet: 119, Plate: RB17507, CCNo: 92-147A7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/23/2018 by City of Appleton  
-----  
**318001-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/30/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 499955  
Fleet: 112, Plate: PB8157, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by City of Appleton  
-----  
**318004-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 6/1/2016 Results: Approved  
Make: Liquid Controls, Model: M-7-1, Ser #: 400422  
Fleet: 115, Plate: TB5187, CCNo: 90-176, Pipe Dia: 2, MaxRate: 75  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**318002-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/30/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w Digital, Ser #: 499958  
Fleet: 112, Plate: PB8157, CCNo: 92-141197, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by CITY OF APPLETON  
-----  
**317982-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/30/2016 Results: Approved  
Make: Veeder Root, Model: 700-259PA2CX, Ser #: 823575  
Fleet: 127, Plate: RB25295, CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317981-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/30/2016 Results: Approved  
Make: Veeder Root, Model: 700-25-PA2CX, Ser #: 823579  
Fleet: 127, Plate: RB25298, CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317986-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 592617  
Fleet: 1230, Plate: RB22935, CCNo: 92-141197, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317985-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 616526  
Fleet: 125, Plate: RB23607, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317984-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 642490  
Fleet: 126, Plate: QB15804, CCNo: 90-176, Pipe Dia: 2, MaxRate: 10  
Last Private Test: 10/15/2018 by City of Appleton  
-----  
**317983-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w digital , Ser #: 642491  
Fleet: 126, Plate: QB15804, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by City of Appleton  
-----

-----  
**317974-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w Digital, Ser #: 504796  
Fleet: 120, Plate: QB 12968, CCNo: 92-147A7, Pipe Dia: 3, MaxRate: 65  
Last Private Test: 10/17/2018 by City of Appleton  
-----

**317980-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 592618  
Fleet: 123, Plate: RB22935, CCNo: 92-141197, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----

**317978-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w digital, Ser #: 543920  
Fleet: 121, Plate: QB14236, CCNo: 92-141A7, Pipe Dia: 3, MaxRate: 65  
Last Private Test: 10/17/2018 by City of Appleton  
-----

**317999-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 6/1/2016 Results: Approved  
Make: Liquid Controls, Model: M-7-1 w Digital, Ser #: 400421  
Fleet: 115, Plate: TB5187, CCNo: 90-176, Pipe Dia: 3, MaxRate: 65  
Last Private Test: 10/17/2018 by City of Appleton  
-----

**317986-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w digital, Ser #: 616465  
Fleet: 124, Plate: QB15414, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/26/2019 by Felker  
-----

**317989-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 585797  
Fleet: 122, Plate: RB22684, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/17/2018 by City of Appleton  
-----

**317988-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w digital, Ser #: 616464  
Fleet: 124, Plate: QB15414, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by City of Appleton  
-----

**317987-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 585796  
Fleet: 122, Plate: RB22684, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/17/2018 by City of Appleton  
-----

Contact: Jacobus Energy LLC (Wendi Gaspar)  
Work Phone: (414) 359-0565 e-mail: wendigaspar@jacobusenergy.com  
-----

**317981-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/30/2016 Results: Approved  
Make: Veeder Root, Model: 700-25-PA2CX, Ser #: 823579  
Fleet: 127, Plate: RB25298, CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----

**317982-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/30/2016 Results: Approved  
Make: Veeder Root, Model: 700-259PA2CX, Ser #: 823575  
Fleet: 127, Plate: RB25295, CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----

-----  
**317983-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w digital , Ser #: 642491  
Fleet: 126, Plate: QB15804, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by City of Appleton  
-----  
**317984-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 642490  
Fleet: 126, Plate: QB15804, CCNo: 90-176, Pipe Dia: 2, MaxRate: 10  
Last Private Test: 10/15/2018 by City of Appleton  
-----  
**317985-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 616526  
Fleet: 125, Plate: RB23607, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317986-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 592617  
Fleet: 1230, Plate: RB22935, CCNo: 92-141197, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317987-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 585796  
Fleet: 122, Plate: RB22684, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317988-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w digital , Ser #: 616464  
Fleet: 124, Plate: QB15414, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by City of Appleton  
-----  
**317989-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 585797  
Fleet: 122, Plate: RB22684, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317996-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w digital , Ser #: 616465  
Fleet: 124, Plate: QB15414, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/26/2019 by Felker  
-----  
**317999-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 6/1/2016 Results: Approved  
Make: Liquid Controls, Model: M-7-1 w Digital , Ser #: 400421  
Fleet: 115, Plate: TB5187, CCNo: 90-176, Pipe Dia: 3, MaxRate: 65  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317978-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/29/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1 w digital, Ser #: 543920  
Fleet: 121, Plate: QB14236, CCNo: 92-141A7, Pipe Dia: 3, MaxRate: 65  
Last Private Test: 10/17/2018 by City of Appleton  
-----  
**317980-VTM** Issued: 11/5/2018  
Addr: 900 Randolph Dr, Appleton, WI - 54913  
Directions:  
Last State Test: 3/25/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 592618  
Fleet: 123, Plate: RB22935, CCNo: 92-141197, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by City of Appleton

-----  
**317974-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: 3/29/2016 Results: Approved  
 Make: Liquid Controls, Model: M-10-1 w Digital, Ser #: 504796  
 Fleet: 120, Plate: QB 12968, CCNo: 92-147A7, Pipe Dia: 3, MaxRate: 65  
 Last Private Test: 10/17/2018 by City of Appleton  
 -----

**318002-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: 3/30/2016 Results: Approved  
 Make: Liquid Controls, Model: M-10-1 w Digital, Ser #: 499958  
 Fleet: 112, Plate: PB8157, CCNo: 92-141197, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/15/2018 by CITY OF APPLETON  
 -----

**318004-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: 6/1/2016 Results: Approved  
 Make: Liquid Controls, Model: M-7-1, Ser #: 400422  
 Fleet: 115, Plate: TB5187, CCNo: 90-176, Pipe Dia: 2, MaxRate: 75  
 Last Private Test: 10/17/2018 by City of Appleton  
 -----

**318001-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: 3/30/2016 Results: Approved  
 Make: Liquid Controls, Model: M-10-1, Ser #: 499955  
 Fleet: 112, Plate: PB8157, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/15/2018 by City of Appleton  
 -----

**318009-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: 3/29/2016 Results: Approved  
 Make: Liquid Controls, Model: M-10-1, Ser #: 484017  
 Fleet: 119, Plate: RB17507, CCNo: 92-147A7, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/23/2018 by City of Appleton  
 -----

**318012-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: 3/29/2016 Results: Approved  
 Make: Liquid Controls, Model: M-10-1, Ser #: 504797  
 Fleet: 120, Plate: QB12968, CCNo: 92-147A7, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/17/2018 by City of Appleton  
 -----

**318013-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: 3/26/2016 Results: Approved  
 Make: Liquid Controls, Model: M-10-1 w digital , Ser #: 484022  
 Fleet: 119, Plate: RB17507, CCNo: NR, Pipe Dia: 3, MaxRate: 65  
 Last Private Test: 10/23/2018 by City of Madison  
 -----

**318014-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: 3/29/2016 Results: Approved  
 Make: Liquid Controls, Model: M-10-1, Ser #: 543921  
 Fleet: 121, Plate: QB14236, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/17/2018 by City of Appleton  
 -----

**318015-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: 3/25/2016 Results: Approved  
 Make: Liquid Controls, Model: M-10-1, Ser #: 616525  
 Fleet: 125, Plate: RB23607, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/23/2017 by City of Appleton  
 -----

**327834-VTM** Issued: 11/5/2018  
 Addr: 900 Randolph Dr, Appleton, WI - 54913  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 576016  
 Fleet: 196331, Plate: 710605, CCNo: 92-075A2, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: by

Dale

Dale Gas &amp; Oil Co Inc

Contact: Dale Gas & Oil Co. Inc (Chris Tews)  
Work Phone: (920) 779-6666 e-mail: dalegas60@yahoo.com

-----  
**316474-VTM** Issued: 9/14/2018  
Addr: W9933 State Rd 96, Dale, WI - 54931  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 3766750201  
Fleet: NA, Plate: Applied for, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/22/2018 by EAST CENTRAL  
-----  
**316473-VTM** Issued: 9/14/2018  
Addr: W9933 State Rd 96, Dale, WI - 54931  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 3766750101  
Fleet: NA, Plate: Applied for, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/22/2018 by EAST CENTRAL

**Dale Gas & Oil Company, Inc.**

Contact: Dale Gas & Oil Co. Inc (Chris Tews)  
Work Phone: (920) 779-6666 e-mail: dalegas60@yahoo.com

-----  
**281492-VTM** Issued: 9/14/2018  
Addr: W9933 State Rd 96, Dale, WI - 54931  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 486227  
Fleet: 381163, Plate: HD20607, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/22/2018 by EAST CENTRAL  
-----  
**281493-VTM** Issued: 9/14/2018  
Addr: W9933 State Rd 96, Dale, WI - 54931  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 486191  
Fleet: 381163, Plate: HD20607, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/22/2018 by EAST CENTRAL  
-----  
**281491-VTM** Issued: 9/14/2018  
Addr: W9933 State Rd 96, Dale, WI - 54931  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: MA7-M7, Ser #: 599092  
Fleet: 197355, Plate: MC8919, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/22/2018 by EAST CENTRAL  
-----  
**281490-VTM** Issued: 9/14/2018  
Addr: W9933 State Rd 96, Dale, WI - 54931  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: MA7-M7, Ser #: 599091  
Fleet: 197355, Plate: MC8919, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/22/2018 by EAST CENTRAL

**Greenville****United Cooperative**

Contact: United Cooperative (Mark Witzel)  
Work Phone: (920) 887-1756 e-mail: mwitzel@unitedcooperative.com

-----  
**276506-VTM** Issued: 11/2/2018  
Addr: N1868 Municipal Dr, Greenville, WI - 54942  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 321234  
Fleet: 336, Plate: HD30782, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 7/11/2018 by FELKER  
-----  
**276507-VTM** Issued: 11/2/2018  
Addr: N1868 Municipal Dr, Greenville, WI - 54942  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 321236  
Fleet: 336, Plate: HD30782, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 7/11/2018 by FELKER  
-----  
**272418-VTM** Issued: 11/2/2018  
Addr: N1868 Municipal Dr, Greenville, WI - 54942  
Directions: North on 76 From 76 & 15 Intersection, cross tracks and turn right  
Last State Test: Results:  
Make: Schlumberger, Model: 834, Ser #: MX1760  
Fleet: 36G, Plate: HD 24629, CCNo: N/A, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 7/11/2018 by FELKER

**New London****JKD Transport LLC**

Contact: Jeff Duch  
Work Phone: (920) 538-3957 e-mail: jkduch@frontiernet.net

-----  
**328525-VTM** Issued: 10/12/2018  
Addr: N6211 County Rd D, New London, WI - 54961  
Directions:  
Last State Test: Results:  
Make: RED SEAL, Model: 4D-N MIDCON, Ser #: MR468  
Fleet: 248, Plate: NEW-NO PLATES YET, CCNo: 02-047, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 7/9/2018 by TRI STATE

### Weyauwega

#### Larsen Cooperative

Contact: CHS-LCC Co-op (Bryan Lind)  
Primary Phone: (920) 982-1111 e-mail: bryan.lind@CHSinc.com

-----  
**272718-VTM** Issued: 10/22/2018  
Addr: N2017 County Rd X, Weyauwega, WI - 54983  
Directions:  
Last State Test: Results:  
Make: Neptune, Model: 4MT-FO, Ser #: AW1385  
Fleet: 392, Plate: MC8877, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/10/2018 by CITY OF APPLETON

### Ozaukee

#### Belgium

#### Peiffer Oil & Propane, Inc.

Contact: Peiffer Oil & Propane Inc (Kyle Peiffer)  
Work Phone: (262) 285-3067 e-mail: office@peiffer-oil.com

-----  
**276536-VTM** Issued: 9/14/2018  
Addr: 480 S Royal Ave, Belgium, WI - 53004  
Directions: I-43 to Belgium Exit. Go west on Hwy D to Cty Rd LL/Royal Avenue. Turn left on Cty Rd LL/Royal Avenue. Go 1/2 mile, destination on left  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 361752  
Fleet: 2, Plate: HD29540, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/7/2018 by TRI STATE

-----  
**276546-VTM** Issued: 9/14/2018  
Addr: 480 S Royal Ave, Belgium, WI - 53004  
Directions: I-43 to Belgium Exit. Go west on Hwy D to Cty Rd LL/Royal Avenue. Turn left on Cty Rd LL/Royal Ave. Go 1/2 mile, destination on left  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 365345  
Fleet: 2, Plate: HD29540, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/7/2018 by TRI STATE

Contact: Peiffer Oil & Propane Inc (Sean Peiffer)  
Work Phone: (262) 285-3067 e-mail: office@peiffer-oil.com

-----  
**276017-VTM** Issued: 9/14/2018  
Addr: 480 S Royal Ave, Belgium, WI - 53004  
Directions: I-43 to Belgium Exit. Go west on Hwy D to Cty Rd LL/Royal Avenue. Turn left on Cty Rd LL/Royal Ave. Go 1/2 mile, destination on left  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 550146  
Fleet: 1, Plate: MC7994, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/18/2019 by Petroleum Systems

-----  
**276018-VTM** Issued: 9/14/2018  
Addr: 480 S Royal Ave, Belgium, WI - 53004  
Directions: I-43 to Belgium Exit. Go west on Hwy D to Cty Rd LL/Royal Avenue. Turn left on Cty Rd LL/Royal Ave. Go 1/2 mile, destination on left  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 550145  
Fleet: 1, Plate: MC7994, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/18/2019 by Petroleum Systems

### Cedarburg

#### Quality State Oil Co. Inc

Contact: Quality State Oil Co Inc (Todd Schroeder)  
Work Phone: (920) 459-5640 e-mail: todd.schroeder@qualitystate.com

-----  
**316648-VTM** Issued: 12/6/2018  
Addr: 1206 Hilltop Dr, Cedarburg, WI - 53012  
Directions:  
Last State Test: 7/19/2016 Results: Approved  
Make: Liquid Controls, Model: M-10-1, Ser #: 3769460201  
Fleet: 36, Plate: PB 7464, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 10/4/2018 by Quality



-----  
**316649-VTM** Issued: 10/15/2018  
 Addr: 1206 Hilltop Dr, Cedarburg, WI - 53012  
 Directions:  
 Last State Test: 7/19/2016 Results: Approved  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3769460101  
 Fleet: 36, Plate: P/B 7464, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/4/2018 by Quality

**Quality State Oil Co., Inc.**

Contact: Quality State Oil Co Inc (Todd Schroeder)  
 Work Phone: (920) 459-5640 e-mail: todd.schroeder@qualitystate.com

-----  
**307156-VTM** Issued: 10/15/2018  
 Addr: 1206 Hilltop Dr, Cedarburg, WI - 53012  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 656908  
 Fleet: 34, Plate: PB7457, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/4/2018 by Quality

-----  
**307163-VTM** Issued: 10/15/2018  
 Addr: 1206 Hilltop Dr, Cedarburg, WI - 53012  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 645240  
 Fleet: 34, Plate: PB7457, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/4/2018 by Quality

**Quality State Oil Company, Inc.**

Contact: Quality State Oil Company, Inc. (Jim Kussard)  
 Primary Phone: (920) 459-5640 e-mail: jim.kussard@qualitystate.com

-----  
**292965-VTM** Issued: 10/15/2018  
 Addr: 1206 Hilltop Dr, Cedarburg, WI - 53012  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 624806  
 Fleet: 35, Plate: BP7194, CCNo: 92-141, Pipe Dia: 2.0, MaxRate: 150  
 Last Private Test: 10/4/2018 by Quality

-----  
**292966-VTM** Issued: 10/15/2018  
 Addr: 1206 Hilltop Dr, Cedarburg, WI - 53012  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-16, Ser #: 624996  
 Fleet: 35, Plate: BP7197, CCNo: 92-075, Pipe Dia: 2.0, MaxRate: 100  
 Last Private Test: 10/4/2018 by Quality

**Thiensville****Herbst Oil Inc**

Contact: Herbst Oil Inc (Theresa Umhoefer)  
 Work Phone: (262) 242-3660 e-mail: herbstoil@herbstoil.com

-----  
**273227-VTM** Issued: 9/25/2018  
 Addr: 230 S Orchard St, Thiensville, WI - 53092  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 323295  
 Fleet: 97, Plate: 8975, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/15/2018 by FELKER

-----  
**273228-VTM** Issued: 9/25/2018  
 Addr: 230 S Orchard St, Thiensville, WI - 53092  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 356878  
 Fleet: 97, Plate: 8975, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/15/2018 by FELKER

-----  
**273215-VTM** Issued: 9/25/2018  
 Addr: 230 S Orchard St, Thiensville, WI - 53092  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 178735  
 Fleet: 2002, Plate: 24076, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/15/2018 by FELKER

-----  
**273220-VTM** Issued: 9/25/2018  
 Addr: 230 S Orchard St, Thiensville, WI - 53092  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 178734  
 Fleet: 2002, Plate: 24706, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/15/2018 by FELKER

-----  
**285599-VTM** Issued: 9/25/2018  
 Addr: 230 S Orchard St, Thiensville, WI - 53092  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 333431  
 Fleet: 98, Plate: PB8258, CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/15/2018 by FELKER  
 -----

**285600-VTM** Issued: 9/25/2018  
 Addr: 230 S Orchard St, Thiensville, WI - 53092  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 320106  
 Fleet: 98, Plate: PB8258, CCNo: , Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/15/2018 by FELKER  
 -----

**Pepin****Durand****Bauer Built Oil**

Contact: Bauer Built, Inc. (Jean Gibson)  
 Work Phone: (715) 672-2834 e-mail: jean.gibson@bauerbuilt.com  
 -----

**278681-VTM** Issued: 10/17/2018  
 Addr: 904 W Prospect St, Durand, WI - 54736  
 Directions: South side of Durand on hwy 25  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 593796  
 Fleet: 509, Plate: NB3805, CCNo: 92-141A1, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/12/2019 by McDonald  
 -----

**278683-VTM** Issued: 10/17/2018  
 Addr: 904 W Prospect St, Durand, WI - 54736  
 Directions: South side of Durand on hwy 25  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 593799  
 Fleet: 509, Plate: NB3805, CCNo: 92-141A1, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/12/2019 by McDonald  
 -----

**272412-VTM** Issued: 10/17/2018  
 Addr: 904 W Prospect St, Durand, WI - 54736  
 Directions: Southside of Durand Hwy25  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4 MT, Ser #: MT1491  
 Fleet: 507, Plate: HD 23460, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 3/12/2019 by McDonald  
 -----

**272415-VTM** Issued: 10/17/2018  
 Addr: 904 W Prospect St, Durand, WI - 54736  
 Directions: Southside of Durand on Hwy 25  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 486648  
 Fleet: 510, Plate: JB12972, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/12/2019 by McDonald  
 -----

**272414-VTM** Issued: 10/17/2018  
 Addr: 904 W Prospect St, Durand, WI - 54736  
 Directions: Southside of Durand on Hwy 25  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 486651  
 Fleet: 510, Plate: JB12972, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/12/2019 by McDonald  
 -----

**272413-VTM** Issued: 10/17/2018  
 Addr: 904 W Prospect St, Durand, WI - 54736  
 Directions: Southside of Durand Hwy 25  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4 MT, Ser #: MT1495  
 Fleet: 507, Plate: HD 23460, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 3/12/2019 by McDonald  
 -----

**Countryside Co-op Transport of Wisconsin**

Contact: Countryside Cooperative (Samantha Carlberg)  
 Work Phone: (715) 672-8947 ext: 1133 e-mail: scarlberg@countrysidecoop.com  
 -----

**295683-VTM** Issued: 10/2/2018  
 Addr: 514 E Main St, Durand, WI - 54736  
 Directions: parked in the gated area behind the bulk oil containment  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 634748  
 Fleet: 40, Plate: RB23929, CCNo: LC-92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 1/18/2019 by McDonald Petroleum Service  
 -----

-----  
**295684-VTM** Issued: 10/2/2018  
 Addr: 514 E Main St, Durand, WI - 54736  
 Directions: parked in the gated area behind the bulk oil containment  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10C1, Ser #: 633406  
 Fleet: 40, Plate: RB23929, CCNo: LC 92-141 A6, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 1/18/2019 by McDonald Petroleum Service  
 -----

**Pierce***Ellsworth***Hofmeister Oil Co LLC**

Contact: Hofmeister Oil Co LLC (Jack Hofmeister)  
 Work Phone: (715) 273-3596 e-mail: hofmeisterjack@yahoo.com  
 -----

**273737-VTM** Issued: 10/25/2018  
 Addr: 509 South St, Ellsworth, WI - 54011  
 Directions: corner of south st and south maple st. ellsworth, wi 54011  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 443855  
 Fleet: 2, Plate: HD33383, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by McDonald  
 -----

**273741-VTM** Issued: 10/25/2018  
 Addr: 509 South St, Ellsworth, WI - 54011  
 Directions: corner of south st. and south maple st. ellsworth, WI 53011  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 444760  
 Fleet: 2, Plate: HD33383, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by McDonald  
 -----

**302794-VTM** Issued: 10/25/2018  
 Addr: 509 South St, Ellsworth, WI - 54011  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 647753  
 Fleet: NR, Plate: HD31763, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by McDonald  
 -----

**302793-VTM** Issued: 10/25/2018  
 Addr: 509 South St, Ellsworth, WI - 54011  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 647755  
 Fleet: NR, Plate: HD31763, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by McDonald  
 -----

*Plum City***Binkowski Oil LLC**

Contact: Binkowski Oil, LLC (Cheryl Huston)  
 Work Phone: (715) 647-5100 e-mail:  
 -----

**293082-VTM** Issued: 10/23/2018  
 Addr: N2336 County Rd U, Plum City, WI - 54761  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 40418102201  
 Fleet: 2, Plate: RB29338, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by  
 -----

**293083-VTM** Issued: 10/23/2018  
 Addr: N2336 County Rd U, Plum City, WI - 54761  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10C1, Ser #: 4049530101  
 Fleet: 2, Plate: RB29338, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/19/2018 by SENECA TANK  
 -----

**273717-VTM** Issued: 10/23/2018  
 Addr: N2336 County Rd U, Plum City, WI - 54761  
 Directions: take county rd u out of plum city, will pass some open fields, driveway on left just after the open fields, brown house with a big shed  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 4052390101  
 Fleet: 1, Plate: RB29551, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/18/2018 by SENECA TANK  
 -----

**273718-VTM** Issued: 10/23/2018  
 Addr: N2336 County Rd U, Plum City, WI - 54761  
 Directions: take county rd u out of plum city, will pass some open fields, driveway on left just after the open fields, brown house with a big shed  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 583739  
 Fleet: 1, Plate: RB22479, CCNo: 92-141A6, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 7/18/2018 by SENECA TANK  
 -----

*River Falls***Bowen's Garage, Inc.**

Contact: Bowen's Garage, Inc. (Mike Bowen)  
 Work Phone: (715) 425-5440 e-mail: bowensgarage@sbcglobal.net

-----  
**276498-VTM** Issued: 10/31/2018  
 Addr: 405 S Main St, River Falls, WI - 54022  
 Directions: in rear of truck  
 Last State Test: Results:  
 Make: Neptune, Model: 434, Ser #: LM1091  
 Fleet: 1, Plate: JB10840, CCNo: NR, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/11/2018 by McDonald  
 -----  
**276493-VTM** Issued: 10/31/2018  
 Addr: 405 S Main St, River Falls, WI - 54022  
 Directions: in rear of truck, behind building  
 Last State Test: Results:  
 Make: Neptune, Model: 4, Ser #: MM1486  
 Fleet: 1, Plate: JB10840, CCNo: NR, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/11/2018 by McDonald

### Spring Valley

#### Timm Oil, LLC

Contact: Timm Oil LLC (Raymond Timm)  
 Primary Phone: (715) 778-4315 e-mail:

-----  
**275315-VTM** Issued: 11/28/2018  
 Addr: N8328 330th St, Spring Valley, WI - 54767  
 Directions: NA  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 430961  
 Fleet: 2, Plate: HD 25905, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by McDonalds  
 -----  
**275313-VTM** Issued: 11/28/2018  
 Addr: N8328 330th St, Spring Valley, WI - 54767  
 Directions: NA  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 208378  
 Fleet: 1, Plate: HD 25904, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by McDonalds  
 -----  
**275314-VTM** Issued: 11/28/2018  
 Addr: N8328 330th St, Spring Valley, WI - 54767  
 Directions: NA  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 208377  
 Fleet: 1, Plate: HD 25904, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by McDonalds  
 -----  
**275316-VTM** Issued: 11/28/2018  
 Addr: N8328 330th St, Spring Valley, WI - 54767  
 Directions: NA  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 430962  
 Fleet: 2, Plate: HD 25905, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by McDonalds

### Polk

#### Clear Lake

#### Somsen Oil Co

Contact: David Somsen  
 Work Phone: (715) 263-2877 e-mail: somsendavid@gmail.com

-----  
**302126-VTM** Issued: 11/7/2018  
 Addr: 489 45th Ave, Clear Lake, WI - 54005  
 Directions: 2 miles N of Clear Lake on Hwy 63 to 45th Ave, W 3/4 mile to 489  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 328954  
 Fleet: 1, Plate: JB12041, CCNo: 90-041, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/24/2018 by MCDONALDS  
 -----  
**302128-VTM** Issued: 11/7/2018  
 Addr: 489 45th Ave, Clear Lake, WI - 54005  
 Directions: 2 miles N of Clear Lake on Hwy 63 to 45th Ave, W 3/4 mile to 489  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 333027  
 Fleet: 1, Plate: JB12041, CCNo: 90-041, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/24/2018 by MCDONALDS

### Frederic

#### Frederic Fuel Company

Contact: Frederic Fuel Company (Suzette Nyren)  
Work Phone: (715) 327-4339 e-mail: frederic@lakeland.ws

-----  
**272553-VTM** Issued: 10/26/2018  
Addr: 102 Traffic Ave, Frederic, WI - 54837  
Directions: N on 35 to Frederic turn left on Maple St. at US Bank straight ahead.  
Last State Test: Results:  
Make: Veeder Root, Model: M-7-1, Ser #: 529319  
Fleet: 1, Plate: 9078, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by WESTMOR  
-----  
**272555-VTM** Issued: 10/26/2018  
Addr: 102 Traffic Ave, Frederic, WI - 54837  
Directions: N. on 35 to Frederic turn left on Maple St. on US Bank straight ahead.  
Last State Test: Results:  
Make: Veeder Root, Model: M-7-1, Ser #: 523106  
Fleet: 1, Plate: 9078, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/17/2018 by WESTMOR

### Osceola

#### Federated Coops, Inc.

Contact: Federated Co-ops, Inc. (Raquel Ulmer)  
Primary Phone: (763) 389-2582 e-mail: rulmer@federatedcoops.com

-----  
**327851-VTM** Issued: 9/19/2018  
Addr: 2634 68th Ave, Osceola, WI - 54020  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: MA7-10, Ser #: 3952620104  
Fleet: 507, Plate: AC2213, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 6/25/2018 by WDATCP

#### Osceola Aerosport LLC

Contact: Osceola Aerosport LLC (Richard Johnson)  
Work Phone: (715) 294-4500 e-mail: fly@osceolaero.com

-----  
**312354-VTM** Issued: 10/24/2018  
Addr: 2585 68th Ave, Osceola, WI - 54020  
Directions: E of terminal ramp next to hangar E-2  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-2, Ser #: 876765  
Fleet: NA, Plate: MV6043H, CCNo: 11-041, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 1/23/2019 by Westmor  
-----  
**312353-VTM** Issued: 10/24/2018  
Addr: 2585 68th Ave, Osceola, WI - 54020  
Directions: E of terminal ramp, next to hangar E-2  
Last State Test: Results:  
Make: Liquid Controls, Model: M-25-2, Ser #: 133570  
Fleet: NA, Plate: MV6043H, CCNo: 11-041, Pipe Dia: 3, MaxRate: 200  
Last Private Test: 1/23/2019 by Westmor

### Portage

#### Mosinee

#### Central Wisconsin Aviation, inc.

Contact: Central Wisconsin Aviation Inc (Mark Turkiewicz)  
Work Phone: (715) 693-6111 e-mail: mark@cwa-fbo.com

-----  
**322990-VTM** Issued: 10/2/2018  
Addr: 400 CWA Dr, Mosinee, WI - 54455  
Directions: Central Wisconsin Airport  
Last State Test: Results:  
Make: Liquid Controls, Model: M-25-2, Ser #: 3877160101  
Fleet: 3, Plate: NA, CCNo: CC:92-141, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 9/24/2018 by NORTHWEST

#### Stevens Point

#### K.G. Transport, Inc.

Contact: K.G. Transport, Inc. (William Cooper)  
Work Phone: (715) 344-9132 e-mail: billc@cooper-oil.com

-----  
**273933-VTM** Issued: 11/13/2018  
Addr: 2172 Prairie St, Stevens Point, WI - 54481  
Directions: meter is in big building in middle of property  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 544053  
Fleet: 10, Plate: HD27646, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by Tri State Testing LLC  
-----  
**273934-VTM** Issued: 11/13/2018  
Addr: 2172 Prairie St, Stevens Point, WI - 54481  
Directions: Meter is in big building in middle of property  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 542312  
Fleet: 9, Plate: HD27594, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 10/15/2018 by Tri State Testing

-----  
**273936-VTM** Issued: 11/13/2018  
 Addr: 2172 Prairie St, Stevens Point, WI - 54481  
 Directions: Meter is in Big Building in middle of property  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 542311  
 Fleet: 9, Plate: HD27594, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/15/2018 by Tri State Testing LLC

-----  
**273929-VTM** Issued: 11/13/2018  
 Addr: 2172 Prairie St, Stevens Point, WI - 54481  
 Directions: Meter is in big building in middle of property  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 544051  
 Fleet: 10, Plate: HD27646, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/15/2018 by Tri State Testing LLC

**Riiser Energy**

Contact: Riiser Fuels LLC (Kurt VanVuren)  
 Work Phone: (715) 845-7272 e-mail: kvanvuren@riiser.com

-----  
**273295-VTM** Issued: 10/26/2018  
 Addr: 5485 US Hwy 10, Stevens Point, WI - 54481  
 Directions: rear passenger side of truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 408728  
 Fleet: 306, Plate: JB8339, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/14/2018 by HJ MARTENS

-----  
**273299-VTM** Issued: 10/26/2018  
 Addr: 5485 US Hwy 10, Stevens Point, WI - 54481  
 Directions: rear driver side of truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 515328  
 Fleet: 306, Plate: JB8339, CCNo: 90-176, Pipe Dia: 2, MaxRate: 10/100  
 Last Private Test: 5/14/2018 by HJ MARTENS

**Stevens Point Municipal Airport**

Contact: Stevens Point Municipal Airport (Jason Draheim)  
 Work Phone: (715) 345-8993 e-mail: jdraheim@stevenspoint.com

-----  
**308959-VTM** Issued: 11/5/2018  
 Addr: 4501 State Hwy 66, Stevens Point, WI - 54481  
 Directions: Enter through main entrance, left to airport terminal, @ fuel farm/truck storage NE of terminal building  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 300563  
 Fleet: AP8, Plate: N/A, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/17/2018 by Westmor

-----  
**308962-VTM** Issued: 11/5/2018  
 Addr: 4501 State Hwy 66, Stevens Point, WI - 54481  
 Directions: Through main entrance, left to airport terminal, @ fuel farm/truck storage NE of terminal building  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 300529  
 Fleet: AP8, Plate: N/A, CCNo: 04-070, Pipe Dia: 2, MaxRate: 300  
 Last Private Test: 10/17/2018 by Westmor

**Waupaca**

**GROWMARK, INC., Insight FS**

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

-----  
**293175-VTM** Issued: 10/29/2018  
 Addr: 1995 Spindt Dr, Waupaca, WI - 54981  
 Directions: FS Facility  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 476917  
 Fleet: 2873, Plate: PB7490, CCNo: 90-178PN, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

**Price**

**Catawba**

**Catawba Farm Supply**

Contact: Catawba Farm Supply Inc (Larry Stunkel)  
 Work Phone: (715) 474-3322 e-mail: catawbafarmsupply@centurylink.net

-----  
**315538-VTM** Issued: 10/8/2018  
 Addr: W9149 US Hwy 8, Catawba, WI - 54515  
 Directions: East shed on property  
 Last State Test: Results:  
 Make: Veeder Root, Model: M-7-1, Ser #: 246364  
 Fleet: NA, Plate: HD31710, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/15/2018 by MCDONALDS PETROLEUM



-----  
**315539-VTM** Issued: 10/8/2018  
 Addr: W9149 US Hwy 8, Catawba, WI - 54515  
 Directions: Hwy 8 to Catawba- Catawba Farm Supply  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 383708  
 Fleet: NA, Plate: HD31710, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/15/2018 by MCDONALDS PETROLEUM  
 -----

**Racine****Franksville****Franksville Oil & L.P. Gas Company, Inc**

Contact: Franksville Oil & L.P. Gas Company, Inc (Debra Wadewitz)  
 Work Phone: (262) 835-7781 e-mail: wadewitz@wi.net  
 -----

**314073-VTM** Issued: 9/21/2018  
 Addr: 10616 Northwestern Ave, Franksville, WI - 53126  
 Directions: 2 miles east of I-94.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 501248  
 Fleet: 19, Plate: JB2664, CCNo: NR, Pipe Dia: 2, MaxRate: 120  
 Last Private Test: 3/18/2019 by Tri State Testing  
 -----

**314081-VTM** Issued: 9/21/2018  
 Addr: 10616 Northwestern Ave, Franksville, WI - 53126  
 Directions: 2 miles East of I-94  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3715560101  
 Fleet: 22, Plate: JB9033, CCNo: NR, Pipe Dia: 2, MaxRate: 120  
 Last Private Test: 3/19/2019 by Tri State Testing  
 -----

**314074-VTM** Issued: 9/21/2018  
 Addr: 10616 Northwestern Ave, Franksville, WI - 53126  
 Directions: 2 miles East of I-94  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 500987  
 Fleet: 19, Plate: JB7664, CCNo: NR, Pipe Dia: 2, MaxRate: 120  
 Last Private Test: 3/18/2019 by Tri State Testing  
 -----

**314076-VTM** Issued: 9/21/2018  
 Addr: 10616 Northwestern Ave, Franksville, WI - 53126  
 Directions: 2 miles East of I-94  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 666900  
 Fleet: 29, Plate: JB118229, CCNo: NR, Pipe Dia: 2, MaxRate: 120  
 Last Private Test: 3/18/2019 by Tri State Testing  
 -----

**314077-VTM** Issued: 9/21/2018  
 Addr: 10616 Northwestern Ave, Franksville, WI - 53126  
 Directions: 2 miles East of I-94  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 666901  
 Fleet: 29, Plate: JB118229, CCNo: NR, Pipe Dia: 2, MaxRate: 120  
 Last Private Test: 3/18/2019 by Tri State Testing  
 -----

**314083-VTM** Issued: 9/21/2018  
 Addr: 10616 Northwestern Ave, Franksville, WI - 53126  
 Directions: 2 miles East of I-94  
 Last State Test: Results:  
 Make: Liquid Controls, Model: 7-41600, Ser #: 138087  
 Fleet: 22, Plate: JB9033, CCNo: NR, Pipe Dia: 2, MaxRate: 120  
 Last Private Test: 3/19/2019 by Tri State Testing  
 -----

**Franksville Oil & LP Gas Co. Inc**

Contact: Franksville Oil & L.P. Gas Company, Inc (Debra Wadewitz)  
 Work Phone: (262) 835-7781 e-mail: wadewitz@wi.net  
 -----

**319200-VTM** Issued: 9/21/2018  
 Addr: 10616 Northwestern Ave, Franksville, WI - 53126  
 Directions: 2 miles East of I-94  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3808020102  
 Fleet: 45, Plate: JB12854, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/18/2019 by Tri State Testing  
 -----

**319202-VTM** Issued: 9/21/2018  
 Addr: 10616 Northwestern Ave, Franksville, WI - 53126  
 Directions: 2 miles East of I-94  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3808020101  
 Fleet: JB12854, Plate: 45, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/18/2019 by Tri State Testing  
 -----

**Guntly Aircraft Repair Inc**



Contact: Guntly Aircraft Repair Inc (Thomas Guntly)  
Work Phone: (262) 895-2948 e-mail:

-----  
**312172-VTM** Issued: 9/26/2018  
Addr: 22031 W 6 Mile Rd, Franksville, WI - 53126  
Directions: On airport property  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 168277  
Fleet: NA, Plate: NA, CCNo: NR, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/19/2018 by PETROLEUM SYSTEMS

### Kansasville

#### Conserv FS Inc.

Contact: Conserv FS, Inc. (Brock Bentson)  
Primary Phone: (815) 334-5950 e-mail: brockbentson@conservfs.com

-----  
**328824-VTM** Issued: 11/5/2018  
Addr: 4304 S Beaumont Ave, Kansasville, WI - 53139  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: MA7-10, Ser #: 665888  
Fleet: 519, Plate: , CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/13/2018 by GROWMARK

#### Conserv FS, Inc.

Contact: Conserv FS, Inc. (Brock Bentson)  
Primary Phone: (815) 334-5950 e-mail: brockbentson@conservfs.com

-----  
**272819-VTM** Issued: 10/29/2018  
Addr: 4304 S Beaumont Ave, Kansasville, WI - 53139  
Directions: West of I94 on Highway 11 to Highway 75. South on 75 to RR crossing in kansasville - turn right into facility  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 529693  
Fleet: 58, Plate: P 736172, CCNo: 92-141-AG, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/14/2018 by GROWMARK

-----  
**272821-VTM** Issued: 10/29/2018  
Addr: 4304 S Beaumont Ave, Kansasville, WI - 53139  
Directions: West of I94 on Highway 11 to Highway 75. South on 75 to RR crossing in kansasville - turn right into facility  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 529692  
Fleet: 58, Plate: P 736172, CCNo: 92-141-A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/14/2018 by GROWMARK

-----  
**272822-VTM** Issued: 10/29/2018  
Addr: 4304 S Beaumont Ave, Kansasville, WI - 53139  
Directions: West of I94 on Highway 11 to Highway 75 South on 75 to RR crossing in Kansasville - turn Right into Facility  
Last State Test: Results:  
Make: Liquid Controls, Model: M-15, Ser #: 458074  
Fleet: 172, Plate: 7771, CCNo: 92-141-A6, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/14/2018 by GROWMARK

-----  
**272823-VTM** Issued: 10/29/2018  
Addr: 4304 S Beaumont Ave, Kansasville, WI - 53139  
Directions: West of I94 on Highway 11 to Highway 75. South on 75 to RR crossing in kansasville - turn right into facility  
Last State Test: Results:  
Make: Liquid Controls, Model: M-15, Ser #: 458226  
Fleet: 172, Plate: 7771, CCNo: 92-141-A6, Pipe Dia: 3, MaxRate: 100  
Last Private Test: 8/14/2018 by GROWMARK

-----  
**272825-VTM** Issued: 10/29/2018  
Addr: 4304 S Beaumont Ave, Kansasville, WI - 53139  
Directions: West of I94 on Highway 11 to Highway 75. South on 75 to RR crossing in Kansasville - turn right into location  
Last State Test: Results:  
Make: Neptune, Model: 4D, Ser #: LA1619  
Fleet: 51, Plate: P 616448, CCNo: 89-140-A, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/14/2018 by GROWMARK

### Racine

#### Batten International Airport

Contact: Racine Commercial Airport Corporation (Matthew Dean)  
Work Phone: (262) 631-5620 e-mail: mdean@battenairport.aero

-----  
**310738-VTM** Issued: 10/2/2018  
Addr: 3239 N Green Bay Rd, Racine, WI - 53404  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-2, Ser #: 415462.  
Fleet: Jet A Big, Plate: NA, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 150  
Last Private Test: 9/19/2018 by PETROLEUM

-----  
**310739-VTM** Issued: 10/2/2018  
 Addr: 3239 N Green Bay Rd, Racine, WI - 53404  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 391097  
 Fleet: Av Gas, Plate: NA, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/19/2018 by PETROLEUM

-----  
**310740-VTM** Issued: 10/2/2018  
 Addr: 3239 N Green Bay Rd, Racine, WI - 53404  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 386596  
 Fleet: Jet A Small, Plate: NA, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/19/2018 by PETROLEUM SYSTEMS

### Waterford

#### Waterford Oil

Contact: Franksville Oil & L.P. Gas Company, Inc (Debra Wadewitz)  
 Work Phone: (262) 835-7781 e-mail: wadewitz@wi.net

-----  
**314069-VTM** Issued: 9/21/2018  
 Addr: 411 South 2nd St, Waterford, WI - 53185  
 Directions: Main St. to 2nd St.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800, Ser #: 44666  
 Fleet: 43, Plate: JB10774, CCNo: NR, Pipe Dia: 2, MaxRate: 120  
 Last Private Test: 3/19/2019 by Tri State Testing

-----  
**314071-VTM** Issued: 9/21/2018  
 Addr: 411 S 2nd St, Waterford, WI - 53185  
 Directions: Main St to 2nd St.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7 41800, Ser #: 44665  
 Fleet: 43, Plate: JB10774, CCNo: NR, Pipe Dia: 2, MaxRate: 120  
 Last Private Test: 3/19/2019 by Tri State Testing

### Ramsey

#### Roseville

#### Lubrication Technologies

Contact: Lubrication Technologies (Alex Johnson)  
 Work Phone: (612) 366-6395 e-mail: alexjohn@lubetech.com

-----  
**302300-VTM** Issued: 11/2/2018  
 Addr: 2420 County Rd C W, Roseville, MN - 55113  
 Directions: Truck yard  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 434430  
 Fleet: 75, Plate: YA R6664, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
 Last Private Test: 9/11/2017 by Lube Tech

-----  
**302301-VTM** Issued: 11/2/2018  
 Addr: 2420 County Rd C W, Roseville, MN - 55113  
 Directions: Truck yard  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 434293  
 Fleet: 75, Plate: YA R6664, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
 Last Private Test: by

-----  
**302309-VTM** Issued: 11/2/2018  
 Addr: 2420 County Rd C W, Roseville, MN - 55113  
 Directions: Truck yard  
 Last State Test: Results:  
 Make: Actaris, Model: 4-MT, Ser #: GC640  
 Fleet: 414, Plate: PR Z2197, CCNo: 86-022, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/10/2017 by Lube Tech

-----  
**302295-VTM** Issued: 11/2/2018  
 Addr: 2420 County Rd C W, Roseville, MN - 55113  
 Directions: Truck yard  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 434294  
 Fleet: 76, Plate: YB A0443, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 200  
 Last Private Test: 9/11/2017 by Lube Tech

-----  
**302310-VTM** Issued: 11/2/2018  
 Addr: 2420 County Rd C W, Roseville, MN - 55113  
 Directions: Truck yard  
 Last State Test: Results:  
 Make: Actaris, Model: 4-MT, Ser #: GC636  
 Fleet: 414, Plate: PR Z2197, CCNo: 86-022, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/10/2017 by Lube Tech

-----  
**304245-VTM** Issued: 11/2/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions: Property truck yard  
Last State Test: Results:  
Make: Liquid Controls, Model: M-15-1, Ser #: 376585  
Fleet: 20, Plate: YAS3494, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 200  
Last Private Test: 9/11/2017 by Lube Tech

**Lubrication Technologies, Inc.**

Contact: Lubrication Technologies (Alex Johnson)  
Work Phone: (612) 366-6395 e-mail: alexjohn@lubetech.com

-----  
**319405-VTM** Issued: 11/2/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-15-1, Ser #: 431767  
Fleet: 416, Plate: PRZ4767, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 150  
Last Private Test: 9/11/2017 by Lube Tech

-----  
**319412-VTM** Issued: 11/2/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 599969  
Fleet: 618, Plate: 4899STK, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/11/2017 by Lube Tech

-----  
**319407-VTM** Issued: 11/5/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 365284  
Fleet: 086, Plate: YAJ7167, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/11/2017 by Lube Tech

-----  
**319408-VTM** Issued: 11/2/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 600568  
Fleet: 4899STK, Plate: 618, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/11/2017 by Lube Tech

-----  
**319404-VTM** Issued: 11/2/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-15-1, Ser #: 431770  
Fleet: 416, Plate: PRZ4767, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 150  
Last Private Test: 9/11/2017 by Lube Tech

-----  
**325993-VTM** Issued: 11/2/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-15-1, Ser #: 398207  
Fleet: 415, Plate: PRZ4766, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/11/2017 by Lube Tech ESI

-----  
**325995-VTM** Issued: 11/2/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 3876190201  
Fleet: 418, Plate: , CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/21/2017 by Lube Tech ESI

-----  
**325996-VTM** Issued: 11/2/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 457444  
Fleet: 417, Plate: PRZ4029, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/11/2017 by Lube Tech ESI

-----  
**325997-VTM** Issued: 11/2/2018  
Addr: 2420 County Rd C W, Roseville, MN - 55113  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-10-1, Ser #: 457445  
Fleet: 417, Plate: , CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 9/11/2017 by Lube Tech ESI

-----  
**325992-VTM** Issued: 11/2/2018  
 Addr: 2420 County Rd C W, Roseville, MN - 55113  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 397976  
 Fleet: 415, Plate: PRZ4766, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
 Last Private Test: 9/11/2017 by Lube Tech ESI  
 -----

**325994-VTM** Issued: 11/2/2018  
 Addr: 2420 County Rd C W, Roseville, MN - 55113  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 3879190301  
 Fleet: 418, Plate: , CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
 Last Private Test: 9/21/2017 by Lube Tech ESI  
 -----

**319413-VTM** Issued: 11/2/2018  
 Addr: 2420 County Rd C W, Roseville, MN - 55113  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 397976  
 Fleet: PRZ4766, Plate: 415, CCNo: 06-031, Pipe Dia: 1.5, MaxRate: 100  
 Last Private Test: by

**St. Paul****Diesel Dogs Fuel Service, Inc.**

Contact: Diesel Dog's Fuel Service Inc (Scott McKinney)  
 Work Phone: (715) 861-7318 e-mail: scott@dieseldogs.com  
 -----

**327999-VTM** Issued: 10/16/2018  
 Addr: 2091 Energy Park Dr, St. Paul, MN - 55108  
 Directions: The VTM is mounted on the passenger side rear of the truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 391947  
 Fleet: 2, Plate: HD32428, CCNo: NA, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 5/17/2018 by North American Trailer

**Richland****Lone Rock****Premier Cooperative**

Contact: Premier Cooperative (Denise Jensen)  
 Work Phone: (608) 723-4181 e-mail: denise.jensen@premiercooperative.com  
 -----

**274238-VTM** Issued: 9/19/2018  
 Addr: 28466 US Hwy 14, Lone Rock, WI - 53556  
 Directions: on truck 309  
 Last State Test: Results:  
 Make: Neptune, Model: 4, Ser #: 20766892  
 Fleet: 309, Plate: HD25300, CCNo: 02-046A3, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 6/5/2018 by Midwest Trailer Sales  
 -----

**281042-VTM** Issued: 11/30/2018  
 Addr: 28466 US Hwy 14, Lone Rock, WI - 53556  
 Directions: on truck 309  
 Last State Test: Results:  
 Make: Neptune, Model: 4, Ser #: 14454235  
 Fleet: 309, Plate: HD25300, CCNo: 02-046A3, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 6/5/2018 by Midwest Trailer

**Rock****Janesville****3 WIRE, LLC**

Contact: 3 Wire, LLC (Bonnie Cooksey)  
 Work Phone: (608) 758-1037 e-mail: bonniejcc@aol.com  
 -----

**291720-VTM** Issued: 10/5/2018  
 Addr: 4606 S Atlantis Dr, Janesville, WI - 53546  
 Directions: Mobil on the field. East of the Terminal  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 118997  
 Fleet: NA, Plate: NA, CCNo: NA, Pipe Dia: 2", MaxRate: 100  
 Last Private Test: 8/21/2018 by GREAT LAKES  
 -----

**291725-VTM** Issued: 10/5/2018  
 Addr: 4606 S Atlantis Dr, Janesville, WI - 53546  
 Directions: Mobil on the field. East of the Terminal  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25, Ser #: 419151  
 Fleet: NA, Plate: NA, CCNo: NA, Pipe Dia: 3", MaxRate: 300  
 Last Private Test: 8/21/2018 by GREAT LAKES

-----  
**291727-VTM** Issued: 10/5/2018  
 Addr: 4606 S Atlantis Dr, Janesville, WI - 53546  
 Directions: Mobil on the field. East of the Terminal  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 419000  
 Fleet: NA, Plate: NA, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/21/2018 by GREAT LAKES  
 -----

**291732-VTM** Issued: 10/5/2018  
 Addr: 4606 S Atlantis Dr, Janesville, WI - 53546  
 Directions: Mobil on the field. East of the Terminal  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 80772  
 Fleet: NA, Plate: NA, CCNo: NA, Pipe Dia: 2", MaxRate: 100  
 Last Private Test: 8/21/2018 by GREAT LAKES  
 -----

**291724-VTM** Issued: 10/5/2018  
 Addr: 4606 S Atlantis Dr, Janesville, WI - 53546  
 Directions: Mobil on the field. East of the Terminal  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 119035  
 Fleet: NA, Plate: NA, CCNo: NA, Pipe Dia: 3, MaxRate: 250  
 Last Private Test: 8/21/2018 by GREAT LAKES  
 -----

**Brown Oil Co Inc**

Contact: Brown Oil Co., Inc (Thomas Warrichaiet)  
 Work Phone: (608) 752-7696 e-mail: info@cambeckpetroleum.com  
 -----

**310774-VTM** Issued: 11/5/2018  
 Addr: 505 S Pearl St, Janesville, WI - 53548  
 Directions: Between Rockport Rd and Court St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 658675  
 Fleet: 60, Plate: MC9974, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by TRI STATE  
 -----

**310775-VTM** Issued: 11/5/2018  
 Addr: 505 S Pearl St, Janesville, WI - 53548  
 Directions: Between Rockport Rd and Court St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 658677  
 Fleet: 60, Plate: MC9974, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by TRI STATE  
 -----

**313810-VTM** Issued: 11/5/2018  
 Addr: 505 S Pearl St, Janesville, WI - 53548  
 Directions: Between Rockport Rd and Court St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 387363  
 Fleet: 40, Plate: JB10588, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by TRI STATE  
 -----

**313809-VTM** Issued: 11/5/2018  
 Addr: 505 S Pearl St, Janesville, WI - 53548  
 Directions: Between Rockport Rd and Court St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 403270  
 Fleet: 40, Plate: JB10588, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by TRI STATE  
 -----

**273136-VTM** Issued: 11/5/2018  
 Addr: 505 S Pearl St, Janesville, WI - 53548  
 Directions: We are located on Pearl St. between Court St. (hwy 11) and Rockport Rd.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: EV1162  
 Fleet: #30, Plate: JB8357, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by TRI STATE  
 -----

**273135-VTM** Issued: 11/5/2018  
 Addr: 505 S Pearl St, Janesville, WI - 53548  
 Directions: We are located on Pearl St. between Court St. (hwy 11) and Rockport Rd.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: EV1159  
 Fleet: #30, Plate: JB8357, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by TRI STATE  
 -----

**Rusk**

Ladysmith

**Lemke Oil Co Inc**

Contact: Lemke Oil Co Inc (David Lemke)  
 Work Phone: (715) 403-1114 e-mail: lemkeoilco@centurytel.net

-----  
**310098-VTM** Issued: 10/2/2018  
 Addr: 801 Gustafson Rd, Ladysmith, WI - 54848  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 665802  
 Fleet: KW16, Plate: Applied for, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Tri State

-----  
**310099-VTM** Issued: 10/2/2018  
 Addr: 801 Gustafson Rd, Ladysmith, WI - 54848  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 665801  
 Fleet: KW16, Plate: Applied for, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Tri State

-----  
**309895-VTM** Issued: 10/2/2018  
 Addr: 801 Gustafson Rd, Ladysmith, WI - 54848  
 Directions:  
 Last State Test: Results:  
 Make: TCS 700 20SP11RAT, Model: 700 20SP11RAT, Ser #: 820672  
 Fleet: 2015 KW, Plate: JB12293, CCNo: 99-097A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Tri State

-----  
**309896-VTM** Issued: 10/2/2018  
 Addr: 801 Gustafson Rd, Ladysmith, WI - 54848  
 Directions:  
 Last State Test: Results:  
 Make: TCS, Model: 700-20SP11RAT, Ser #: 819154  
 Fleet: 2015 KW, Plate: JB12293, CCNo: 99-097A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Tri State

-----  
**322319-VTM** Issued: 10/2/2018  
 Addr: 801 Gustafson Rd, Ladysmith, WI - 54848  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3870610406  
 Fleet: 3, Plate: APPLIED FOR, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Tri State

-----  
**322321-VTM** Issued: 10/2/2018  
 Addr: 801 Gustafson Rd, Ladysmith, WI - 54848  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3880250102  
 Fleet: 3, Plate: APPLIED FOR, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Tri State

### Sheldon

#### Heartland Cooperative Services

Contact: Heartland Cooperative Services (Michael Mohr)  
 Primary Phone: (715) 654-5134 e-mail: mmohras@yahoo.com

-----  
**279056-VTM** Issued: 10/25/2018  
 Addr: W5514 Main St, Sheldon, WI - 54766  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 495831 3853000101  
 Fleet: 1, Plate: HD24211, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/17/2018 by Felker

-----  
**279057-VTM** Issued: 10/16/2018  
 Addr: W5514 Main St, Sheldon, WI - 54766  
 Directions: W5514 Main St. Sheldon, WI  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 497782  
 Fleet: 1, Plate: HD24211, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/5/2018 by Felker Truck

### Sauk

#### Baraboo

#### Baraboo-Dells Flight Center Inc

Contact: Baraboo-Dells Flight Center, Inc. (William Murphy)  
 Work Phone: (608) 356-2270 e-mail: bill@baraboodellsairport.com

-----  
**312781-VTM** Issued: 10/2/2018  
 Addr: 83440 County Rd BD, Baraboo, WI - 53913  
 Directions: Baraboo Dells Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: R788700-002, Ser #: 186373  
 Fleet: 8, Plate: NA, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/14/2019 by Felker Truck & Equipment

**312789-VTM** Issued: 10/2/2018  
 Addr: 83440 County Rd BD, Baraboo, WI - 53913  
 Directions: Baraboo Dells Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: R788700-002, Ser #: 186374  
 Fleet: 8, Plate: NA, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/14/2019 by Felker Truck & Equipment

**Reedburg****Suemnicht Enterprises Inc.**

Contact: Suemnicht Enterprises Inc (Ryan Suemnicht)  
 Work Phone: (608) 524-3914 e-mail: meyeroil@rucls.net

**329153-VTM** Issued: 11/5/2018  
 Addr: 211 Eagle St, Reedburg, WI - 53959  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10C1, Ser #: 4070270201  
 Fleet: 2019, Plate: APPLIED FOR, CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 50  
 Last Private Test: 3/21/2019 by Felker

**Reedsburg****CENEX**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

**292401-VTM** Issued: 10/17/2018  
 Addr: 54228 Golf Course Rd, Reedsburg, WI - 53959  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 600828  
 Fleet: 132703, Plate: NA, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/14/2018 by Westmor

**292402-VTM** Issued: 10/17/2018  
 Addr: 54228 Golf Course Rd, Reedsburg, WI - 53959  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10, Ser #: 600829  
 Fleet: 132703, Plate: NA, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 6/14/2018 by Westmor

**Meyer Oil & LP**

Contact: Suemnicht Enterprises Inc (Ryan Suemnicht)  
 Work Phone: (608) 524-3914 e-mail: meyeroil@rucls.net

**297892-VTM** Issued: 10/22/2018  
 Addr: 211 Eagle St, Reedsburg, WI - 53959  
 Directions: Eagle St turns n off of main st, hwy 23/33  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR600, Ser #: 624356  
 Fleet: 2014, Plate: JB11479, CCNo: n/a, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/21/2019 by Felker

**297894-VTM** Issued: 10/22/2018  
 Addr: 211 Eagle St, Reedsburg, WI - 53959  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR600, Ser #: 623977  
 Fleet: 2014, Plate: JB11479, CCNo: n/a, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/21/2019 by Felker

**281277-VTM** Issued: 10/22/2018  
 Addr: 211 Eagle St, Reedsburg, WI - 53959  
 Directions: Turn N off of Main St onto Eagle St proceed 2 blocks N to 229 Eagle St to Meyer Oil & LP bulk plant facility  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 340792  
 Fleet: 2002, Plate: HD22301, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/27/2018 by Felker Truck

**281278-VTM** Issued: 10/22/2018  
 Addr: 211 Eagle St, Reedsburg, WI - 53959  
 Directions: Eagle Street turns N off of Main St, Hwy 23/33 in Reedsburg. The is located at the bulk plant facility for Meyer Oil & LP  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 348819  
 Fleet: 2002, Plate: HD22301, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 3/27/2018 by Felker Truck

**Suemnicht Enterprises Inc.**



Contact: Suemnicht Enterprises Inc (Ryan Suemnicht)  
Work Phone: (608) 524-3914 e-mail: meyeroil@rucls.net

**329154-VTM** Issued: 11/5/2018  
Addr: 211 Eagle St, Reedsburg, WI - 53959  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M15C1, Ser #: 4070300101  
Fleet: 2019, Plate: APPLIED FOR, CCNo: 99-097A8, Pipe Dia: 3, MaxRate: 200  
Last Private Test: 3/21/2019 by Felker

**Sauk City****Consumers Cooperative Oil Company**

Contact: Consumers Cooperative Oil Company (Joel Marcott)  
Primary Phone: (608) 643-3304 ext: 225 e-mail: jmar@cenex1.com

**306027-VTM** Issued: 10/8/2018  
Addr: E11185 State Hwy 60, Sauk City, WI - 53583  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 313826  
Fleet: 3, Plate: HD20349, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/7/2019 by Westmor

**306028-VTM** Issued: 10/8/2018  
Addr: E11185 State Hwy 60, Sauk City, WI - 53583  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7-1, Ser #: 313816  
Fleet: 3, Plate: HD20349, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 3/7/2019 by Westmor

**Spring Green****GROWMARK, INC., Insight FS**

Contact: Growmark Inc (Joe Sikora)  
Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

**293204-VTM** Issued: 10/29/2018  
Addr: 212 E Peterson St, Spring Green, WI - 53588  
Directions: address  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 505615  
Fleet: 2650, Plate: JB8156, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
Last Private Test: by

**293206-VTM** Issued: 10/29/2018  
Addr: 212 E Peterson St, Spring Green, WI - 53588  
Directions: address  
Last State Test: Results:  
Make: Liquid Controls, Model: M7, Ser #: 505601  
Fleet: 2650, Plate: JB8156, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 7/26/2018 by GROWMARK

**Wisconsin Dells****Cenex**

Contact: CHS Transportation (Mark Prindle)  
Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

**280477-VTM** Issued: 10/17/2018  
Addr: N381 US Hwy 12 & 16, Wisconsin Dells, WI - 53965  
Directions: I-90/94, exit #85. go W on US hwy 12 & 16 truck at Rocky Arbor Truck Repair SSOR  
Last State Test: Results:  
Make: FPP, Model: TS20A, Ser #: 591D0019  
Fleet: 122789, Plate: PRZ0410, CCNo: 99-210A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/19/2018 by Westmor

**280478-VTM** Issued: 10/17/2018  
Addr: N381 US Hwy 12 & 16, Wisconsin Dells, WI - 53965  
Directions: I-90/94, exit #85. go W on US hwy 12 & 16 truck at Rocky Arbor Truck Repair SSOR  
Last State Test: Results:  
Make: FPP, Model: TS20A, Ser #: 591D0018  
Fleet: 122789, Plate: PRZ0410, CCNo: 99-210A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 4/19/2018 by Westmor

**Sawyer****Hayward****Heinz Oil**

Contact: Heinz CTC Inc (Elizabeth Heinz)  
Work Phone: (715) 634-2564 e-mail: elheinz@hotmail.com

**276293-VTM** Issued: 9/19/2018  
Addr: 15205 W State Rd 77, Hayward, WI - 54843  
Directions: 1.5 Miles east on 77 Kitty corner from Airport Road  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-10, Ser #: 548196  
Fleet: 2, Plate: HD24452, CCNo: NR, Pipe Dia: 2.5, MaxRate: 100  
Last Private Test: 4/24/2019 by MN Commerce Dept

-----  
**276294-VTM** Issued: 9/19/2018  
 Addr: 15205 W State Rd 77, Hayward, WI - 54843  
 Directions: 1.5 Miles east on 77 Kitty corner from Airport Road  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 100723  
 Fleet: 2, Plate: HD24452, CCNo: NR, Pipe Dia: 2.5, MaxRate: 100  
 Last Private Test: 4/24/2019 by MN Commerce Dept

-----  
**276295-VTM** Issued: 9/19/2018  
 Addr: 15205 W State Rd 77, Hayward, WI - 54843  
 Directions: 1.5 Miles east on 77 Kitty corner from Airport Road  
 Last State Test: Results:  
 Make: Actaris, Model: 4-MT, Ser #: DF516  
 Fleet: 1, Plate: NB4047, CCNo: 02-046, Pipe Dia: 2.5, MaxRate: 150  
 Last Private Test: 4/22/2019 by MN Commerce Dept

-----  
**276296-VTM** Issued: 9/19/2018  
 Addr: 15205 W State Rd 77, Hayward, WI - 54843  
 Directions: 1.5 Miles east on 77 Kitty corner from Airport Road  
 Last State Test: Results:  
 Make: Actaris, Model: 4-MT, Ser #: KE307  
 Fleet: 1, Plate: NB4047, CCNo: 02-046, Pipe Dia: 2.5, MaxRate: 150  
 Last Private Test: 4/22/2019 by MN Commerce Dept

**L & L Aviation, Inc.**

Contact: Patty Leslie  
 Work Phone: (715) 634-4624 e-mail: dleslie@cheqnet.net

-----  
**325396-VTM** Issued: 12/11/2018  
 Addr: 10930 N Airport Rd, Hayward, WI - 54843  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 457476  
 Fleet: na, Plate: na, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/18/2018 by WESTMOR

-----  
**325397-VTM** Issued: 12/11/2018  
 Addr: 10930 N Airport Rd, Hayward, WI - 54843  
 Directions: At FBO  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 457549  
 Fleet: na, Plate: na, CCNo: 92-141, Pipe Dia: na, MaxRate: 300  
 Last Private Test: 7/18/2018 by WESTMOR

**Northern Lakes Cooperative**

Contact: Northern Lakes Cooperative (Brenda Leonard)  
 Work Phone: (715) 634-4841 e-mail: brenda.leonard@nlcoop.com

-----  
**329461-VTM** Issued: 1/3/2019  
 Addr: 15196 Chippewa Trl, Hayward, WI - 54843  
 Directions: 27S, L/Hwy B, L/Chippewa Trail on Left, FR#15196  
 Last State Test: Results:  
 Make: Neptune, Model: MIDCOM 8000, Ser #: EA320  
 Fleet: 13, Plate: Applied for, CCNo: 06-031A1, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/12/2018 by Felker

-----  
**273211-VTM** Issued: 10/25/2018  
 Addr: 15196 Chippewa Trl, Hayward, WI - 54843  
 Directions: Hayward -63 N, R/27, L/County Rd B east, L/Chippewa Trail, Bulk plant of left  
 Last State Test: Results:  
 Make: Neptune, Model: E4000, Ser #: GD349  
 Fleet: 9, Plate: HD15865, CCNo: 02-105A3, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/30/2018 by FELKER

-----  
**273213-VTM** Issued: 10/25/2018  
 Addr: 15196 Chippewa Trl, Hayward, WI - 54843  
 Directions: Hayward -63 N, R/27, L/County Rd B east, L/Chippewa Trail, Bulk plant of left  
 Last State Test: Results:  
 Make: Neptune, Model: E4000, Ser #: JD485  
 Fleet: 9, Plate: HD15865, CCNo: 02-105A3, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/30/2018 by FELKER

**Shawano****Krakow****CENEX**

Contact: CHS Transportation (Mark Prindle)  
 Primary Phone: (651) 355-5429 e-mail: mark.prindle@chsinc.com

-----  
**292396-VTM** Issued: 10/17/2018  
 Addr: 2942 Havlik Rd, Krakow, WI - 54137  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10-1, Ser #: 602642  
 Fleet: 132704, Plate: NA, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: by

292398-VTM Issued: 10/17/2018  
 Addr: 2942 Havlik Rd, Krakow, WI - 54137  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M10-1, Ser #: 602649  
 Fleet: 132704, Plate: NA, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: by

**Tigerton****Riiser Energy**

Contact: Riiser Fuels LLC (Kurt VanVuren)  
 Work Phone: (715) 845-7272 e-mail: kvanvuren@riiser.com

292946-VTM Issued: 10/26/2018  
 Addr: 112 US Hwy 45, Tigerton, WI - 54486  
 Directions: Hwy 51 N to Hwy 29 E. E on Hwy 29 to Hwy US 45 S. S on Hwy 45 to address.  
 Last State Test: Results:  
 Make: Neptune, Model: 1 434, Ser #: HO9422  
 Fleet: 307, Plate: HD31086, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/1/2019 by Felker Truck & Equipment

292948-VTM Issued: 10/26/2018  
 Addr: 112 US Hwy 45, Tigerton, WI - 54486  
 Directions: Hwy 51 N to Hwy 29 E. Hwy 29 E to Hwy 45 S, to address.  
 Last State Test: Results:  
 Make: Neptune, Model: 434, Ser #: CA1906  
 Fleet: 307, Plate: HD31086, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/1/2019 by Felker Truck & Equipment

**Sheboygan****Adell****Co-Energy Alliance**

Contact: Co-Energy Alliance, LLC (Robert Voskuil)  
 Work Phone: (920) 668-6494 e-mail: rob@klc.coop

273614-VTM Issued: 9/14/2018  
 Addr: 647 Tower Ave, Adell, WI - 53001  
 Directions: 1/2 mile west of Hwy 57 on BB Adell, WI  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 413458  
 Fleet: 2, Plate: HD31299, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/7/2018 by TRI STATE

273615-VTM Issued: 9/14/2018  
 Addr: 647 Tower Ave, Adell, WI - 53001  
 Directions: 1/2 mile west of Hwy 57 on BB Adell, WI  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 413456  
 Fleet: 2, Plate: HD31299, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/7/2018 by TRI STATE

273616-VTM Issued: 9/14/2018  
 Addr: 647 Tower Ave, Adell, WI - 53001  
 Directions: 1/2 mile west of Hwy 57 on BB Adell, WI  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 436006  
 Fleet: 4, Plate: MC8296, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/7/2018 by TRI STATE

273618-VTM Issued: 9/14/2018  
 Addr: 647 Tower Ave, Adell, WI - 53001  
 Directions: 1/2 mile west of Hwy 57 on BB Adell, WI  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 436005  
 Fleet: 4, Plate: MC8296, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/7/2018 by TRI STATE

273612-VTM Issued: 9/14/2018  
 Addr: 647 Tower Ave, Adell, WI - 53001  
 Directions: 1/2 mile west of Hwy 57 on BB Adell, WI  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 558040  
 Fleet: 1, Plate: JB10505, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/7/2018 by TRI STATE

273613-VTM Issued: 9/14/2018  
 Addr: 647 County Hwy BB, Adell, WI - 53001  
 Directions: 1/2 mile west of Hwy 57 on BB Adell, WI  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 551071  
 Fleet: 1, Plate: JB10505, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/7/2018 by TRI STATE

**Sheboygan****Quality State Oil Co., Inc.**

Contact: Quality State Oil Co Inc (Todd Schroeder)  
 Work Phone: (920) 459-5640 e-mail: todd.schroeder@qualitystate.com

-----  
**310756-VTM** Issued: 10/15/2018  
 Addr: 2201 Calumet Dr, Sheboygan, WI - 53083  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 665276  
 Fleet: 14, Plate: PB7459, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/27/2018 by Quality

-----  
**310757-VTM** Issued: 10/15/2018  
 Addr: 2201 Calumet Dr, Sheboygan, WI - 53083  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 666161  
 Fleet: 14, Plate: PB7459, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/27/2018 by Quality

Contact: Quality State Oil Company, Inc. (Jim Kussard)  
 Primary Phone: (920) 459-5640 e-mail: jim.kussard@qualitystate.com

-----  
**273874-VTM** Issued: 10/15/2018  
 Addr: 2201 Calumet Dr, Sheboygan, WI - 53083  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-16, Ser #: 584527  
 Fleet: 26, Plate: QB14981, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/27/2018 by Quality

-----  
**273876-VTM** Issued: 10/15/2018  
 Addr: 2201 Calumet Dr, Sheboygan, WI - 53083  
 Directions: N/A  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 584988  
 Fleet: 26, Plate: QB14981, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/27/2018 by Quality

-----  
**299577-VTM** Issued: 10/15/2018  
 Addr: 2201 Calumet Dr, Sheboygan, WI - 53083  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 629267  
 Fleet: 15, Plate: NR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 15-150  
 Last Private Test: 9/26/2018 by Quality

-----  
**299588-VTM** Issued: 10/15/2018  
 Addr: 2201 Calumet Dr, Sheboygan, WI - 53083  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-16, Ser #: 640218  
 Fleet: 15, Plate: PB7454, CCNo: 92-075, Pipe Dia: 2, MaxRate: 20-100  
 Last Private Test: 9/26/2018 by Quality

### Sheboygan Falls

#### Burrows Aviation LLC

Contact: Burrows Aviation, LLC (Mindy Smith)  
 Work Phone: (920) 467-6151 e-mail: msmith@burrowsaviation.com

-----  
**302237-VTM** Issued: 9/14/2018  
 Addr: W3244 County Rd O, Sheboygan Falls, WI - 53085  
 Directions: Truck 2 is located east of bldg on airport ramp  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25, Ser #: 575667  
 Fleet: 2, Plate: NR, CCNo: 92-141, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 8/14/2018 by GREAT LAKES

-----  
**302233-VTM** Issued: 9/14/2018  
 Addr: W3244 County Rd O, Sheboygan Falls, WI - 53085  
 Directions: Truck 2 is located east of bldg on airport ramp  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 572089  
 Fleet: 2, Plate: NR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/14/2018 by GREAT LAKES

-----  
**309982-VTM** Issued: 9/14/2018  
 Addr: W3244 County Rd O, Sheboygan Falls, WI - 53085  
 Directions: Av Truck located East of bldg on airport ramp.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-5, Ser #: 511064  
 Fleet: Avgas Truck, Plate: 4193, CCNo: 92-141, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 8/14/2018 by GREAT LAKES

-----  
**309979-VTM** Issued: 9/21/2018  
 Addr: W3244 County Rd O, Sheboygan Falls, WI - 53085  
 Directions: Truck 1 is located east of bldg on airport ramp  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25, Ser #: 593461  
 Fleet: Jet Truck 2, Plate: 5376, CCNo: 92-141, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: by

-----  
**309978-VTM** Issued: 9/14/2018  
 Addr: W3244 County Rd O, Sheboygan Falls, WI - 53085  
 Directions: Truck 1 is located east of bldg on airport ramp  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 596090  
 Fleet: Jet Truck 2, Plate: 5376, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/14/2018 by GREAT LAKES

### Waldo

#### Waldo Oil Company, Inc.

Contact: Waldo Oil Company, Inc. (Lisa Schumacher)  
 Work Phone: (920) 528-8232 e-mail: waldooil@live.com

-----  
**276456-VTM** Issued: 11/2/2018  
 Addr: 827 W 1st St, Waldo, WI - 53093  
 Directions: on site  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 386288  
 Fleet: 1, Plate: JB13487, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/20/2018 by FELKER

-----  
**276463-VTM** Issued: 11/2/2018  
 Addr: 827 W 1st St, Waldo, WI - 53093  
 Directions: on site  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 251990  
 Fleet: 1, Plate: JB9571, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/20/2018 by FELKER

-----  
**276466-VTM** Issued: 11/2/2018  
 Addr: 827 W 1st St, Waldo, WI - 53093  
 Directions: on site  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 314564  
 Fleet: 2, Plate: HD27899, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/20/2018 by FELKER

-----  
**276480-VTM** Issued: 11/2/2018  
 Addr: 827 W 1st St, Waldo, WI - 53093  
 Directions: on site  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 314565  
 Fleet: 2, Plate: HD27899, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/20/2018 by FELKER

-----  
**315962-VTM** Issued: 11/2/2018  
 Addr: 827 W 1st St, Waldo, WI - 53093  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 667122  
 Fleet: 3, Plate: MC9128, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/20/2018 by FELKER

-----  
**315963-VTM** Issued: 11/2/2018  
 Addr: 827 W 1st St, Waldo, WI - 53093  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 667123  
 Fleet: 3, Plate: MC9128, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/20/2018 by FELKER

### St Croix

#### New Richmond

#### RNH FBO, LLC

Contact: East Metro Aviation (Mike Demulling)  
 Work Phone: (715) 246-5338 e-mail: mike@nrairport.com

-----  
**327219-VTM** Issued: 12/13/2018  
 Addr: 625 W Hangar Rd # 11-12, New Richmond, WI - 54017  
 Directions:  
 Last State Test: Results:  
 Make: LC High Flow, Model: M-25, Ser #: 431486  
 Fleet: 2, Plate: , CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 300  
 Last Private Test: 1/16/2019 by Westmor

-----  
**327220-VTM** Issued: 12/13/2018  
 Addr: 625 W Hangar Rd # 11-12, New Richmond, WI - 54017  
 Directions: SE Corner of hangar lot 11-12 at New Richmond Regional Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: , Ser #: 159970  
 Fleet: 1, Plate: , CCNo: , Pipe Dia: 2, MaxRate: 300  
 Last Private Test: 1/16/2019 by Westmor  
 -----

**327222-VTM** Issued: 12/13/2018  
 Addr: 625 W Hangar Rd # 11-12, New Richmond, WI - 54017  
 Directions: SE Corner of hangar lot 11-12 at New Richmond Regional Airport  
 Last State Test: Results:  
 Make: Liquid Controls, Model: , Ser #: 159952  
 Fleet: 1, Plate: , CCNo: , Pipe Dia: 2, MaxRate: 300  
 Last Private Test: 1/16/2019 by Westmor  
 -----

**Skoglund Oil Co Inc**

Contact: Skoglund Oil Co., Inc. (Karl Skoglund)  
 Work Phone: (715) 246-4767 e-mail: karl@skoglundoil.com  
 -----

**273056-VTM** Issued: 10/16/2018  
 Addr: 1985 145th St, New Richmond, WI - 54017  
 Directions: Hwy 64 to 145th one mile north  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 482376  
 Fleet: #2, Plate: JB 8488, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by Felker Truck & Equipment Inc  
 -----

**273055-VTM** Issued: 10/16/2018  
 Addr: 1985 145th St, New Richmond, WI - 54017  
 Directions: Hwy 64 to 145th one mile north  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 482378  
 Fleet: #2, Plate: JB 8488, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by Felker Truck & Equipment Inc  
 -----

**Skoglund Oil Company Inc**

Contact: Skoglund Oil Co., Inc. (Karl Skoglund)  
 Work Phone: (715) 246-4767 e-mail: karl@skoglundoil.com  
 -----

**298132-VTM** Issued: 10/16/2018  
 Addr: 1985 145th St, New Richmond, WI - 54017  
 Directions: Hwy 64 to 145th, one mile north  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 637851  
 Fleet: 3, Plate: RB23653, CCNo: n/a, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by Felker Truck & Equipment  
 -----

**298133-VTM** Issued: 10/16/2018  
 Addr: 1985 145th St, New Richmond, WI - 54017  
 Directions: Hwy 64 to 145th , one mile north  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LC M10C1, Ser #: 638769  
 Fleet: 3, Plate: RB23653, CCNo: n/a, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 10/10/2018 by Felker Truck & Equipment Inc  
 -----

**Skoglund Oil Company, Inc.**

Contact: Skoglund Oil Co., Inc. (Karl Skoglund)  
 Work Phone: (715) 246-4767 e-mail: karl@skoglundoil.com  
 -----

**318468-VTM** Issued: 10/16/2018  
 Addr: 1985 145th St, New Richmond, WI - 54017  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 623069  
 Fleet: , Plate: PB8830, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by Felker Truck & Equipment  
 -----

**318471-VTM** Issued: 10/16/2018  
 Addr: 1985 145th St, New Richmond, WI - 54017  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 622977  
 Fleet: , Plate: PB8830, CCNo: 92-141, Pipe Dia: 3, MaxRate: 150  
 Last Private Test: 10/10/2018 by Felker Truck & Equipment Inc  
 -----

**Somerset****Riverview Oil LLC**

Contact: Riverview Oil LLC (Dan Vanasse)  
 Work Phone: (715) 247-3392 e-mail: dan@riverviewoil.com  
 -----

**296400-VTM** Issued: 11/7/2018  
 Addr: 448 State Rd 35, Somerset, WI - 54025  
 Directions: 3/4 mile north of Dairy Queen  
 Last State Test: Results:  
 Make: Schlumberger, Model: Type 4, Ser #: MX1764  
 Fleet: 2 , Plate: N/A, CCNo: N/A, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/24/2018 by MCDONALDS  
 -----



-----  
**296396-VTM** Issued: 11/7/2018  
 Addr: 448 State Rd 35, Somerset, WI - 54028  
 Directions: 3/4 mile north of Dairy Queen in Somerset  
 Last State Test: Results:  
 Make: Schlumberger, Model: Type 4, Ser #: MX1761  
 Fleet: 2, Plate: N/A, CCNo: N/A, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/24/2018 by MCDONALDS

**St Louis****Duluth****Como Oil & Propane**

Contact: ThompsonGas LLC (Michael Fisher)  
 Work Phone: (301) 302-8054 e-mail: mfisher@thompsongas.com

-----  
**302571-VTM** Issued: 10/10/2018  
 Addr: 4330 W 1st St, Duluth, MN - 55807  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7CLI1, Ser #: 641012  
 Fleet: 555, Plate: YBM3000, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/21/2018 by BUDGET METER

-----  
**302569-VTM** Issued: 10/17/2018  
 Addr: 4330 W 1st St, Duluth, MN - 55807  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7CLI1, Ser #: 641013  
 Fleet: 555, Plate: YBM3000, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/21/2018 by BUDGET METER

-----  
**302567-VTM** Issued: 10/10/2018  
 Addr: 4330 W 1st St, Duluth, MN - 55807  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7CLI1, Ser #: 619598  
 Fleet: 554, Plate: YBK2562, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/20/2018 by MM COMMERCE

-----  
**302565-VTM** Issued: 10/10/2018  
 Addr: 4330 W 1st St, Duluth, MN - 55807  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7CLI1, Ser #: 619599  
 Fleet: 554, Plate: YBK2562, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

**Stephenson****Ridott****Stephenson Service Company**

Contact: Stephenson Service Company (Marty Reed)  
 Fax Phone: (815) 235-7526 e-mail: mreed@stephensonfs.com

-----  
**276642-VTM** Issued: 10/5/2018  
 Addr: 1659 S Rock City Rd, Ridott, IL - 61067  
 Directions: US Rt 20 to Rock City Rd turn North, 1/4 mile Plant on East side.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 570442  
 Fleet: 190, Plate: P745496, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

-----  
**276640-VTM** Issued: 10/5/2018  
 Addr: 1659 S Rock City Rd, Ridott, IL - 61067  
 Directions: US Rt 20 to Rock City Rd turn North, 1/4 mile Plant on East side of Road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 570494  
 Fleet: 190, Plate: P745796, CCNo: 92-141A7, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

-----  
**325684-VTM** Issued: 10/5/2018  
 Addr: 1659 S Rock City Rd, Ridott, IL - 61067  
 Directions: US Rt 20 to Rock City Rd, turn North go about 1/4 mile. Plant on East side of the road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 570444  
 Fleet: 191, Plate: 8585, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/15/2018 by GROWMARK

-----  
**325683-VTM** Issued: 10/5/2018  
 Addr: 1659 S Rock City Rd, Ridott, IL - 61067  
 Directions: US Rt 20 to Rock City Rd, turn North go about 1/4 mile. Plant on East side of the road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 570444  
 Fleet: 191, Plate: 8585, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by



-----  
**328768-VTM** Issued: 9/11/2018  
 Addr: 1659 S. Rock City Rd., Ridott, IL - 61067  
 Directions: US Rt.20 to Rock City, 1/2 mile North on Rock City Rd Facility is on East Side of Road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 3874830101  
 Fleet: 253, Plate: P978393, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/15/2018 by GROWMARK  
 -----  
**328769-VTM** Issued: 9/11/2018  
 Addr: 1659 S. Rock City Rd., Ridott, IL - 61067  
 Directions: US Rt.20 to Rock City, 1/2 mile North on Rock City Rd Facility is on East Side of Road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 3837740101  
 Fleet: 253, Plate: P978393, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 8/15/2018 by GROWMARK  
 -----

**Taylor***Medford***Medford Cooperative Inc**

Contact: Medford Cooperative, Inc (Tom Judnic)  
 Primary Phone: (715) 748-3076 e-mail: tomj@medfordcoop.com  
 -----

**288620-VTM** Issued: 10/1/2018  
 Addr: 651 E Gravel Rd, Medford, WI - 54451  
 Directions: Hwy 13 to Gravel Rd. West on Gravel 1/4 mile  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15, Ser #: 577126  
 Fleet: 108, Plate: Applied for, CCNo: 92-141, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 10/29/2018 by Felker  
 -----  
**288621-VTM** Issued: 10/1/2018  
 Addr: 651 E Gravel Rd, Medford, WI - 54451  
 Directions: Hwy 13 to Gravel Rd. West on Gravel 1/4 mile  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10, Ser #: 616538  
 Fleet: 108, Plate: Applied for, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 10/29/2018 by Felker  
 -----  
**273817-VTM** Issued: 10/1/2018  
 Addr: 651 E Gravel Rd, Medford, WI - 54451  
 Directions: Hwy 13 to Gravel Rd. West on Gravel 1/4 mile  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 451685  
 Fleet: 104, Plate: MC6951, CCNo: 92-002, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/5/2019 by Felker  
 -----

**273819-VTM** Issued: 10/1/2018  
 Addr: 651 E Gravel Rd, Medford, WI - 54451  
 Directions: Hwy 13 to Gravel Rd. West on Gravel 1/4 mile.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 451604  
 Fleet: 104, Plate: MC6951, CCNo: 92-002, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/5/2019 by Felker  
 -----  
**273820-VTM** Issued: 10/1/2018  
 Addr: 651 E Gravel Rd, Medford, WI - 54451  
 Directions: Hwy 13 to Gravel Rd. West on Gravel 1/4 mile.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 301195  
 Fleet: 105, Plate: LB10196, CCNo: 92-002, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/5/2018 by Felker Truck  
 -----  
**273822-VTM** Issued: 10/1/2018  
 Addr: W5628 Gravel Rd, Medford, WI - 54451  
 Directions: Hwy 13 west, on Gravel Rd 1/4 mile on north side of road  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 301174  
 Fleet: 105, Plate: LB10106, CCNo: 92-022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/5/2018 by Felker Truck  
 -----

**Taylor County Airport**

Contact: Taylor County Airport (Fred Ebert)  
 Work Phone: (715) 560-0568 e-mail: taylorairport@tds.net  
 -----

**328333-VTM** Issued: 9/19/2018  
 Addr: W5125 Apple Ave, Medford, WI - 54451  
 Directions: Inside airport at W5125 Apple Ave.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: R788 700-001, Ser #: R001/0501310744  
 Fleet: , Plate: , CCNo: 92-141A9, Pipe Dia: , MaxRate: 300  
 Last Private Test: 6/13/2018 by Westmor  
 -----

*Rib Lake***Hanke Oil Company Inc. LLC**

Contact: Hanke Oil Company Inc. LLC (Greg Hanke)

Work Phone: (715) 427-3132 e-mail:

**276412-VTM** Issued: 10/5/2018

Addr: N7951 Zuege Rd, Rib Lake, WI - 54470

Directions:

Last State Test: Results:

Make: Schlumberger, Model: 832, Ser #: DATCP276412

Fleet: 1, Plate: HD33893, CCNo: B497, Pipe Dia: 2, MaxRate: 100

Last Private Test: 1/24/2019 by MCDONALD PETROLEUM

**276413-VTM** Issued: 10/5/2018

Addr: N7951 Zuege Rd, Rib Lake, WI - 54470

Directions:

Last State Test: Results:

Make: Schlumberger, Model: 832, Ser #: FS1309

Fleet: 1, Plate: HD33893, CCNo: B497, Pipe Dia: 2, MaxRate: 100

Last Private Test: 1/24/2019 by MCDONALD PETROLEUM

**Stetsonville****Stetsonville Oil Co Inc**

Contact: Stetsonville Oil Co Inc (Brian Dahl)

Work Phone: (715) 678-2161 e-mail:

**273544-VTM** Issued: 11/5/2018

Addr: 115 State Hwy 13, Stetsonville, WI - 54480

Directions: back side of truck, inside of door

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 531368

Fleet: 2, Plate: HD20969, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100

Last Private Test: 10/9/2018 by McDonalds

**273535-VTM** Issued: 11/5/2018

Addr: 115 State Hwy 13, Stetsonville, WI - 54480

Directions: back of truck, inside of door

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 412489

Fleet: 1, Plate: HD30209, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 10/9/2018 by McDonald

**273538-VTM** Issued: 11/5/2018

Addr: 115 State Hwy 13, Stetsonville, WI - 54480

Directions: Back of truck, inside of door

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 412492

Fleet: 1, Plate: HD30209, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 10/9/2018 by McDonalds

**302258-VTM** Issued: 11/5/2018

Addr: 115 State Hwy 13, Stetsonville, WI - 54480

Directions: Curbside

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 641472

Fleet: 3, Plate: HD29873, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100

Last Private Test: 10/9/2018 by McDonalds

**302259-VTM** Issued: 11/5/2018

Addr: 115 State Hwy 13, Stetsonville, WI - 54480

Directions: Driverside

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 641473

Fleet: 3, Plate: HD29873, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100

Last Private Test: 10/9/2018 by McDonalds

**310753-VTM** Issued: 11/5/2018

Addr: 115 State Hwy 13, Stetsonville, WI - 54480

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 534373

Fleet: 2, Plate: HD20969, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100

Last Private Test: 10/9/2018 by McDonalds

**Taylor County****Medford****Taylor County Airport**

Contact: Taylor County Airport (Fred Ebert)

Work Phone: (715) 560-0568 e-mail: taylorairport@tds.net

**328335-VTM** Issued: 9/19/2018

Addr: W5125 Apple Ave, Medford, WI - 54451

Directions: Inside airport at W5125 Apple Ave.

Last State Test: Results:

Make: Liquid Controls, Model: R788 700-001, Ser #: R002/0501310743

Fleet: , Plate: , CCNo: 92-141A, Pipe Dia: , MaxRate: 300

Last Private Test: 6/13/2018 by Westmor

**Trempealeau****Arcadia**

**Allied Cooperative**

Contact: Allied Cooperative (Jeff Bunker)  
 Primary Phone: (608) 786-1100 e-mail: jlbunker@allied.coop

**289892-VTM** Issued: 10/25/2018

Addr: N28281 State Rd 93, Arcadia, WI - 54612

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 373483

Fleet: 2, Plate: MC6954, CCNo: , Pipe Dia: 2, MaxRate: 100

Last Private Test: 9/12/2018 by FELKER

**289893-VTM** Issued: 10/25/2018

Addr: N28281 State Rd 93, Arcadia, WI - 54615

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-7, Ser #: 370663

Fleet: 2, Plate: MC6954, CCNo: , Pipe Dia: 2, MaxRate: 100

Last Private Test: 9/12/2018 by FELKER

**Countryside Coop Transport of Wisconsin**

Contact: Countryside Cooperative (Samantha Carlberg)  
 Work Phone: (715) 672-8947 ext: 1133 e-mail: scarlberg@countrysidecoop.com

**298127-VTM** Issued: 10/2/2018

Addr: N 27359 Thompson Valley Rd, Arcadia, WI - 54612

Directions: Parked at Daniel Klink farm

Last State Test: Results:

Make: Schlumberger, Model: Neptune 834-1, Ser #: AW1487

Fleet: 60, Plate: HD24562, CCNo: n/a, Pipe Dia: 2, MaxRate: 150

Last Private Test: 4/10/2019 by McDonalds

**298128-VTM** Issued: 10/2/2018

Addr: N 27359 Thompson Valley Rd, Arcadia, WI - 54612

Directions: Daniel Klink farm

Last State Test: Results:

Make: Schlumberger, Model: Neptuen 4344, Ser #: GV1710

Fleet: 60, Plate: HD247562, CCNo: n/a, Pipe Dia: 2, MaxRate: 2

Last Private Test: 4/10/2019 by McDonalds

**Countryside Co-op Transport of Wisconsin**

Contact: Countryside Cooperative (Samantha Carlberg)  
 Work Phone: (715) 672-8947 ext: 1133 e-mail: scarlberg@countrysidecoop.com

**273853-VTM** Issued: 10/2/2018

Addr: N 27359 Thompson Valley Rd, Arcadia, WI - 54612

Directions: Parked at Daniel Klink Farm

Last State Test: Results:

Make: Neptune, Model: 4, Ser #: FV1535

Fleet: 169, Plate: PB7705, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 4/2/2018 by McDonalds Petroleum

**273854-VTM** Issued: 10/2/2018

Addr: N 27359 Thompson Valley Rd, Arcadia, WI - 54612

Directions: Parked at Daniel Klink Farm

Last State Test: Results:

Make: Neptune, Model: 4, Ser #: FV1536

Fleet: 169, Plate: PB7705, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 4/2/2018 by McDonalds

**Dodge****Dodge Fuel Company LLC**

Contact: Dodge Fuel Company LLC (Brian Pehler)  
 Primary Phone: (608) 539-3835 e-mail: pehler12@aol.com

**291393-VTM** Issued: 9/14/2018

Addr: N20414 County Rd J, Dodge, WI - 54625

Directions: in shed right across the street from this address (oil side)

Last State Test: Results:

Make: Veeder Root, Model: M-7-1, Ser #: 625340

Fleet: 14, Plate: JB11434, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100

Last Private Test: 8/2/2018 by TRI STATE

**291391-VTM** Issued: 9/14/2018

Addr: N20414 County Rd J, Dodge, WI - 54625

Directions: in shed right across the street from this address (gas side)

Last State Test: Results:

Make: Veeder Root, Model: M-7-1, Ser #: 625339

Fleet: 14, Plate: JB11434, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100

Last Private Test: 8/2/2018 by TRI STATE

**Dodge Fuel Company, LLC**

Contact: Dodge Fuel Company LLC (Brian Pehler)  
 Primary Phone: (608) 539-3835 e-mail: pehler12@aol.com

-----  
**329462-VTM** Issued: 1/3/2019  
 Addr: N20414 County Rd J, Dodge, WI - 54625  
 Directions: big shed across the street from address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 4058840103  
 Fleet: 19, Plate: JB13807, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/21/2018 by Tri State  
 -----  
**329463-VTM** Issued: 1/3/2019  
 Addr: N20414 County Rd J, Dodge, WI - 54625  
 Directions: big shed across the street from address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 4058840104  
 Fleet: 19, Plate: JB13807, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/21/2018 by Tri State

**Ettrick**

**Midwest Fuels**

Contact: Midwest Industrial Fuels Inc (Scott Ramin)  
 Work Phone: (608) 782-3308 e-mail: scott.ramin@midwestfuels.com

-----  
**307571-VTM** Issued: 11/5/2018  
 Addr: N23223 US Hwy 53, Ettrick, WI - 54627  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-71, Ser #: 658765  
 Fleet: 12-351, Plate: NB3822, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/16/2019 by Felker  
 -----  
**307573-VTM** Issued: 11/5/2018  
 Addr: N23223 US Hwy 53, Ettrick, WI - 54627  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-71, Ser #: 658764  
 Fleet: 12-351, Plate: NB3822, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/16/2019 by Felker

**Independence**

**Pehler Oil LLC**

Contact: Pehler Oil LLC (Lynette Speltz)  
 Work Phone: (715) 985-2126 e-mail: pehleroil@tcc.coop

-----  
**274201-VTM** Issued: 9/21/2018  
 Addr: 36064 Golden St, Independence, WI - 54747  
 Directions: Corner of WI-121 & Golden St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 553004  
 Fleet: 10, Plate: JB10510, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/3/2018 by TRI STATE  
 -----  
**274202-VTM** Issued: 9/21/2018  
 Addr: 36064 Golden St, Independence, WI - 54747  
 Directions: Corner of WI-121 & Golden St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 559000  
 Fleet: 10, Plate: JB10510, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/3/2018 by TRI STATE  
 -----  
**274203-VTM** Issued: 9/21/2018  
 Addr: 36064 Golden St, Independence, WI - 54747  
 Directions: Corner of WI-121 & Golden St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 452100  
 Fleet: 05, Plate: JB7731, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/3/2018 by TRI STATE  
 -----  
**274204-VTM** Issued: 9/21/2018  
 Addr: 36064 Golden St, Independence, WI - 54747  
 Directions: Corner of WI-121 & Golden St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 452093  
 Fleet: 05, Plate: JB7731, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/3/2018 by TRI STATE

**Pehler Oil, LLC**

Contact: Pehler Oil LLC (Lynette Speltz)  
 Work Phone: (715) 985-2126 e-mail: pehleroil@tcc.coop

-----  
**301220-VTM** Issued: 9/21/2018  
 Addr: 36064 Golden St, Independence, WI - 54747  
 Directions: Corner of WI-121 & Golden St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 635105  
 Fleet: 15, Plate: PB8340, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/3/2018 by TRI STATE

-----  
**301223-VTM** Issued: 9/21/2018  
 Addr: 36064 Golden St, Independence, WI - 54747  
 Directions: Corner of Wi-121 and Golden St  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 635103  
 Fleet: 15, Plate: PB8340, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/3/2018 by TRI STATE  
 -----

**324996-VTM** Issued: 9/21/2018  
 Addr: 36064 Golden St, Independence, WI - 54747  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3899790201  
 Fleet: 18, Plate: QB16833, CCNo: 99-097A8, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/12/2018 by MCDONALD  
 -----

**324993-VTM** Issued: 9/21/2018  
 Addr: 36064 Golden St, Independence, WI - 54747  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15C1, Ser #: 3899790101  
 Fleet: 18, Plate: QB16833, CCNo: 99-097A8, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 6/12/2018 by MCDONALDS  
 -----

**Strum**

**Countryside Coop Transport of Wisconsin**

Contact: Countryside Cooperative (Samantha Carlberg)  
 Work Phone: (715) 672-8947 ext: 1133 e-mail: scarlberg@countrysidecoop.com  
 -----

**273859-VTM** Issued: 10/2/2018  
 Addr: 246 W Birch St, Strum, WI - 54770  
 Directions: bulk plant  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: DV1242  
 Fleet: 190, Plate: MB4165, CCNo: Code 0, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 5/24/2018 by McDonalds Petroleum Service  
 -----

**Countryside Co-op Transport of Wisconsin**

Contact: Countryside Cooperative (Samantha Carlberg)  
 Work Phone: (715) 672-8947 ext: 1133 e-mail: scarlberg@countrysidecoop.com  
 -----

**273861-VTM** Issued: 10/2/2018  
 Addr: 246 W Birch St, Strum, WI - 54770  
 Directions: bulk plant  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: DV1251  
 Fleet: 190, Plate: MB4165, CCNo: Code 1, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 5/24/2018 by McDonalds Petroleum Service  
 -----

**Vernon**

**Chaseburg**

**Chaseburg Transportation Company LLC**

Contact: Chaseburg Transportation Company LLC (John Mislivecek)  
 Primary Phone: (608) 483-2194 e-mail: jmlivecek@chaseburgcoop.com  
 -----

**327997-VTM** Issued: 10/16/2018  
 Addr: 113 Cactus Dr, Chaseburg, WI - 54621  
 Directions: State Highway 162 Chaseburg WI 54621  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MA7-10, Ser #: 3979600201  
 Fleet: 108, Plate: JB12919, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/1/2018 by Tri State  
 -----

**Chaseburg Transportation Company, LLC**

Contact: Chaseburg Transportation Company LLC (John Mislivecek)  
 Primary Phone: (608) 483-2194 e-mail: jmlivecek@chaseburgcoop.com  
 -----

**281448-VTM** Issued: 10/16/2018  
 Addr: 113 Cactus Dr, Chaseburg, WI - 54621  
 Directions: Village of Chaseburg, WI  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: HX1421  
 Fleet: 1, Plate: HD25144, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 5/29/2018 by Tri State  
 -----

**281449-VTM** Issued: 10/16/2018  
 Addr: 113 Cactus Dr, Chaseburg, WI - 54621  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: HX1382  
 Fleet: 1, Plate: HD25144, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 5/29/2018 by Tri State  
 -----

-----  
**281450-VTM** Issued: 10/16/2018  
 Addr: 113 Cactus Dr, Chaseburg, WI - 54621  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 559179  
 Fleet: 2, Plate: HD28525, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/29/2018 by Tri State  
 -----  
**281451-VTM** Issued: 10/16/2018  
 Addr: 113 Cactus Dr, Chaseburg, WI - 54621  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 559289  
 Fleet: 2, Plate: HD28525, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/29/2018 by Tri State  
 -----

**Hillsboro****United Cooperative**

Contact: United Cooperative (Mark Witzel)  
 Work Phone: (920) 887-1756 e-mail: mwitzel@unitedcooperative.com  
 -----

**308707-VTM** Issued: 11/2/2018  
 Addr: 140 E Mill St, Hillsboro, WI - 54634  
 Directions:  
 Last State Test: Results:  
 Make: Actaris, Model: 4-MT, Ser #: LE356  
 Fleet: 71, Plate: HD32484, CCNo: 02-046A4, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/23/2019 by Felker  
 -----  
**308711-VTM** Issued: 11/2/2018  
 Addr: 140 E Mill St, Hillsboro, WI - 54634  
 Directions:  
 Last State Test: Results:  
 Make: Actaris, Model: 4-MT, Ser #: LE376  
 Fleet: 71, Plate: HD32484, CCNo: 02-046A4, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/23/2019 by Felker  
 -----  
**276510-VTM** Issued: 11/2/2018  
 Addr: 140 E Mill St, Hillsboro, WI - 54634  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 92-1, Ser #: KV2093  
 Fleet: 777, Plate: MC10460, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/7/2019 by Westmor  
 -----

**276508-VTM** Issued: 11/2/2018  
 Addr: 140 E Mill St, Hillsboro, WI - 54634  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: 92-1, Ser #: 297620  
 Fleet: 783S, Plate: HD28966, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/21/2018 by WESTMOR  
 -----  
**276509-VTM** Issued: 11/2/2018  
 Addr: 140 E Mill St, Hillsboro, WI - 54634  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: 92-1, Ser #: 297624  
 Fleet: 783S, Plate: HD28966, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/21/2018 by WESTMOR  
 -----

**276511-VTM** Issued: 11/2/2018  
 Addr: 140 E Mill St, Hillsboro, WI - 54634  
 Directions:  
 Last State Test: Results:  
 Make: Schlumberger, Model: 92-1, Ser #: KV20981  
 Fleet: 777, Plate: MC10460, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/7/2019 by Westmor  
 -----

**Viroqua****Mageland Oil & Fuels LLC**

Contact: Mageland Oil & Fuels LLC (Mike Mageland)  
 Work Phone: (608) 606-1724 e-mail: magelandoil@hotmail.com  
 -----

**310863-VTM** Issued: 10/22/2018  
 Addr: 530 E Parkinson St, Viroqua, WI - 54665  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: NA, Ser #: 190389  
 Fleet: 2, Plate: HD22624, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/17/2019 by Felker  
 -----



-----  
**310864-VTM** Issued: 10/22/2018  
 Addr: 530 E Parkinson St, Viroqua, WI - 54665  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800-1, Ser #: 250010  
 Fleet: 1, Plate: HD25824, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/17/2019 by Felker

-----  
**310862-VTM** Issued: 10/22/2018  
 Addr: 530 E Parkinson St, Viroqua, WI - 54665  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: NA, Ser #: 190390  
 Fleet: 2, Plate: HD22624, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/17/2019 by Felker

-----  
**310865-VTM** Issued: 10/22/2018  
 Addr: 530 E Parkinson St, Viroqua, WI - 54665  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: NA, Ser #: 249999  
 Fleet: 1, Plate: HD25824, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/17/2019 by Felker

**Vesbach Oil & Propane LLC**

Contact: Vesbach Oil & Propane, LLC (Tina Vesbach)  
 Primary Phone: (608) 637-2200 e-mail: tvesbach6@gmail.com

-----  
**326603-VTM** Issued: 11/5/2018  
 Addr: E8063 County Rd JJ, Viroqua, WI - 54665  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 550184  
 Fleet: 10KW, Plate: HD20049, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker

-----  
**326605-VTM** Issued: 11/5/2018  
 Addr: E8063 County Rd JJ, Viroqua, WI - 54665  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 550182  
 Fleet: 10KW, Plate: HD20049, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker

**Vesbach Oil & Propane, LLC**

Contact: Vesbach Oil & Propane, LLC (Tina Vesbach)  
 Primary Phone: (608) 637-2200 e-mail: tvesbach6@gmail.com

-----  
**279664-VTM** Issued: 11/5/2018  
 Addr: E8063 County Rd JJ, Viroqua, WI - 54665  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 384742  
 Fleet: 16PB, Plate: HD31396, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker

-----  
**279665-VTM** Issued: 11/5/2018  
 Addr: E8063 County Rd JJ, Viroqua, WI - 54665  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 384747  
 Fleet: 16PB, Plate: HD31396, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/18/2019 by Felker

**Westby**

**Midwest Fuels**

Contact: Midwest Industrial Fuels Inc (Scott Ramin)  
 Work Phone: (608) 782-3308 e-mail: scott.ramin@midwestfuels.com

-----  
**327852-VTM** Issued: 11/5/2018  
 Addr: 217 Swigum Rd, Westby, WI - 54667  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 602693  
 Fleet: 80-221, Plate: QB 17007, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/16/2019 by Felker

Contact: Midwest Industrial Fuels Inc. (Joe Hoscheit)  
 Work Phone: (608) 782-3308 e-mail: joe.hoscheit@midwestfuels.com

-----  
**327853-VTM** Issued: 11/5/2018  
 Addr: 217 Swigum Rd, Westby, WI - 54667  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-15-1, Ser #: 640272  
 Fleet: 80-221, Plate: , CCNo: 92-141, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 4/16/2019 by Felker

**Premier Cooperative**



Contact: Premier Cooperative (Denise Jensen)  
 Work Phone: (608) 723-4181 e-mail: denise.jensen@premiercooperative.com

-----  
**309738-VTM** Issued: 9/19/2018  
 Addr: 405 S Main St, Westby, WI - 54667  
 Directions: on truck 576  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR11, Ser #: 644003  
 Fleet: 576, Plate: PB8609, CCNo: 04-097A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/10/2018 by WESTMOR  
 -----  
**309739-VTM** Issued: 9/19/2018  
 Addr: 405 S Main St, Westby, WI - 54667  
 Directions: on truck 576  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR11, Ser #: 644671  
 Fleet: 576, Plate: PB8609, CCNo: 04-097A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/10/2018 by WESTMOR

**Vilas**

*Arbor Vitae*

**Lakeland Aviation of Minocqua Inc**

Contact: Lakeland Aviation of Minocqua Inc (Angela Bishop)  
 Work Phone: (715) 356-3891 e-mail: info@lakelandfbo.com

-----  
**312367-VTM** Issued: 9/26/2018  
 Addr: 1545 N Farming Rd, Arbor Vitae, WI - 54568  
 Directions: Truck is parked on the east side of the ramp, btwn. the FBO Bldg & Jet A pump. Meter mounted near the rear of the drivers` side.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 18406797 (ILLEGIBLE)  
 Fleet: Jet A, Plate: 0903474492, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/16/2018 by Northwest  
 -----  
**312368-VTM** Issued: 9/26/2018  
 Addr: 1545 N Farming Rd, Arbor Vitae, WI - 54568  
 Directions: Truck is parked on the east side of the ramp, btwn. the FBO Bldg & Jet A pump. Meter mounted near the rear of the drivers` side.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 409655  
 Fleet: 100LL, Plate: NA, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/11/2018 by NORTHWEST

*Eagle River*

**Eagle River Union Airport**

Contact: Eagle River Union Airport (Robert Hom)  
 Work Phone: (715) 479-7442 e-mail: fbo@erairport.com

-----  
**310772-VTM** Issued: 10/2/2018  
 Addr: 1311 Airport Rd, Eagle River, WI - 54521  
 Directions: Fuel farm - S end of ramp adjacent to terminal building  
 Last State Test: Results:  
 Make: Liquid Controls, Model: NA, Ser #: R1099188  
 Fleet: 4, Plate: NA, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/1/2018 by TRI STATE  
 -----  
**310771-VTM** Issued: 10/2/2018  
 Addr: 1311 Airport Rd, Eagle River, WI - 54521  
 Directions: Fuel farm - S end of ramp adjacent to terminal building  
 Last State Test: Results:  
 Make: Neptune, Model: 4, Ser #: KD2529  
 Fleet: 3, Plate: NA, CCNo: NA, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: by  
 -----  
**310769-VTM** Issued: 10/2/2018  
 Addr: 1311 Airport Rd, Eagle River, WI - 54521  
 Directions: Fuel farm - S end of ramp adjacent to terminal building  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 148651  
 Fleet: 48, Plate: NA, CCNo: NA, Pipe Dia: 2, MaxRate: 250  
 Last Private Test: 10/1/2018 by TRI STATE  
 -----  
**310770-VTM** Issued: 10/2/2018  
 Addr: 1311 Airport Rd, Eagle River, WI - 54521  
 Directions: Fuel farm - S end of ramp adjacent to terminal building  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800-2, Ser #: 148447  
 Fleet: 48, Plate: NA, CCNo: NA, Pipe Dia: 3, MaxRate: 100  
 Last Private Test: 10/1/2018 by TRI STATE

**Hicks Enterprises LLC**

Contact: Hicks Fuel and Oil (Larry Hicks)  
 Work Phone: (715) 479-8191 e-mail: larry@hicksfuel.com

-----  
**323887-VTM** Issued: 10/26/2018  
 Addr: 4430 State Rd 17 N, Eagle River, WI - 54621  
 Directions: HWY 17 north of Eable River, turn right towards Phelps, WI 1/4 mile on the left  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3895860103  
 Fleet: T-6, Plate: 63615X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/22/2018 by Northwest Petroleum  
 -----  
**323888-VTM** Issued: 10/26/2018  
 Addr: 4430 State Rd 17 N, Eagle River, WI - 54521  
 Directions: HWY 12 N of Egel River turn right towards Phelps WI 1/4 mile on the left  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3876660303  
 Fleet: T-6, Plate: 63615X, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/22/2018 by Northwest Petroleum

**Hicks Fuel & Oil**

Contact: Hicks Fuel and Oil (Larry Hicks)  
 Work Phone: (715) 479-8191 e-mail: larry@hicksfuel.com

-----  
**290420-VTM** Issued: 10/26/2018  
 Addr: 4430 State Rd 17 N, Eagle River, WI - 54521  
 Directions: Hwy 17N through eagle River. turn right on hwy 17N towards Phelps, 1/4 mile on left  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 616877  
 Fleet: T-4, Plate: MC 8673, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/22/2018 by Northwest Petroleum  
 -----  
**290421-VTM** Issued: 10/26/2018  
 Addr: 4430 State Rd 17 N, Eagle River, WI - 54521  
 Directions: Hwy 17N through eagle River. turn right on hwy 17N towards Phelps, 1/4 mile on left  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 623067  
 Fleet: T-4, Plate: MC 8673, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/22/2018 by Northwest Petroleum

**Wabasha**

*Plainview*

**Feils Oil Company, Inc.**

Contact: Feils Oil Company Inc (Thomas Feils)  
 Work Phone: (507) 534-2020 e-mail: feilsoil@midconetwork.com

-----  
**299610-VTM** Issued: 10/2/2018  
 Addr: 35 9th St, Plainview, MN - 55964  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR-600, Ser #: 627062  
 Fleet: N/A, Plate: YBK4889, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/2/2018 by MINNESOTA DPT  
 -----  
**299597-VTM** Issued: 10/2/2018  
 Addr: 35 9th St, Plainview, MN - 55964  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCR-600, Ser #: 627513  
 Fleet: N/A, Plate: YBK4889, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/2/2018 by MINNESOTA DPT

**Walworth**

*East Troy*

**Rhode Oil**

Contact: Rhodes Businesses, LLC (Ron Rhode)  
 Work Phone: (262) 642-3171 e-mail: roadrunnerbuses@centurytel.net

-----  
**277423-VTM** Issued: 10/26/2018  
 Addr: W2691 County Hwy ES, East Troy, WI - 53120  
 Directions: Hwy ES and Main St, 1.5 miles W on the square  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: CP1009  
 Fleet: 86, Plate: GD5592, CCNo: 02-046, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/22/2019 by Felker Truck & Equipment  
 -----  
**277421-VTM** Issued: 10/29/2018  
 Addr: W2691 County Hwy ES, East Troy, WI - 53120  
 Directions: W of East Troy on Hwy ES  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: CP1008  
 Fleet: 86, Plate: GD55992, CCNo: 02-046, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/22/2019 by Felker Truck & Equipment

*Lake Geneva*

**Jerry Willkomm Inc**

Contact: Jerry Willkomm, Inc. (Jim Willkomm)  
Work Phone: (262) 925-9500 e-mail: jim@jwimobil.com

-----  
**305311-VTM** Issued: 10/2/2018  
Addr: 1050 Carey St, Lake Geneva, WI - 53147  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 187523  
Fleet: 112, Plate: 6148W, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 6/21/2018 by Petroleum Systems

-----  
**305310-VTM** Issued: 10/2/2018  
Addr: 1050 Carey St, Lake Geneva, WI - 53147  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 410489  
Fleet: 15, Plate: 70353W, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 6/21/2018 by Petroleum Systems

-----  
**305309-VTM** Issued: 10/2/2018  
Addr: 1050 Carey St, Lake Geneva, WI - 53147  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 410623  
Fleet: 15, Plate: 70353W, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 6/21/2018 by Petroleum Systems

#### Jerry Willkomm, Inc.

Contact: Jerry Willkomm, Inc. (Jim Willkomm)  
Work Phone: (262) 925-9500 e-mail: jim@jwimobil.com

-----  
**325925-VTM** Issued: 10/2/2018  
Addr: 1050 Carey St, Lake Geneva, WI - 53147  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 154958  
Fleet: 112, Plate: 6148W, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 6/21/2018 by Petroleum Systems

#### Rote Oil LTD

Contact: Rote Oil, Ltd. (David Schwartz)  
Work Phone: (262) 248-2733 e-mail: dschwartz@roteoil.com

-----  
**310275-VTM** Issued: 9/19/2018  
Addr: N1887 County Trunk H, Lake Geneva, WI - 53147  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 497680  
Fleet: 6245, Plate: JB12373, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/21/2018 by GREAT LAKES

-----  
**272774-VTM** Issued: 9/19/2018  
Addr: N1887 County Trunk H, Lake Geneva, WI - 53147  
Directions: 2 Miles South of Hwy 50 on Hwy H, Lake Geneva.  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 509503  
Fleet: 5, Plate: JB8187, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/21/2018 by GREAT LAKES

-----  
**310277-VTM** Issued: 9/19/2018  
Addr: N1887 County Trunk H, Lake Geneva, WI - 53147  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7, Ser #: 499611  
Fleet: 6245, Plate: JB12373, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/22/2018 by GREAT LAKES

-----  
**272775-VTM** Issued: 9/19/2018  
Addr: N1887 County Trunk H, Lake Geneva, WI - 53147  
Directions: 2 Miles South of Hwy 50 on Hwy H, Lake Geneva.  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-1, Ser #: 509501  
Fleet: 5, Plate: JB8187, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 8/21/2018 by GREAT LAKES

#### Whitewater

#### Frawley Oil Company

Contact: Frawley Oil Company, Inc. (Mike Frawley)  
Work Phone: (262) 473-8605 e-mail: mike@frawleyoil.com

-----  
**319816-VTM** Issued: 10/25/2018  
Addr: 600 Milwaukee St, Whitewater, WI - 53190  
Directions:  
Last State Test: Results:  
Make: Liquid Controls, Model: M7C1, Ser #: 3833690201  
Fleet: 39, Plate: APPLIED FOR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
Last Private Test: 12/7/2018 by Midwest Trailer

#### Frawley Oil Company, Inc.

Contact: Frawley Oil Company, Inc. (Mike Frawley)  
 Work Phone: (262) 473-8605 e-mail: mike@frawleyoil.com

-----  
**319808-VTM** Issued: 10/25/2018  
 Addr: 600 Milwaukee St, Whitewater, WI - 53190  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3849500103  
 Fleet: #6, Plate: APPLIED FOR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/7/2018 by Midwest Trailer

-----  
**319813-VTM** Issued: 10/25/2018  
 Addr: 600 Milwaukee St, Whitewater, WI - 53190  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3849500202  
 Fleet: #6, Plate: APPLIED FOR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/7/2018 by Midwest Trailer

-----  
**319814-VTM** Issued: 10/25/2018  
 Addr: 600 Milwaukee St, Whitewater, WI - 53190  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3833690101  
 Fleet: #7, Plate: APPLIED FOR, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 12/7/2018 by Midwest Trailer

-----  
**272268-VTM** Issued: 10/25/2018  
 Addr: 600 Milwaukee St, Whitewater, WI - 53190  
 Directions: Inter Bus Hwy 12 & Hwy 59  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 431682  
 Fleet: 2004 FRT #10, Plate: JB 8859, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/10/2018 by MIDWEST TRAILER

-----  
**272257-VTM** Issued: 10/25/2018  
 Addr: 600 Milwaukee St, Whitewater, WI - 53190  
 Directions: Inter Bus Hwy 12 & Hwy 59  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 501491  
 Fleet: 2007 FRT #9, Plate: JB 8857, CCNo: 86-022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/6/2018 by MIDWEST TRAILER

-----  
**272262-VTM** Issued: 10/25/2018  
 Addr: 600 Milwaukee St, Whitewater, WI - 53190  
 Directions: Inter Bus Hwy 12 & Hwy 59  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 501615  
 Fleet: 2007 FRT #9, Plate: JB 8857, CCNo: 86-022, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/6/2018 by MIDWEST TRAILER

-----  
**272270-VTM** Issued: 10/25/2018  
 Addr: 600 Milwaukee St, Whitewater, WI - 53190  
 Directions: Inter Bus Hwy 12 & Hwy 59  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 431668  
 Fleet: 2004 FRT, Plate: JB 8859, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/10/2018 by MIDWEST TRAILER

-----  
**287659-VTM** Issued: 10/25/2018  
 Addr: 600 Milwaukee St, Whitewater, WI - 53190  
 Directions: Inter Bus Hwy 12 & Hwy 59  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7LCR600, Ser #: 616878  
 Fleet: 2014 FRT #5, Plate: LB10338, CCNo: 91-141A1, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/21/2019 by Midwest Trailer

-----  
**287660-VTM** Issued: 10/25/2018  
 Addr: 600 Milwaukee St, Whitewater, WI - 53190  
 Directions: Inter Bus Hwy 12 & Hwy 59  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7LCR600, Ser #: 616874  
 Fleet: 2014 FRT #5, Plate: LB10338, CCNo: 91-141A1, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/21/2019 by Midwest Trailer

## Wash

### Slinger

#### MA Wolf Trucking Inc

Contact: MA Wolf Trucking Inc. (Robert Troeller)  
 Work Phone: (262) 644-5030 e-mail: rtroeller@ehwolf.com

-----  
**276401-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: on truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-133869  
 Fleet: 133, Plate: MC5748, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF

-----  
**276402-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: on truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-133867  
 Fleet: 133, Plate: MC5748, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF  
 -----

**Washburn***Shell Lake***Synergy Cooperative**

Contact: Synergy Cooperative (Kyle Knutson)  
 Work Phone: (715) 879-5454 e-mail:

-----  
**325698-VTM** Issued: 12/19/2018  
 Addr: 331 Hy 63, Shell Lake, WI - 54871  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 598918  
 Fleet: 132, Plate: HD30481, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/25/2018 by TRI STATE  
 -----

**325692-VTM** Issued: 12/19/2018  
 Addr: 331 Hwy 63, Shell Lake, WI - 54871  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 598713  
 Fleet: 132, Plate: HD30481, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/25/2018 by TRI STATE  
 -----

**Washington***Hartford***United Cooperative**

Contact: United Cooperative (Mark Witzel)  
 Work Phone: (920) 887-1756 e-mail: mwitzel@unitedcooperative.com

-----  
**292977-VTM** Issued: 11/2/2018  
 Addr: 1112 W Summer St, Hartford, WI - 53027  
 Directions:  
 Last State Test: Results:  
 Make: Neptune, Model: 14362, Ser #: JV1595  
 Fleet: 342, Plate: MC9306, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 4/2/2019 by Westmor  
 -----

*Kewaskum***Herriges Oil, Inc.**

Contact: Herriges Oil Inc (Ann Polzean)  
 Primary Phone: (262) 626-2244 e-mail: ann@herrigesoil.com

-----  
**272780-VTM** Issued: 10/26/2018  
 Addr: 1245 Fond du Lac Ave, Kewaskum, WI - 53040  
 Directions: at the Phillips 66 station - s of intersection of hwy 28 & 45 in downtown Kewaskum  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800-1, Ser #: 239954  
 Fleet: 1, Plate: HD 25618, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/9/2018 by Petro-Chemical  
 -----

**272781-VTM** Issued: 10/26/2018  
 Addr: 1245 Fond du Lac Ave, Kewaskum, WI - 53040  
 Directions: at the Phillips 66 station - s of intersection of hwy 28 & 45 in downtown Kewaskum  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41800-1, Ser #: 239953  
 Fleet: 1, Plate: HD 25618, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/9/2018 by Petro-Chemical  
 -----

*Richfield***Wolf Brothers Fuel, Inc.**

Contact: Wolf Brothers Fuel Inc (Fred Wolf)  
 Work Phone: (262) 628-2020 e-mail:

-----  
**272700-VTM** Issued: 10/26/2018  
 Addr: 1985 State Hwy 175, Richfield, WI - 53076  
 Directions: About 20 miles north of Milwaukee, Take HWY 41 North to Exit 167 W, Go West on 167 - Turn Right on 175.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: G14108  
 Fleet: 2, Plate: HD20578, CCNo: 02-046A3, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/9/2018 by PETRO-CHEMICAL  
 -----

-----  
**272693-VTM** Issued: 10/26/2018  
 Addr: 1985 State Hwy 175, Richfield, WI - 53076  
 Directions: About 20 miles north of Milwaukee, Take HWY 41 North to Exit 167 W, Go West on 167 - Turn Right on 175.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: 18337279  
 Fleet: 1, Plate: HD20577, CCNo: 02-046A3, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/9/2018 by PETRO-CHEMICAL  
 -----  
**272698-VTM** Issued: 10/26/2018  
 Addr: 1985 State Hwy 175, Richfield, WI - 53076  
 Directions: About 20 miles north of Milwaukee, Take HWY 41 North to Exit 167 W, Go West on 167 - Turn Right on 175.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: 9856970R  
 Fleet: 1, Plate: HD20577, CCNo: 02-046A3, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/9/2018 by PETRO-CHEMICAL  
 -----  
**272701-VTM** Issued: 10/26/2018  
 Addr: 1985 State Hwy 175, Richfield, WI - 53076  
 Directions: About 20 miles north of Milwaukee, Take HWY 41 North to Exit 167 W, Go West on 167 - Turn Right on 175.  
 Last State Test: Results:  
 Make: Neptune, Model: Type 4, Ser #: E00567  
 Fleet: 2, Plate: HD20578, CCNo: 02-046A3, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/9/2018 by PETRO-CHEMICAL  
 -----

**Slinger****MA Wolf Trucking Inc**

Contact: MA Wolf Trucking Inc. (Robert Troeller)  
 Work Phone: (262) 644-5030 e-mail: rtroeller@ehwolf.com

-----  
**276388-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-124357  
 Fleet: 56, Plate: JB7782, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF  
 -----  
**276397-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 316241  
 Fleet: 95, Plate: HD20753, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by  
 -----  
**276387-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: On truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-13124654  
 Fleet: 56, Plate: JB7782, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by  
 -----  
**276391-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: On truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-133866  
 Fleet: 64, Plate: JB7784, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by  
 -----  
**276392-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-133868  
 Fleet: 64, Plate: JB7784, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF  
 -----  
**276393-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 238752  
 Fleet: 27, Plate: JB7781, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by  
 -----  
**276394-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 238746  
 Fleet: 27, Plate: JB7781, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF  
 -----



-----  
**276395-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-128830  
 Fleet: 34, Plate: JB7783, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

-----  
**276396-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 46-128788  
 Fleet: 34, Plate: JB7783, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF

-----  
**314715-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15C1, Ser #: 3703590201  
 Fleet: 204, Plate: RB26129, CCNo: 92-141A6, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 10/26/2018 by WOLF

-----  
**314712-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7C1, Ser #: 3703590101  
 Fleet: 204, Plate: RB26129, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF

-----  
**276398-VTM** Issued: 11/2/2018  
 Addr: 125 Storck St, Slinger, WI - 53086  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 315818  
 Fleet: 95, Plate: HD20753, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF

### West Bend

#### Yahr Oil Co Inc

Contact: Yahr Oil Company Inc (Robert Yahr)  
 Work Phone: (262) 334-4518 e-mail: bmbobilbob@aol.com

-----  
**274009-VTM** Issued: 9/25/2018  
 Addr: 106 W Decorah Rd, West Bend, WI - 53095  
 Directions: SIDE OF TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 449998  
 Fleet: 2, Plate: JB7672, CCNo: 92-141, Pipe Dia: 2, MaxRate: 10-100  
 Last Private Test: 9/17/2018 by TRI STATE

-----  
**274016-VTM** Issued: 9/25/2018  
 Addr: 106 W Decorah Rd, West Bend, WI - 53095  
 Directions: SIDE OF TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 450004  
 Fleet: 2, Plate: JB7672, CCNo: 92-141, Pipe Dia: 2, MaxRate: 10-100  
 Last Private Test: 9/17/2018 by TRI STATE

-----  
**274021-VTM** Issued: 9/25/2018  
 Addr: 106 W Decorah Rd, West Bend, WI - 53095  
 Directions: SIDE OF TRUCK  
 Last State Test: Results:  
 Make: Actaris, Model: 4MT, Ser #: GC448  
 Fleet: 1, Plate: HD20470, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/17/2018 by TRI STATE

-----  
**274115-VTM** Issued: 9/25/2018  
 Addr: 106 W Decorah Rd, West Bend, WI - 53095  
 Directions: SIDE OF TRUCK  
 Last State Test: Results:  
 Make: Actaris, Model: 4MT, Ser #: FD445  
 Fleet: 1, Plate: HD20470, CCNo: 02-046, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 9/17/2018 by TRI STATE

#### Yahr Oil Company, Inc.

Contact: Yahr Oil Company Inc (Robert Yahr)  
 Work Phone: (262) 334-4518 e-mail: bmbobilbob@aol.com

-----  
**326046-VTM** Issued: 9/25/2018  
 Addr: 106 W Decorah Rd, West Bend, WI - 53095  
 Directions: SIDE OF TRUCK  
 Last State Test: Results:  
 Make: Veeder Root, Model: M-7-1, Ser #: 10705716458  
 Fleet: 22, Plate: HA 33799, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/17/2018 by TRI STATE



**326047-VTM** Issued: 9/25/2018  
 Addr: 106 W Decorah Rd, West Bend, WI - 53095  
 Directions: SIDE OF TRUCK  
 Last State Test: Results:  
 Make: Veeder Root, Model: M-7-1, Ser #: 3951750201  
 Fleet: 22, Plate: HA 33799, CCNo: 90-176, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/17/2018 by TRI STATE

**Waukesha****Mukwonago****Horn Oil Co**

Contact: Horn Oil Co. (Vicky Koceja)  
 Work Phone: (262) 363-7411 e-mail: hornoilcom@gmail.com

**276647-VTM** Issued: 10/12/2018  
 Addr: 728 Clarendon Ave, Mukwonago, WI - 53149  
 Directions: Take hwy 93 to Mukwonago, go east on hwy nn approx 1 block, go south on clarendon ave 1 block  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 441877  
 Fleet: 03, Plate: HD24000, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by TRI STATE

**276649-VTM** Issued: 10/12/2018  
 Addr: 728 Clarendon Ave, Mukwonago, WI - 53149  
 Directions: Take hwy 93 to Mukwonago, go east on hwy nn approx 1 block, go south on clarendon ave 1 block  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 441773  
 Fleet: 03, Plate: HD24000, CCNo: 92-141A5, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/18/2018 by TRI STATE

**Muskego****Johnny's Petroleum Products Inc**

Contact: Johnny's Petroleum Products (Jack Strasser)  
 Primary Phone: (414) 679-0580 e-mail:

**325673-VTM** Issued: 10/10/2018  
 Addr: S76 W17871 Janesville Rd, Muskego, WI - 53150  
 Directions:  
 Last State Test: Results:  
 Make: LECTRO COUNT LCR600, Model: M-10-1, Ser #: 3773320101  
 Fleet: 16, Plate: HD 32892, CCNo: , Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 9/19/2018 by Petroleum Systems

**325687-VTM** Issued: 9/25/2018  
 Addr: S76 W17871 Janesville Rd, Muskego, WI - 53150  
 Directions: MILE EAST JANESVILLE & RACINE AVE, RIGHT SIDE OF ROAD  
 Last State Test: Results:  
 Make: LECTRO COUNT LCR 600, Model: M-10-1, Ser #: 3773320102  
 Fleet: 16, Plate: HD 32892, CCNo: 86-022, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 9/19/2018 by PETROLEUM SYSTEMS

**Johnny's Petroleum Products Inc**

Contact: Johnny's Petroleum Products Inc (John. P Strasser)  
 Work Phone: (262) 679-0580 e-mail:

**273201-VTM** Issued: 9/25/2018  
 Addr: S76 W17871 Janesville Rd, Muskego, WI - 53150  
 Directions: 1/2 MILE EAST JANESVILLE & RACINE AVE, RIGHT SIDE OF ROAD  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4MT, Ser #: FV1545  
 Fleet: 10, Plate: GD46256, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 9/19/2018 by PETROLEUM SYSTEMS

**273206-VTM** Issued: 9/25/2018  
 Addr: S76 W17871 Janesville Rd, Muskego, WI - 53150  
 Directions: MILE EAST JANESVILLE & RACINE AVE, RIGHT SIDE OF ROAD  
 Last State Test: Results:  
 Make: Schlumberger, Model: 4-MT, Ser #: FV1544  
 Fleet: 10, Plate: GD46256, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 9/19/2018 by PETROLEUM SYSTEMS

**North Lake****Corey Oil Ltd**

Contact: Corey Oil Ltd (Andy Glorioso)  
 Work Phone: (414) 840-9198 e-mail: andyglorioso@yahoo.com

**328381-VTM** Issued: 9/19/2018  
 Addr: W314 N7807 Kilbourne Rd, North Lake, WI - 53064  
 Directions: 4 Miles North of Hwy 16 on Hwy 83  
 Last State Test: Results:  
 Make: TOTAL CONTROLS, Model: M-7-1, Ser #: 533302  
 Fleet: #28, Plate: JB 6881, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: by

**328383-VTM** Issued: 9/19/2018  
 Addr: W314 N7807 Kilbourne Rd, North Lake, WI - 53064  
 Directions: 4 Miles North of Hwy 16 on Hwy 83  
 Last State Test: Results:  
 Make: TOTAL CONTROLS, Model: 700-205PYRCX, Ser #: 325156  
 Fleet: #35, Plate: PB8074, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/27/2018 by PETROLEUM SYSTEMS

**328382-VTM** Issued: 9/19/2018  
 Addr: W314 N7807 Kilbourne Rd, North Lake, WI - 53064  
 Directions: 4 Miles North of Hwy 16 on Hwy 83  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 533300  
 Fleet: #28, Plate: JB 6881, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/27/2018 by PETROLEUM SYSTEMS INC.

**328385-VTM** Issued: 9/19/2018  
 Addr: W314 N7807 Kilbourne Rd, North Lake, WI - 53064  
 Directions: 4 Miles North of Hwy 16 on Hwy 83  
 Last State Test: Results:  
 Make: TOTAL CONTROLS, Model: 700-255PAYRCX, Ser #: 825149  
 Fleet: #35, Plate: PB8074, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 6/27/2018 by PETROLEUM SYSTEMS

**Oconomowoc****MA Wolf Trucking Inc.**

Contact: MA Wolf Trucking Inc. (Robert Troeller)  
 Work Phone: (262) 644-5030 e-mail: rtroeller@ehwolf.com

**295431-VTM** Issued: 11/2/2018  
 Addr: N57W39731 Industrial Rd, Oconomowoc, WI - 53066  
 Directions: on truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 159221  
 Fleet: 179, Plate: HD21023, CCNo: NR, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 10/26/2018 by WOLF

**295430-VTM** Issued: 11/2/2018  
 Addr: N57W39731 Industrial Rd, Oconomowoc, WI - 53066  
 Directions: on truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 158096  
 Fleet: 179, Plate: HD21023, CCNo: NR, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: by

**Waukesha****.MA Wolf Trucking Inc.**

Contact: MA Wolf Trucking Inc. (Robert Troeller)  
 Work Phone: (262) 644-5030 e-mail: rtroeller@ehwolf.com

**293128-VTM** Issued: 11/2/2018  
 Addr: 1225 Whiterock Ave, Waukesha, WI - 53186  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 159223  
 Fleet: 174, Plate: HD21029, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: by

**Atlantic Aviation**

Contact: Atlantic Aviation Services (Nicholas Read)  
 Work Phone: (262) 549-6150 e-mail: nicholas.read@atlanticaviation.com

**311670-VTM** Issued: 11/2/2018  
 Addr: 2525 Aviation Dr, Waukesha, WI - 53188  
 Directions: On ramp west of terminal bldg.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25-2, Ser #: 669878  
 Fleet: 1, Plate: NA, CCNo: 92-141A9, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 8/27/2018 by GREAT LAKES

**311671-VTM** Issued: 11/2/2018  
 Addr: 2525 Aviation Dr, Waukesha, WI - 53188  
 Directions: On ramp west of terminal bldg.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 667786  
 Fleet: 1, Plate: NA, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by GREAT LAKES

**306434-VTM** Issued: 11/2/2018  
 Addr: 2525 Aviation Dr, Waukesha, WI - 53188  
 Directions: On ramp west of terminal bldg.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-5-2, Ser #: 651488  
 Fleet: 3, Plate: N/A, CCNo: 92-141A9, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 8/23/2018 by GREAT LAKES

-----  
**306435-VTM** Issued: 11/2/2018  
 Addr: 2525 Aviation Dr, Waukesha, WI - 53188  
 Directions: On ramp west of terminal bldg.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-5-2, Ser #: 651490  
 Fleet: 4, Plate: N/A, CCNo: 92-141A9, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 8/23/2018 by GREAT LAKES

**Atlantic Aviation Services**

Contact: Atlantic Aviation Services (Nicholas Read)  
 Work Phone: (262) 549-6150 e-mail: nicholas.read@atlanticaviation.com

-----  
**273919-VTM** Issued: 11/2/2018  
 Addr: 2525 Aviation Dr, Waukesha, WI - 53188  
 Directions: On ramp west of terminal bldg.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 116164  
 Fleet: J-1, Plate: N/A, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/23/2018 by GREAT LAKES

-----  
**273923-VTM** Issued: 11/2/2018  
 Addr: 2525 Aviation Dr, Waukesha, WI - 53188  
 Directions: On ramp west of terminal bldg.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M25-2, Ser #: 116137  
 Fleet: J-1, Plate: N/A, CCNo: NR, Pipe Dia: 3, MaxRate: 250  
 Last Private Test: 8/23/2018 by GREAT LAKES

-----  
**273925-VTM** Issued: 11/2/2018  
 Addr: 2525 Aviation Dr, Waukesha, WI - 53188  
 Directions: On ramp west of terminal bldg.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M25-2, Ser #: 488429  
 Fleet: J-2, Plate: N/A, CCNo: NR, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 8/22/2018 by GTREAT LAKES

**Chase Oil Inc.**

Contact: Chase Oil Inc. (Peter Chase)  
 Work Phone: (262) 547-7840 e-mail: chaser29@outlook.com

-----  
**329395-VTM** Issued: 12/18/2018  
 Addr: W246 53284 Industrial Ln, Waukesha, WI - 53189  
 Directions: Industrial In. In Waukesha is South of Sunset Dr. Btwn West Avenue and Prairie Avenue.  
 Last State Test: Results:  
 Make: Actaris, Model: 834, Ser #: FELIS  
 Fleet: 1, Plate: HD33024, CCNo: NA, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 12/8/2018 by Petroleum Services

**MA Wolf Trucking Inc.**

Contact: MA Wolf Trucking Inc. (Robert Troeller)  
 Work Phone: (262) 644-5030 e-mail: rtroeller@ehwolf.com

-----  
**295059-VTM** Issued: 11/2/2018  
 Addr: 1225 Whiterock Ave, Waukesha, WI - 53186  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 159222  
 Fleet: 182, Plate: HD21025, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF

-----  
**295058-VTM** Issued: 11/2/2018  
 Addr: 1225 Whiterock Ave, Waukesha, WI - 53186  
 Directions: on truck  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 158098  
 Fleet: 182, Plate: HD21025, CCNo: 92-141A8, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF

-----  
**293132-VTM** Issued: 11/2/2018  
 Addr: 1225 Whiterock Ave, Waukesha, WI - 53186  
 Directions: address  
 Last State Test: Results:  
 Make: Veeder Root, Model: M-7-1, Ser #: 345431  
 Fleet: 168, Plate: HD21026, CCNo: NR, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 10/26/2018 by WOLF

-----  
**293133-VTM** Issued: 11/2/2018  
 Addr: 1225 Whiterock Ave, Waukesha, WI - 53186  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Veeder Root, Model: M-7, Ser #: 345430  
 Fleet: 168, Plate: HD21026, CCNo: NR, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: by

-----  
**293129-VTM** Issued: 11/2/2018  
 Addr: 1225 Whiterock Ave, Waukesha, WI - 53186  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 159716  
 Fleet: 174, Plate: HD21029, CCNo: 92-141 A8, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 10/26/2018 by WOLF

-----  
**310760-VTM** Issued: 11/2/2018  
 Addr: 1225 Whiterock Ave, Waukesha, WI - 53186  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 158100  
 Fleet: 170, Plate: HD21028, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF

-----  
**310758-VTM** Issued: 11/2/2018  
 Addr: 1225 Whiterock Ave, Waukesha, WI - 53186  
 Directions: ON TRUCK  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 158097  
 Fleet: 170, Plate: HD21028, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/26/2018 by WOLF

**Stein`s Aircraft Services, LLC**

Contact: Stein`s Aircraft Services, LLC (Michael Stein)  
 Work Phone: (262) 597-1087 e-mail:

-----  
**317958-VTM** Issued: 9/25/2018  
 Addr: 2651 Aviation Dr, Waukesha, WI - 53188  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 3606020111  
 Fleet: NA, Plate: NA, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/24/2018 by GREAT LAKES

-----  
**317959-VTM** Issued: 9/25/2018  
 Addr: 2651 Aviation Dr, Waukesha, WI - 53188  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 670674  
 Fleet: NA, Plate: NA, CCNo: 92-142, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 8/24/2018 by GREAT LAKES

-----  
**317961-VTM** Issued: 9/25/2018  
 Addr: 2651 Aviation Dr, Waukesha, WI - 53188  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-25, Ser #: 670599  
 Fleet: NA, Plate: NA, CCNo: 92-141, Pipe Dia: 3, MaxRate: 300  
 Last Private Test: 8/24/2018 by GREAT LAKES

**Waupaca**

*lola*

**Mortenson Oil Co. Inc.**

Contact: Mortenson Oil Co Inc (Steve Mortenson)  
 Work Phone: (715) 445-3304 e-mail: mortensonoil@gglbbs.com

-----  
**276278-VTM** Issued: 10/29/2018  
 Addr: 100 Summit St, lola, WI - 54945  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-41820-1, Ser #: 243357  
 Fleet: 1, Plate: HD25189, CCNo: NR, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/24/2018 by GREAT LAKES

-----  
**276275-VTM** Issued: 10/29/2018  
 Addr: 100 Summit St, lola, WI - 54945  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-41820-1, Ser #: 242209  
 Fleet: 1, Plate: HD25189, CCNo: NR, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 10/24/2018 by GREAT LAKES

*Waupaca*

**GROWMARK, INC., Insight FS**

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

-----  
**319175-VTM** Issued: 10/29/2018  
 Addr: 1995 Spindt Dr, Waupaca, WI - 54981  
 Directions: at FS facility  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 476840  
 Fleet: 2873, Plate: PB7490, CCNo: 92-141, Pipe Dia: , MaxRate: 50  
 Last Private Test: by

**Premier Cooperative**

Contact: Premier Cooperative (Denise Jensen)  
 Work Phone: (608) 723-4181 e-mail: denise.jensen@premiercooperative.com

-----  
**299780-VTM** Issued: 9/19/2018  
 Addr: 810 Redfield Rd, Waupaca, WI - 54981  
 Directions: on truck 685  
 Last State Test: Results:  
 Make: Neptune, Model: 4, Ser #: 10398670  
 Fleet: 685, Plate: JB8359, CCNo: 04-070, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 8/8/2018 by FELKER

-----  
**299779-VTM** Issued: 9/19/2018  
 Addr: 810 Redfield Rd, Waupaca, WI - 54981  
 Directions: on truck 685  
 Last State Test: Results:  
 Make: Neptune, Model: 4, Ser #: 14701661  
 Fleet: 685, Plate: JB8359, CCNo: 04-070, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 8/8/2018 by FELKER

### Weyauwega

#### Larsen Cooperative

Contact: CHS-LCC Co-op (Bryan Lind)  
 Primary Phone: (920) 982-1111 e-mail: bryan.lind@CHSinc.com

-----  
**272721-VTM** Issued: 10/22/2018  
 Addr: N2017 County Rd X, Weyauwega, WI - 54983  
 Directions: Exit hwy 10 on Cty X to N2017  
 Last State Test: Results:  
 Make: Veeder Root, Model: M-7-1, Ser #: 471728  
 Fleet: 424, Plate: MC6864, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by CITY OF APPLETON

-----  
**272720-VTM** Issued: 10/22/2018  
 Addr: N2017 County Rd X, Weyauwega, WI - 54983  
 Directions: Exit hwy 10 on Cty X to N2017  
 Last State Test: Results:  
 Make: Veeder Root, Model: M-7-1, Ser #: 471726  
 Fleet: 424, Plate: MC6864, CCNo: 04-070, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by East Cental Weights

-----  
**272717-VTM** Issued: 10/22/2018  
 Addr: N2017 County Rd X, Weyauwega, WI - 54983  
 Directions:  
 Last State Test: Results:  
 Make: Neptune, Model: 4MT, Ser #: CW1586  
 Fleet: 392, Plate: MC8877, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by CITY OF APPLETON

### Waushara

#### Coloma

#### Condon Oil Co. Inc

Contact: Condon Oil Co Inc (Thomas Reinsch)  
 Work Phone: (920) 748-3186 e-mail: treinsch@condoncompanies.com

-----  
**276098-VTM** Issued: 10/22/2018  
 Addr: 108 S Front St, Coloma, WI - 54930  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: MZ41800-2, Ser #: 165122  
 Fleet: 64 Bill, Plate: LB9885, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

-----  
**276100-VTM** Issued: 10/22/2018  
 Addr: 260 Front St, Coloma, WI - 54930  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 172255  
 Fleet: 64, Plate: LB9885, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/11/2018 by CITY OF APPLETON

#### Plainfield

#### Fox Oil Co Inc

Contact: Fox Oil Co Inc (Kenneth Helmrick)  
 Work Phone: (715) 335-4211 e-mail: foxoilco@uniontel.net

-----  
**274243-VTM** Issued: 10/15/2018  
 Addr: 406 W Mill St, Plainfield, WI - 54966  
 Directions: I-39 to hwy 73 exit, E to Village of Plainfield, N on N Woodward Ave, to bulk plant  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 575540  
 Fleet: 106, Plate: HD29347, CCNo: 92-141A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/10/2018 by HJ Martens

-----  
**274244-VTM** Issued: 10/15/2018  
 Addr: 406 W Mill St, Plainfield, WI - 54966  
 Directions: I-39 to hwy 73 exit, E to Village of Plainfield, N on N Woodward Ave, to bulk plant  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 575538  
 Fleet: 106, Plate: HD29347, CCNo: 92-141A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/10/2018 by HJ Martens  
 -----  
**274245-VTM** Issued: 10/15/2018  
 Addr: 406 W Mill St, Plainfield, WI - 54966  
 Directions: I-39 to hwy 73 exit, E to Village of Plainfield, N on N Woodward Ave, to bulk plant  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 419836  
 Fleet: 104, Plate: HD22984, CCNo: 92-141A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/8/2018 by HJ Martens  
 -----  
**274246-VTM** Issued: 10/15/2018  
 Addr: 406 W Mill St, Plainfield, WI - 54966  
 Directions: I-39 to hwy 73 exit, E to Village of Plainfield, N on N Woodward Ave, to bulk plant  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 419833  
 Fleet: 104, Plate: HD22984, CCNo: 92-141A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/8/2018 by HJ Martens  
 -----  
**310372-VTM** Issued: 10/15/2018  
 Addr: 406 W Mill St, Plainfield, WI - 54966  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10-1, Ser #: 666078  
 Fleet: 107, Plate: HD32652, CCNo: 92-141, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 5/9/2018 by HJ Martens  
 -----  
**310370-VTM** Issued: 10/15/2018  
 Addr: 406 W Mill St, Plainfield, WI - 54966  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 666121  
 Fleet: 107, Plate: HD32652, CCNo: 92-141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 5/9/2018 by HJ Martens  
 -----

**Wautoma**

**GROWMARK, INC., Insight FS**

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

-----  
**293243-VTM** Issued: 10/29/2018  
 Addr: 445 Pickle Row, Wautoma, WI - 54982  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7-1, Ser #: 421459  
 Fleet: 52374, Plate: NB4105, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/26/2018 by GROWMARK  
 -----  
**293244-VTM** Issued: 11/14/2018  
 Addr: , Wautoma, WI - 54982  
 Directions: address PO BOX 278  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 415801  
 Fleet: 52374, Plate: NB4105, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/26/2018 by GROWMARK  
 -----

**Winnebago**

**Larsen**

**Larsen Cooperative**

Contact: CHS-LCC Co-op (Bryan Lind)  
 Primary Phone: (920) 982-1111 e-mail: bryan.lind@CHSinc.com

-----  
**272715-VTM** Issued: 10/22/2018  
 Addr: 8290 County Rd T, Larsen, WI - 54947  
 Directions:  
 Last State Test: Results:  
 Make: Neptune, Model: 4MT, Ser #: JB420  
 Fleet: 232, Plate: MC6865, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by CITY OF APPLETON  
 -----  
**272716-VTM** Issued: 10/22/2018  
 Addr: 8290 County Rd T, Larsen, WI - 54947  
 Directions:  
 Last State Test: Results:  
 Make: Neptune, Model: 4MT-FO, Ser #: JB417  
 Fleet: 232, Plate: MC6865, CCNo: 90-041A4, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 10/10/2018 by CITY OF APPLETON  
 -----

**Oshkosh**

**Basler Flight Service**

Contact: Basler Flight Service (Justin Rust)  
 Primary Phone: (920) 236-7827 e-mail: bfs@baslerflightservice.com

-----  
**290370-VTM** Issued: 11/9/2018  
 Addr: 525 W 20th Ave, Oshkosh, WI - 54902  
 Directions: Exit Hwy 41 on #116, Right turn on 29th ave, turn right into 801 west 20th  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 178687  
 Fleet: 41, Plate: , CCNo: 92:141, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/19/2018 by Great Lakes

-----  
**290371-VTM** Issued: 11/9/2018  
 Addr: 525 W 20th Ave, Oshkosh, WI - 54902  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-2, Ser #: 178894  
 Fleet: 41, Plate: , CCNo: 92-141, Pipe Dia: 3, MaxRate: 100  
 Last Private Test: 7/19/2018 by Great Lakes

-----  
**302122-VTM** Issued: 9/19/2018  
 Addr: 525 W 20th Ave, Oshkosh, WI - 54902  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M25, Ser #: 455009  
 Fleet: 21, Plate: NR, CCNo: NR, Pipe Dia: 2, MaxRate: 300  
 Last Private Test: 7/19/2018 by GREAT LAKES

-----  
**302123-VTM** Issued: 11/9/2018  
 Addr: 525 W 20th Ave, Oshkosh, WI - 54902  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 455072  
 Fleet: 21, Plate: NR, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/19/2018 by Great Lakes

-----  
**302124-VTM** Issued: 11/9/2018  
 Addr: 525 W 20th Ave, Oshkosh, WI - 54902  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 492626  
 Fleet: 1, Plate: NR, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/17/2018 by Great Lakes

-----  
**302119-VTM** Issued: 11/9/2018  
 Addr: 525 W 20th Ave, Oshkosh, WI - 54902  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 168621  
 Fleet: 16, Plate: NR, CCNo: NR, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/17/2018 by Great Lakes

-----  
**302120-VTM** Issued: 11/9/2018  
 Addr: 525 W 20th Ave, Oshkosh, WI - 54902  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: DATCP302120  
 Fleet: 31, Plate: NR, CCNo: NR, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 7/19/2018 by Great Lakes

-----  
**302121-VTM** Issued: 11/9/2018  
 Addr: 525 W 20th Ave, Oshkosh, WI - 54902  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M15, Ser #: 163948  
 Fleet: 31, Plate: NR, CCNo: NR, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 7/19/2018 by Great Lakes

## Winona

### Winona

#### Neumann Gas and Oil Company Inc.

Contact: Neumann Gas and Oil Company (Dean Neumann)  
 Work Phone: (507) 452-4249 e-mail: dneumannoil@gmail.com

-----  
**276605-VTM** Issued: 10/2/2018  
 Addr: 1150 E Broadway St, Winona, MN - 55987  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: R788700, Ser #: 154904  
 Fleet: 04INT, Plate: YBC7314, CCNo: 00-060A4, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/24/2018 by Kirks

-----  
**276602-VTM** Issued: 10/2/2018  
 Addr: 1150 E Broadway St, Winona, MN - 55987  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: R788700, Ser #: 154957  
 Fleet: 04INT, Plate: YBC7314, CCNo: 00-060A4, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/24/2018 by Kirks



**Severson Oil Co**

Contact: Severson Oil Co. (Sherri Wendland)

Primary Phone: (507) 452-4743 e-mail: sherri@seversonoil.com

**297131-VTM** Issued: 10/26/2018

Addr: 265 E Mark St, Winona, MN - 55987

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-10-1, Ser #: 631786

Fleet: 30, Plate: PRZ5310, CCNo: 92-141A6, Pipe Dia: 2, MaxRate: 150

Last Private Test: by

**297132-VTM** Issued: 10/26/2018

Addr: 265 E Mark St, Winona, MN - 55987

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-15-1, Ser #: 632149

Fleet: 30, Plate: PRZ5310, CCNo: 92-141A6, Pipe Dia: 3, MaxRate: 200

Last Private Test: 8/28/2018 by KIRKS METER

**Severson Oil Co.**

Contact: Severson Oil Co. (Sherri Wendland)

Primary Phone: (507) 452-4743 e-mail: sherri@seversonoil.com

**276005-VTM** Issued: 10/26/2018

Addr: 508 Louisa St, Winona, MN - 55987

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-10-1, Ser #: 362104

Fleet: 15, Plate: PRX1518, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 8/29/2018 by KIRKS METER

**276004-VTM** Issued: 10/26/2018

Addr: 508 Louisa St, Winona, MN - 55987

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-10-1, Ser #: 362105

Fleet: 15, Plate: PRX1518, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 8/29/2018 by KIRKS METER

**281073-VTM** Issued: 10/26/2018

Addr: 508 Louisa St, Winona, MN - 55987

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 446303

Fleet: 04, Plate: YAR4086, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 8/29/2018 by KIRKS METER

**281072-VTM** Issued: 10/26/2018

Addr: 508 Louisa St, Winona, MN - 55987

Directions:

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 446298

Fleet: 04, Plate: YAR4086, CCNo: NR, Pipe Dia: 2, MaxRate: 100

Last Private Test: 8/29/2018 by KIRKS METER

**Wood****Blenker****Swetz Oil Co Inc**

Contact: Swetz Oil Co Inc (George Swetz)

Work Phone: (715) 652-2380 e-mail: swetzoil@tds.net

**273115-VTM** Issued: 10/24/2018

Addr: 3884 County Rd P, Blenker, WI - 54415

Directions: Hwy 10 in Blenker

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 535293

Fleet: #218, Plate: HD24904, CCNo: N/A, Pipe Dia: 2, MaxRate: 100

Last Private Test: 9/17/2018 by HJ MARTENS

**273112-VTM** Issued: 10/24/2018

Addr: 3884 County Rd P, Blenker, WI - 54415

Directions: Hwy 10 in Blenker

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 457257

Fleet: #215, Plate: HD23370, CCNo: N/A, Pipe Dia: 2, MaxRate: 100

Last Private Test: 9/17/2018 by HJ MARTENS

**273114-VTM** Issued: 10/24/2018

Addr: 3884 County Rd P, Blenker, WI - 54415

Directions: Hwy 10 in Blenker

Last State Test: Results:

Make: Liquid Controls, Model: M-7-1, Ser #: 457328

Fleet: #215, Plate: HD23370, CCNo: N/A, Pipe Dia: 2, MaxRate: 100

Last Private Test: 9/17/2018 by HJ MARTENS

-----  
**273116-VTM** Issued: 10/24/2018  
 Addr: 3884 County Rd P, Blenker, WI - 54415  
 Directions: Hwy 10 in Blenker  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 536290  
 Fleet: #218, Plate: HD24904, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/17/2018 by HJ MARTENS

-----  
**307173-VTM** Issued: 10/24/2018  
 Addr: 3884 County Rd P, Blenker, WI - 54415  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 653119  
 Fleet: 220, Plate: HD31991, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/17/2018 by HJ MARTENS

-----  
**307174-VTM** Issued: 10/24/2018  
 Addr: 3884 County Rd P, Blenker, WI - 54415  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7-1, Ser #: 653118  
 Fleet: 220, Plate: HD31991, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/17/2018 by HJ MARTENS

### Marshfield

#### Baltus Oil Company, Inc.

Contact: Baltus Oil Company Inc (John Baltus)  
 Work Phone: (715) 384-3178 e-mail: john@baltusoil.com

-----  
**272419-VTM** Issued: 9/19/2018  
 Addr: 110 S Chestnut Ave, Marshfield, WI - 54449  
 Directions:  
 Last State Test: Results:  
 Make: Neptune, Model: 834, Ser #: GO6286  
 Fleet: DOT 227402, Plate: HD 28656, CCNo: N/A, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 4/2/2019 by HJ Martens

-----  
**272425-VTM** Issued: 9/19/2018  
 Addr: 110 S Chestnut Ave, Marshfield, WI - 54449  
 Directions: North on Central Ave, left on 2nd St, located on corner of 2nd & Chestnut  
 Last State Test: Results:  
 Make: Neptune, Model: 434, Ser #: EL2165  
 Fleet: DOT227402, Plate: HD 28656, CCNo: N/A, Pipe Dia: 1.5, MaxRate: 60  
 Last Private Test: 4/2/2019 by HJ Martens

#### ProVision Partners Cooperative

Contact: ProVision Partners Cooperative (Troy Thompson)  
 Work Phone: (715) 387-1291 e-mail: tthompson@provisionpartners.coop

-----  
**273085-VTM** Issued: 10/8/2018  
 Addr: 2327 W Veterans Pkwy, Marshfield, WI - 54449  
 Directions: Hw 29 to South in Hwy 13, to W.Veterans Pkwy, East side of road.  
 Last State Test: Results:  
 Make: Neptune, Model: 833, Ser #: 3855 (18792614)  
 Fleet: 82, Plate: HD24122, CCNo: NR, Pipe Dia: 2, MaxRate: 60  
 Last Private Test: 4/22/2019 by Tri State

-----  
**303779-VTM** Issued: 10/8/2018  
 Addr: 106 S Peach Ave, Marshfield, WI - 54449  
 Directions: Hw 29 to South in Hwy 13, west side of road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-10, Ser #: 650748  
 Fleet: 120, Plate: PB8133, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/23/2019 by Tri State

-----  
**303777-VTM** Issued: 10/8/2018  
 Addr: 106 S Peach Ave, Marshfield, WI - 54449  
 Directions: Hw 29 to South in Hwy 13, west side of road.  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 650761  
 Fleet: 120, Plate: PB8133, CCNo: NR, Pipe Dia: 2, MaxRate: 150  
 Last Private Test: 4/23/2019 by Tri State

### Pittsville

#### Cournoyer Oil Company

Contact: Cournoyer Oil Company (Ronald Cournoyer)  
 Work Phone: (715) 884-2582 e-mail: cournoyer@tds..net

-----  
**310746-VTM** Issued: 10/5/2018  
 Addr: 4813 Dairy Rd, Pittsville, WI - 54466  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M2373, Ser #: 192540  
 Fleet: N/A, Plate: JB10768, CCNo: NA, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/28/2018 by HJ MARTENS

**310747-VTM** Issued: 10/5/2018  
 Addr: 4813 Dairy Rd, Pittsville, WI - 54466  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M2373, Ser #: 192541  
 Fleet: NA, Plate: JB10768, CCNo: N/A, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 9/28/2018 by HJ MARTENS

**Wisconsin Rapids****GROWMARK, INC., Insight FS**

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

**293212-VTM** Issued: 10/29/2018  
 Addr: 2021 36th St, Wisconsin Rapids, WI - 54494  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 554115  
 Fleet: 3070, Plate: QB14869, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/26/2018 by GROWMARK

**293211-VTM** Issued: 10/29/2018  
 Addr: 2021 36th St, Wisconsin Rapids, WI - 54494  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 554116  
 Fleet: 3070, Plate: QB14869, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/26/2018 by GROWMARK

**293239-VTM** Issued: 10/29/2018  
 Addr: 2021 36th St N, Wisconsin Rapids, WI - 54494  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 507305  
 Fleet: 2871, Plate: QB14545, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by GROWMARK

**293240-VTM** Issued: 10/29/2018  
 Addr: 2021 36th St N, Wisconsin Rapids, WI - 54494  
 Directions: address  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M7, Ser #: 504598  
 Fleet: 2871, Plate: QB14545, CCNo: 92-075A2, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 7/25/2018 by GROWMARK

**Insight FS**

Contact: Growmark Inc (Joe Sikora)  
 Alt Phone: (920) 674-7000 e-mail: jsikora@insightfs.com

**327861-VTM** Issued: 11/9/2018  
 Addr: 2021 36th St N, Wisconsin Rapids, WI - 54494  
 Directions: Plover Rd to 36th St. N Turn south on 36th St. Last building on west side of road on corner of Wolosek & 36th St North  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCRTF, Ser #: 339168  
 Fleet: 55067, Plate: PB8066, CCNo: 92-075A2, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 8/9/2018 by Growmark

**327862-VTM** Issued: 11/14/2018  
 Addr: 2021 36th St N, Wisconsin Rapids, WI - 54494  
 Directions: Plover Rd to 36th St. N Turn south on 36th St. Last building on west side of road on corner of Wolosek & 36th St North  
 Last State Test: Results:  
 Make: Liquid Controls, Model: LCRTF, Ser #: 339169  
 Fleet: 55067, Plate: PB8066, CCNo: 92-075A2, Pipe Dia: 3, MaxRate: 200  
 Last Private Test: 8/9/2018 by Growmark

**330067-VTM** Issued: 3/19/2019  
 Addr: 2020 36th St, Wisconsin Rapids, WI - 54494  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 4127490102  
 Fleet: RR1414, Plate: Applied For, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/28/2019 by Growmark

**330066-VTM** Issued: 3/19/2019  
 Addr: 2021 36th St, Wisconsin Rapids, WI - 54494  
 Directions:  
 Last State Test: Results:  
 Make: Liquid Controls, Model: M-7, Ser #: 3868280301  
 Fleet: RR1414, Plate: Applied For, CCNo: 92-141A9, Pipe Dia: 2, MaxRate: 100  
 Last Private Test: 2/28/2019 by Growmark

**Southwood County Airport Commission**

Contact: Municipal Government (Jeremy Sickler)  
Work Phone: (715) 423-0330 e-mail: jsickler@wirapids.org

-----  
**324629-VTM** Issued: 11/13/2018  
Addr: 3620 1st St S, Wisconsin Rapids, WI - 54494  
Directions: Airport ramp near terminal  
Last State Test: Results:  
Make: Liquid Controls, Model: M-22-2, Ser #: 423522  
Fleet: 1, Plate: N/A, CCNo: N/A, Pipe Dia: 3, MaxRate: 300  
Last Private Test: 10/18/2018 by Westmor

-----  
**324631-VTM** Issued: 11/13/2018  
Addr: 3620 1st St S, Wisconsin Rapids, WI - 54494  
Directions: Airport ramp near terminal  
Last State Test: Results:  
Make: Liquid Controls, Model: M-7-2, Ser #: 420912  
Fleet: 1, Plate: N/A, CCNo: N/A, Pipe Dia: 1.5, MaxRate: 100  
Last Private Test: 10/18/2018 by Westmor