

## Black Cutworm Trap Counts 2022 Year-End Summary

County	Location	Week 1 Apr 07	Week 2 Apr 14	Week 3 Apr 21	Week 4 Apr 28	Week 5 May 05	Week 6 May 12	Week 7 May 19	Week 8 May 26
Adams	Grand Marsh		0	0	1	12	29	6	7
Adams	Wisconsin Dells		1	1	0	5	1	0	0
Buffalo	Alma	0	0	0	0	1	3	3	2
Buffalo	Gilmanton	0	0	0	0	1	2	2	3
Columbia	Briggsville		0	0	0	6	2	0	3
Columbia	Cambria		0	2	0	6	26	9	12
Columbia	Leeds/Doylestown		0	2	9	36	29	8	3
Columbia	Pardeeville		0	0	0	1	2	0	3
Columbia	Poynette		0	0	0	2	0	2	0
Dane	Marshall		0	8	6	13	7	27	14
Dodge	Beaver Dam	0	1	0	2	12	18	10	
Dodge	Lowell	0	0	0	1	0	3	17	0
Dodge	Waupun	0	1	0	1	8	30	6	12
Fond du Lac	Lamartine	0	0	0	0	8	5	5	20
Fond du Lac	Ripon	0	1	0	1	4	13	4	17
Grant	Prairie du Chien	0	0	0	0	0	0	2	0
Green Lake	Markesan		0	3	0	15	28	9	11
Manitowoc	Manitowoc					0	1	3	5
Marathon	Wausau	0	0	0	3	10	1	0	6
Marquette	Montello		0	2	0	4	2	5	7
Monroe	Cashton	0	0		0	0	3	2	1
Pepin	Durand	0	0	1	0	0	4	4	5
Sheboygan	Oostburg					0	0	0	0

## Black Cutworm Trap Counts 2022 Year-End Summary

County	Location	Week 1 Apr 07	Week 2 Apr 14	Week 3 Apr 21	Week 4 Apr 28	Week 5 May 05	Week 6 May 12	Week 7 May 19	Week 8 May 26
Vernon	Chaseburg	0	0	0	0	0	3	0	2
Vernon	LaFarge E	0	0	0	0	4	7	3	6
Vernon	LaFarge W	0	0	0	0	5	12	5	5
Vernon	Newton	0	0	0	0	0	5	0	1
Vernon	Stoddard	0	0	0	3	0	1	1	3
Vernon	Viroqua E	0	0	1	2	8	2	7	9
Vernon	Viroqua W	0	0	0	0	2	14	2	4

Pheromone traps were established at 30 sites throughout Wisconsin in 2022 to monitor early-season migration flights of black cutworm moths. The results are summarized in the table above. Trap type: milk jug Lure type: Trécé Pherocon Black Cutworm. Additional counts for Manitowoc: Jun 02 - 0, Jun 09 - 0, Jun 16 - 1, Jun 23 - 0, Jun 30 - 1, Jul 07 - 1, Jul 14 - 0, Jul 21 - 0, Jul 28 - 0, Aug 04 - 0. Additional counts for Oostburg: Jun 02 - 5, Jun 09 - 0, Jun 16 - 0, Jun 23 - 0, Jun 30 - 7, Jul 07 - 3, Jul 14 - 2, Jul 21 - 8, Jul 28 - 0, Aug 04 - 0.