



2024 Bottled Drinking Water Report



Wisconsin Department of Agriculture, Trade and Consumer Protection
Division of Food and Recreational Safety
<https://datcp.wi.gov>
P-DFRS0220 (11/2024)

Contents

Introduction.....	1
Background	1
Man-made Contaminants	1
Natural Contaminants	2
Bottled Drinking Water Regulation.....	2
FDA Definitions	2
Summary of Results for Fiscal Year 2024	4
Enforcement Standards for Safety.....	4
Quality and Aesthetic Standards.....	5
Public Health Groundwater Quality Standards and Reporting Limits	6
Informational Websites.....	7
Processor Test Results for Fiscal Year 2024.....	8
Graphs: Processor Samples Test Results	23

Introduction

State law [Wis. Stat. § 97.34(2)(e)] requires the Wisconsin Department of Agriculture, Trade and Consumer Protection (DATCP) to compile and publish an annual bottled drinking water report. It is a compilation of the laboratory results for bottled drinking water sampled in Wisconsin for fiscal year 2024 (July 1, 2023-June 30, 2024). The samples were collected from bottled drinking water processors and retail distribution sites in the state. The collection and analysis is a coordinated effort by DATCP's Division of Food and Recreational Safety, DATCP's Bureau of Laboratory Services within the Division of Management Services, and the Wisconsin State Laboratory of Hygiene.

There are 20 bottled drinking water processors in Wisconsin. The processors are licensed by DATCP as food processing plants under the category "Wholesale Food Manufacturing" and are required to comply with the same quality and safety standards as municipal water systems. Processors are licensed and regulated under the following Wisconsin Administrative Codes:

- § ATCP 70 - Wholesale Food Manufacturing
- § NR 809 - Safe Drinking Water
- § NR 140.10 - Groundwater Quality

To provide reasonable assurance of compliance with state health-related standards, bottling drinking water processors have specific requirements for product sampling, analysis, record keeping, and reporting. They test for bacteria each week; and nitrates, volatile organics, pesticides, inorganics, and radionuclides every year. The processor maintains the results of the analyses for at least two years.

Mid-fiscal year 2024, DATCP collected and analyzed samples of at least two gallons of bottled drinking water from each of 20 licensed food processing plants. These samples included water from both private wells and municipal water sources. The samples were analyzed for substances that are either contaminants of public health concern or aesthetic defects. The substances and their regulatory limits are included in the enforcement standards tables starting on page 4.

All of the 2024 samples met current public health enforcement standards (Wis. Admin. Code § NR 140.10).

One sample did not meet secondary, or aesthetic standards. The sample contained a total dissolved solids level that was above the enforcement limit, but as the standard is an aesthetic standard only, no follow-up action was required for a sample with the total dissolved solids as reported.

Background

There is no such thing as naturally pure water. In nature, all water contains some impurities. As water flows in streams, accumulates in lakes, and filters through layers of soil and rock in the ground, it dissolves or absorbs many of the substances that it touches. Some of these substances are harmless. Some people prefer mineral water because minerals give it an appealing taste. However, at certain levels, just like man-made chemicals, minerals may be considered contaminants that can make water distasteful or even unsafe.

Man-made Contaminants

Man-made contaminants may also affect water that is bottled. These contaminants may be substances discharged from factories, applied to farmlands, or used by consumers in their homes and yards.

Microbiological and chemical contaminants can enter water supplies via many routes. These materials can be the result of human activity or can be found in nature. For instance, chemicals can migrate from disposal sites and contaminate sources of drinking water. Coliform bacteria from human and animal wastes may be found in drinking water if the water is not properly treated or disinfected.

Coliform bacteria are used as indicators that other harmful organisms may be in the water. If coliform bacteria are found in a water sample, further testing is conducted to see if there are any fecal or pathogenic bacteria present.

Water naturally contains less than one milligram of nitrate-nitrogen per liter. When higher levels are present, it indicates that the water has been contaminated. Common sources of nitrate contamination include fertilizer, animal wastes, septic tanks, municipal sewage treatment systems, and decaying plant debris. State and federal laws set the maximum allowable level of nitrate-nitrogen in public drinking water at 10 milligrams per liter.

Natural Contaminants

Naturally occurring contaminants can also be found in drinking water. Some contaminants come from erosion of natural rock formations. Groundwater, as it moves slowly through the pores or cracks in underground layers of rock, dissolves minerals as it travels. Dissolved solids can be calcium, magnesium, salt, iron, or other minerals. Some of these dissolved solids may actually come out of solution during storage if the water becomes cold enough or if some of the water evaporates. These precipitates are not harmful, but may not be appealing to the public.

Fluoride can be added to water supplies to promote healthy teeth. It can also be present in water from the erosion of natural deposits or discharge from fertilizer and aluminum factories.

Water can also pick up naturally occurring radium or man-made radionuclides as it flows to the water source. The radioactive gas radon-222 occurs in certain types of rock and can leach into ground water. Most rock contains some radium, usually in small amounts. The testing process for water samples begins with a screening for gross alpha/beta particle activity which measures the total amount of one type of radioactivity given off by the water. If high levels of gross alpha/beta activity are found, further testing for radium is conducted. Radioactivity levels are measured in picocuries per liter of water (abbreviated pCi/L).

In Wisconsin, most of the community water supplies which exceed the radium standard draw water from a deep sandstone aquifer and are located in a narrow band which stretches from Green Bay to the Illinois state line. In addition, a few high radium levels have been found in groundwater from sandstone formations in west central Wisconsin and in granite formations in north central Wisconsin. In all cases, the radium was present in the rock and water long before the first well was drilled.

Bottled Drinking Water Regulation

On May 13, 1996, the U.S. Food and Drug Administration (FDA) released regulations to alleviate consumer confusion about the many different types of bottled drinking water on the market. FDA provided standard definitions for the terms artesian water, ground water, mineral water, purified water, sparkling bottled drinking water, spring water, sterile water, well water, and others.

Bottled drinking water, like all other foods regulated by FDA, must be processed, packaged, shipped, and stored in a safe and sanitary manner and be truthfully and accurately labeled. Bottled drinking water products must also meet specific FDA quality standards for contaminants. Since 1996, mineral water must also meet the bottled drinking water standards; it had previously been exempt from standards that applied to other bottled drinking water.

FDA Definitions

- Bottled drinking water: Water that is intended for human consumption and that is sealed in bottles or other containers with no added ingredients, except that it may contain safe and suitable antimicrobial agents.
- Artesian water or artesian well water: Water from a well tapping a confined aquifer in which the water level stands at some height above the top of the aquifer.
- Ground water: Water from a subsurface saturated zone that is under a pressure equal to or greater than atmospheric pressure.
- Mineral water: Water containing not less than 250 parts per million total dissolved solids, originating from an underground water source. No minerals may be added to this water.
- Purified water: Water that is produced by distillation, deionization, reverse osmosis, or other suitable processes and that meets the definition of purified water in the U.S. Pharmacopeia, 23d Revision, January 1, 1995.
- Sparkling bottled water: Water that, after treatment and possible replacement of carbon dioxide, contains the same amount of carbon dioxide that it had at emergence from the source.
- Spring water: Water derived from an underground formation from which water flows naturally to the surface of the earth.
- Well water: Water from a hole bored, drilled, or otherwise constructed in the ground, which taps the water of an aquifer.

In addition to defining these terms, the regulation addresses various other labeling concerns. For example, water bottled from municipal water supplies must be clearly labeled as from a community water system, or

alternatively, from a municipal source, unless it is processed sufficiently to be labeled as distilled or purified water.

The regulation also requires accurate labeling of bottled drinking water marketed for infants. If a product is labeled sterile, it must be processed to meet FDA's requirements for commercial sterility. Otherwise, the labeling must indicate that it is not sterile and should be used in preparation of infant formula only as directed by a physician or according to infant formula preparation instructions.

Summary of Results for Fiscal Year 2024

Enforcement Standards for Safety

Contaminants	Number Positive	Percent Positive	Average Value of Positive Results	Enforcement Level	Percent of Regulatory Limit
N-nitrate/nitrite	8	40%	2.66 mg/L	10 mg/L	26.6%
Arsenic	1	5%	1.73 µg/L	10 µg/L	17.3%
Lead	1	5%	0.549 µg/L	5 µg/L	11.0%
Coliform Bacteria*	2	10%	≥1/100 mL	1/100 mL	100%
Pesticide - Alachlor ESA	1	5%	0.0675 µg/L	20 µg/L	0.34%
Pesticide - De-ethyl Atrazine + Diamino Atrazine	3	15%	0.160 µg/L	3 µg/L	5.3%
Pesticide - Metolachlor ESA	3	15%	0.079 µg/L	1300 µg/L	0.0061%
Gross Alpha	20	100%	1.383 pCi/L	15 pCi/L	9.2%
Gross Beta	20	100%	0.9 pCi/L	50 pCi/L	1.80%
Combined Radium	1	5%	1.51 pCi/L	5 pCi/L	30.2%

* The regulatory limit for coliform in bottled drinking water is less than one coliform per 100 mL and is reported as present or absent at that level.

mg/L = Milligrams per Liter

µg/L = Micrograms per Liter

pCi/L = Picocuries per Liter

mL = Milliliter

Quality and Aesthetic Standards¹

Analyses were conducted for secondary inorganic chemical and physical standards (Wis. Admin. Code § NR 809.70). These address the aesthetic quality of drinking water such as taste, odor, and appearance.

Of the 20 samples, 19 were below the secondary standards. Total dissolved solids were detected in 16 samples. One of the samples contained total dissolved solids that exceeded secondary standards.

For the one sample that exceeded the secondary standard level for total dissolved solids, the percent of regulatory limit was 118%. There are no adverse health effects from dissolved solids provided that the sulfate level is also low. Since the level of sulfates was below enforcement levels in these samples, there is no cause for concern. At the most, the dissolved solids could cause an off flavor.

Contaminants	Number Positive	Percent Positive	Average Value of Positive Results	Secondary Standard Level	Percent of Regulatory Limit	Test Sensitivity
Chloride	15	75%	15.7 mg/L	250 mg/L	6.29%	2.0 mg/L
Copper*	0	0%	0 mg/L	1.0 mg/L	0%	20.0 µg/L
Fluoride*	3	15%	0.369 mg/L	2.0 mg/L	18.5%	0.20 mg/L
Iron	0	0%	0 mg/L	0.3 mg/L	0%	50.0 µg/L
Sulfate	7	35%	23.2 mg/L	250 mg/L	9.27%	10 mg/L
Total Dissolved Solids	16	80%	190 mg/L	500 mg/L	38.0%	10 mg/L
Zinc	1	5%	0.0216 mg/L	5 mg/L	0.432%	10 µg/L

¹ Aesthetic Standard from NR 809.70 Register, April 2023

* The primary maximum contaminant level for copper is 1.3 mg/L. The secondary standard for copper is 1.0 mg/L. The primary maximum contaminant level for fluoride is 4.0 mg/L. The secondary standard for fluoride is 2.0 mg/L.

mg/L = Milligrams per Liter

µg/L = Micrograms per Liter

Public Health Groundwater Quality Standards and Reporting Limits²

Items noted with an * were not detected in any of the samples

Test	Enforcement Standard	Reporting Limit
2,4,5-TP*	50 µg/L	<0.0500 µg/L
2,4-D*	70 µg/L	<0.0500 µg/L
Acetochlor*	7 µg/L	<0.0500 µg/L
Acetochlor ESA*	‡	<0.0500 µg/L
Acetochlor OA*	‡	<0.300 µg/L
Alachlor*	2 µg/L	<0.0500 µg/L
Alachlor ESA	20 µg/L	<0.0500 µg/L
Arsenic	10 µg/L	<1.50 µg/L
Atrazine*	‡‡	<0.0500 µg/L
Bentazon*	300 µg/L	<0.0500 µg/L
Carbaryl*	40 µg/L	<0.0500 µg/L
Carbofuran*	40 µg/L	<0.0500 µg/L
Chloramben*	150 µg/L	<0.320 µg/L
Chlordane*	2 µg/L	<0.0500 µg/L
Chlorpyrifos*	2 µg/L	<0.0500 µg/L
Coliform	No presence	<1 /100mL
Combined Radium	5 pCi/L	Sample Dependent
Copper*	1.0 mg/L	<20.0 µg/L
Cyanide*	200 µg/L	<10 µg/L
Dacthal*	70 µg/L	<0.0500 µg/L
De-ethyl Atrazine	‡‡	<0.0500 µg/L
Deisopropyl Atrazine*	‡‡	<0.0500 µg/L
Diamino Atrazine	‡‡	<0.150 µg/L
Dicamba*	300 µg/L	<0.200 µg/L
Dimethenamid*	50 µg/L	<0.0500 µg/L
Dimethoate*	2 µg/L	<0.0500 µg/L
Endrin*	2 µg/L	<0.400 µg/L
EPTC*	250 µg/L	<0.0500 µg/L
Fluoride	variable	<0.20 mg/L
Gross Alpha	15 pCi/L	Sample Dependent
Gross Beta	50 pCi/L	Sample Dependent
Heptachlor*	0.4 µg/L	<0.0400 µg/L
Heptachlor Epoxide*	0.2 µg/L	<0.0200 µg/L
Hexachlorobenzene (HCB)*	1.0 µg/L	<0.0500 µg/L
Lead	5 µg/L	<0.500 µg/L
Lindane*	0.2 µg/L	<0.0200 µg/L
Methoxychlor*	40 µg/L	<0.0500 µg/L
Metolachlor*	100 µg/L	<0.0500 µg/L
Metolachlor ESA	‡‡‡	<0.0500 µg/L
Metolachlor OA*	‡‡‡	<0.270 µg/L
Metribuzin*	70 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	10 mg/L	<0.50 mg/L
Picloram*	500 µg/L	<0.0500 µg/L
Prometone*	100 µg/L	<0.0500 µg/L
Simazine*	4 µg/L	<0.0500 µg/L
Toxaphene*	3 µg/L	<0.500 µg/L
Trifluralin*	7.5 µg/L	<0.0500 µg/L

‡ The enforcement standard for the sum of Acetochlor ESA + Acetochlor OA is 230 µg/L.

††The enforcement standard for the sum of Atrazine and three breakdown products is 3 µg/L.

†††The enforcement standard for the sum of Metolachlor ESA + Metolachlor OA is 1.3 mg/L.

² From NR 140 Register, March 2023 and from NR 809 Register, April 2023

mg/L = Milligrams per Liter µg/L = Micrograms per Liter

pCi/L = Picocuries/Liter mL = Milliliter

Informational Websites

Environmental Protection Agency

Drinking water and health: <http://www.epa.gov/safewater/dwhealth.html>

Wisconsin

- Department of Natural Resources drinking water website: <https://dnr.wi.gov/topic/drinkingwater>
- DATCP Chapter 97 Food Regulation: <http://docs.legis.wisconsin.gov/statutes/statutes/97>

Processor Test Results for Fiscal Year 2024

Table 1: Processor Legal Entity	4 Brothers Blended Beer Co., LLC	Driftless Fine Waters, Inc	Eastern Wisconsin Water Conditioning Company	Great Lakes Coca-Cola Distribution, LLC
Trade Name	City Lights Brewing	Driftless Fine Waters	Culligan Water Conditioning	Great Lakes Coca-Cola Distribution
License Number	320571	508825	296687	316825
Location	Milwaukee	Blue River	Burlington	Milwaukee
Sample Number	1	2	3	4
Quantity Sampled	2 gallons	2 gallons	3 gallons	2.78 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.50 µg/L	<1.50 µg/L	<1.50 µg/L	<1.50 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlordane	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	35.9 mg/L	<2.0 mg/L	6.00 mg/L	8.50 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	≥1 /100mL	≥1 /100mL	<1 /100mL	<1 /100mL
Copper	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L

Table 1: Processor Legal Entity	4 Brothers Blended Beer Co., LLC	Driftless Fine Waters, Inc	Eastern Wisconsin Water Conditioning Company	Great Lakes Coca-Cola Distribution, LLC
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Destho Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
E. coli	<1/100 mL	<1/100 mL	N/A	N/A
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	-0.279 pCi/L	0.939 pCi/L	0.235 pCi/L	0.467 pCi/L
Gross Beta	-0.296 pCi/L	-0.505 pCi/L	-0.271 pCi/L	2.16 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
HCB	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Heptachlor	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L
Heptachlor Epoxide	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L

Table 1: Processor Legal Entity	4 Brothers Blended Beer Co., LLC	Driftless Fine Waters, Inc	Eastern Wisconsin Water Conditioning Company	Great Lakes Coca-Cola Distribution, LLC
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.500 µg/L	0.549 µg/L	<0.500 µg/L	<0.500 µg/L
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalaxy	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	0.680 mg/L	1.22 mg/L	<0.50 mg/L	<0.50 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	<10 mg/L	10.7 mg/L	<10 mg/L	<10.0 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	168 mg/L	284 mg/L	24.0 mg/L	32.0 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10.0 µg/L	<10.0 µg/L	<10.0 µg/L	<10.0 µg/L

Processor Test Results for Fiscal Year 2024 (continued)

Table 2: Processor Legal Entity	Hayden Water Company, LLC	Kwik Trip Inc	Kwik Trip Inc	Langlade Springs, LLC
Trade Name	Artesian Wells	Kwik Trip Beverage Plant #369	Kwik Trip Dairy	Langlade Springs Water Company
License Number	305367	226631	122828	204785
Location	Plymouth	La Crosse	La Crosse	Bryant
Sample Number	5	6	7	8
Quantity Sampled	2 gallons	3.75 gallons	4 gallons	3 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	1.73 µg/L	<1.50 µg/L	<1.50 µg/L	<1.50 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlordane	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	2.50 mg/L	<2.0 mg/L	2.00 mg/L	13.2 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL	<1 /100mL	<1 /100mL
Copper	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Table 2: Processor Legal Entity	Hayden Water Company, LLC	Kwik Trip Inc	Kwik Trip Inc	Langlade Springs, LLC
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Desthio Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L	0.245 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	0.313 pCi/L	0.669 pCi/L	0.668 pCi/L	1.55 pCi/L
Gross Beta	0.639 pCi/L	-0.463 pCi/L	1.26 pCi/L	1.58 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
HCB	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Heptachlor	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L
Heptachlor Epoxide	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L

Table 2: Processor Legal Entity	Hayden Water Company, LLC	Kwik Trip Inc	Kwik Trip Inc	Langlade Springs, LLC
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalaxyll	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	0.0673 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	<0.50 mg/L	<0.50 mg/L	<0.50 mg/L	4.24 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	16.5 mg/L	<10 mg/L	<10.0 mg/L	10.7 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	268 mg/L	<10 mg/L	32.0 mg/L	304 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10.0 µg/L	<10.0 µg/L	<10.0 µg/L	<10.0 µg/L

Processor Test Results for Fiscal Year 2024 (continued)

Table 3: Processor Legal Entity	Ledge Rock Springs Corp.	Niagara Bottling, LLC	Ove Water Services, Inc	Premium Waters, Inc
Trade Name	Ledge Rock Springs	Niagara Bottling, LLC	Midwest Co Packing	Premium Waters, Inc
License Number	121895	303928	482281	121884
Location	Greenleaf	Pleasant Prairie	Milwaukee	Chippewa Falls
Sample Number	9	10	11	12
Quantity Sampled	5 gallons	5 gallons	3 gallons	3 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	0.0675 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.50 µg/L	<1.50 µg/L	<1.50 µg/L	<1.50 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlordane	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	35.1 mg/L	10.0 mg/L	27.2 mg/L	27.0 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL	<1 /100mL	<1 /100mL
Copper	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Table 3: Processor Legal Entity	Ledge Rock Springs Corp.	Niagara Bottling, LLC	Ove Water Services, Inc	Premium Waters, Inc
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	0.0590 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Desthio Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	0.305 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	3.62 pCi/L	0.673 pCi/L	-0.00349 pCi/L	2.34 pCi/L
Gross Beta	1.83 pCi/L	0.889 pCi/L	0.569 pCi/L	1.86 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
HCB	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Heptachlor	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L
Heptachlor Epoxide	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L

Table 3: Processor Legal Entity	Ledge Rock Springs Corp.	Niagara Bottling, LLC	Ove Water Services, Inc	Premium Waters, Inc
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalaxyd	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	0.106 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	7.82 mg/L	<0.50 mg/L	0.626 mg/L	2.98 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	89.3 mg/L	<10 mg/L	<10 mg/L	<10.0 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	592 mg/L	36.0 mg/L	136 mg/L	160 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10.0 µg/L	<10.0 µg/L	<10.0 µg/L	<10.0 µg/L

Processor Test Results for Fiscal Year 2024 (continued)

Table 4: Processor Legal Entity	Premium Waters, Inc	Premium Waters, Inc	Sterling Water, Inc	Valley Springs/Artesian Gold, LLC
Trade Name	Premium Waters, Inc	Premium Waters, Inc	Culligan Water	Valley Springs/Artesian
License Number	287769	305634	295341	122209
Location	Chippewa Falls	Crivitz	Rothschild	Portage
Sample Number	13	14	15	16
Quantity Sampled	3 gallons	5 gallons	5 gallons	2 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.50 µg/L	<1.50 µg/L	<1.50 µg/L	<1.50 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlordane	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	<2.0 mg/L	44.7 mg/L	3.75 mg/L	7.75 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL	<1 /100mL	<1 /100mL
Copper	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Table 4: Processor Legal Entity	Premium Waters, Inc	Premium Waters, Inc	Sterling Water, Inc	Valley Springs/Artesian Gold, LLC
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	0.115 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Desthio Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	0.323 mg/L	<0.20 mg/L	<0.20 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	0.446 pCi/L	3.89 pCi/L	0.664 pCi/L	1.44 pCi/L
Gross Beta	0.363 pCi/L	2.00 pCi/L	0.799 pCi/L	0.719 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
HCB	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Heptachlor	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L
Heptachlor Epoxide	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L

Table 4: Processor Legal Entity	Premium Waters, Inc	Premium Waters, Inc	Sterling Water, Inc	Valley Springs/Artesian Gold, LLC
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalaxyd	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	0.0628 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	<0.50 mg/L	<0.50 mg/L	<0.50 mg/L	3.08 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	<10.0 mg/L	10.3 mg/L	<10.0 mg/L	10.3 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	<10 mg/L	224 mg/L	24.0 mg/L	356 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10.0 µg/L	<10.0 µg/L	<10.0 µg/L	<10.0 µg/L



Processor Test Results for Fiscal Year 2024 (continued)



Table 5: Processor Legal Entity	Wisconsin Glacier Springs Bottling, LLC	Wis-Pak Central, Inc.	Wis-Pak Of Watertown, LLC	Zero Proof Water, LLC
Trade Name	Wisconsin Glacier Springs	Wis-Pak Central Inc Lacrosse Division	Wis-Pak of Watertown	Zero Proof Water
License Number	121770	121795	121493	512566
Location	New Berlin	La Crosse	Watertown	Waukesha
Sample Number	17	18	19	20
Quantity Sampled	3 gallons	2 gallons	3 gallons	2 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.50 µg/L	<1.50 µg/L	<1.50 µg/L	<1.50 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlordane	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	10.2 mg/L	2.25 mg/L	<2.0 mg/L	<2.0 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL	<1 /100mL	<1 /100mL
Combined Radium	Not analyzed			1.51 pCi/L
Copper	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L	<20.0 µg/L

Table 5: Processor Legal Entity	Wisconsin Glacier Springs Bottling, LLC	Wis-Pak Central, Inc.	Wis-Pak Of Watertown, LLC	Zero Proof Water, LLC
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Desisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Desthio Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L	0.539 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	1.30 pCi/L	0.671 pCi/L	0.459 pCi/L	8.29 pCi/L
Gross Beta	-0.678 pCi/L	1.55 pCi/L	-0.0970 pCi/L	4.09 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
HCB	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Heptachlor	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L	<0.0400 µg/L
Heptachlor Epoxide	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L	<50.0 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L


Table 5: Processor Legal Entity	Wisconsin Glacier Springs Bottling, LLC	Wis-Pak Central, Inc.	Wis-Pak Of Watertown, LLC	Zero Proof Water, LLC
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalexyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	0.633 mg/L	<0.50 mg/L	<0.50 mg/L	<0.50 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	<10 mg/L	<10 mg/L	<10 mg/L	14.4 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	148 mg/L	<10 mg/L	<10 mg/L	248 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10.0 µg/L	<10.0 µg/L	<10.0 µg/L	21.6 µg/L

Graphs: Processor Samples Test Results






Nitrogen-Nitrate/Nitrite
Enforcement Standard: 10 mg/L



Sulfate
Secondary Standard: 250 mg/L



Total Dissolved Solids
Secondary Standard: 500 mg/L

