



2023 Bottled Drinking Water Report



Wisconsin Department of Agriculture, Trade and Consumer Protection
Division of Food and Recreational Safety
<https://datcp.wi.gov>
P-DFRS0207 (02/2024)

Contents

Introduction.....	1
Background	1
Man-made Contaminants	1
Natural Contaminants	2
Bottled Drinking Water Regulation.....	2
FDA Definitions	2
Summary of Results for Fiscal Year 2023	4
Enforcement Standards for Safety.....	4
Quality and Aesthetic Standards.....	5
Public Health Groundwater Quality Standards and Reporting Limits	6
Informational Websites.....	7
Processor Test Results for Fiscal Year 2023.....	8
Graphs: Processor Samples Test Results	26

Introduction

State law [Wis. Stat. § 97.34(2)(e)] requires the Wisconsin Department of Agriculture, Trade and Consumer Protection (DATCP) to compile and publish an annual bottled drinking water report. It is a compilation of the laboratory results for bottled drinking water sampled in Wisconsin for fiscal year 2023 (July 1, 2022-June 30, 2023). The samples were collected from bottled drinking water processors and retail distribution sites in the state. The collection and analysis is a coordinated effort by DATCP's Division of Food and Recreational Safety, DATCP's Bureau of Laboratory Services within the Division of Management Services, and the Wisconsin State Laboratory of Hygiene.

There are 22 bottled drinking water processors in Wisconsin. The processors are licensed by DATCP as food processing plants under the category "Wholesale Food Manufacturing" and are required to comply with the same quality and safety standards as municipal water systems. Processors are licensed and regulated under the following Wisconsin Administrative Codes:

- § ATCP 70 - Wholesale Food Manufacturing
- § NR 809 - Safe Drinking Water
- § NR 140.10 - Groundwater Quality

To provide reasonable assurance of compliance with state health-related standards, bottling drinking water processors have specific requirements for product sampling, analysis, record keeping, and reporting. They test for bacteria each week; and nitrates, volatile organics, pesticides, inorganics, and radionuclides every year. The processor maintains the results of the analyses for at least two years.

Mid-fiscal year 2023, DATCP collected and analyzed samples of at least two gallons of bottled drinking water from each of 22 licensed food processing plants. These samples included water from both private wells and municipal water sources. The samples were analyzed for substances that are either contaminants of public health concern or aesthetic defects. The substances and their regulatory limits are included in the enforcement standards tables starting on page 4.

All of the 2023 samples met current public health enforcement standards (Wis. Admin. Code § NR 140.10).

One sample did not meet secondary, or aesthetic standards. The sample contained a total dissolved solids level that was above the enforcement limit, but as the standard is an aesthetic standard only, no follow-up action was required for a sample with the total dissolved solids as reported.

Background

There is no such thing as naturally pure water. In nature, all water contains some impurities. As water flows in streams, accumulates in lakes, and filters through layers of soil and rock in the ground, it dissolves or absorbs many of the substances that it touches. Some of these substances are harmless. Some people prefer mineral water because minerals give it an appealing taste. However, at certain levels, just like man-made chemicals, minerals may be considered contaminants that can make water distasteful or even unsafe.

Man-made Contaminants

Man-made contaminants may also affect water that is bottled. These contaminants may be substances discharged from factories, applied to farmlands, or used by consumers in their homes and yards.

Microbiological and chemical contaminants can enter water supplies via many routes. These materials can be the result of human activity or can be found in nature. For instance, chemicals can migrate from disposal sites and contaminate sources of drinking water. Coliform bacteria from human and animal wastes may be found in drinking water if the water is not properly treated or disinfected.

Coliform bacteria are used as indicators that other harmful organisms may be in the water. If coliform bacteria are found in a water sample, further testing is conducted to see if there are any fecal or pathogenic bacteria present.

Water naturally contains less than one milligram of nitrate-nitrogen per liter. When higher levels are present, it indicates that the water has been contaminated. Common sources of nitrate contamination include fertilizer, animal wastes, septic tanks, municipal sewage treatment systems, and decaying plant debris. State and federal laws set the maximum allowable level of nitrate-nitrogen in public drinking water at 10 milligrams per liter.

Natural Contaminants

Naturally occurring contaminants can also be found in drinking water. Some contaminants come from erosion of natural rock formations. Groundwater, that moves slowly through the pores or cracks in underground layers of rock, dissolves minerals as it travels. Dissolved solids can be calcium, magnesium, salt, iron, or other minerals. Some of these dissolved solids may actually come out of solution during storage if the water becomes cold enough or if some of the water evaporates. These precipitates are not harmful, but may not be appealing to the public.

Fluoride can be added to water supplies to promote healthy teeth. It can also be present in water from the erosion of natural deposits or discharge from fertilizer and aluminum factories.

Water can also pick up naturally occurring radium or man-made radionuclides as it flows to the water source. The radioactive gas radon-222 occurs in certain types of rock and can leach into ground water. Most rock contains some radium, usually in small amounts. The testing process for water samples begins with a screening for gross alpha/beta particle activity which measures the total amount of one type of radioactivity given off by the water. If high levels of gross alpha/beta activity are found, further testing for radium is conducted. Radioactivity levels are measured in picocuries per liter of water (abbreviated pCi/L).

In Wisconsin, most of the community water supplies which exceed the radium standard draw water from a deep sandstone aquifer and are located in a narrow band which stretches from Green Bay to the Illinois state line. In addition, a few high radium levels have been found in groundwater from sandstone formations in west central Wisconsin and in granite formations in north central Wisconsin. In all cases, the radium was present in the rock and water long before the first well was drilled.

Bottled Drinking Water Regulation

On May 13, 1996, the U.S. Food and Drug Administration (FDA) released regulations to alleviate consumer confusion about the many different types of bottled drinking water on the market. FDA provided standard definitions for the terms artesian water, ground water, mineral water, purified water, sparkling bottled drinking water, spring water, sterile water, well water, and others.

Bottled drinking water, like all other foods regulated by FDA, must be processed, packaged, shipped, and stored in a safe and sanitary manner and be truthfully and accurately labeled. Bottled drinking water products must also meet specific FDA quality standards for contaminants. Since 1996, mineral water must also meet the bottled drinking water standards; it had previously been exempt from standards that applied to other bottled drinking water.

FDA Definitions

- Bottled drinking water: Water that is intended for human consumption and that is sealed in bottles or other containers with no added ingredients except that it may contain safe and suitable antimicrobial agents.
- Artesian water or artesian well water: Water from a well tapping a confined aquifer in which the water level stands at some height above the top of the aquifer.
- Ground water: Water from a subsurface saturated zone that is under a pressure equal to or greater than atmospheric pressure.
- Mineral water: Water containing not less than 250 parts per million total dissolved solids, originating from an underground water source. No minerals may be added to this water.
- Purified water: Water that is produced by distillation, deionization, reverse osmosis, or other suitable processes and that meets the definition of purified water in the U.S. Pharmacopeia, 23d Revision, January 1, 1995.
- Sparkling bottled water: Water that, after treatment and possible replacement of carbon dioxide, contains the same amount of carbon dioxide that it had at emergence from the source.
- Spring water: Water derived from an underground formation from which water flows naturally to the surface of the earth.
- Well water: Water from a hole bored, drilled, or otherwise constructed in the ground, which taps the water of an aquifer.

In addition to defining these terms, the regulation addresses various other labeling concerns. For example, water bottled from municipal water supplies must be clearly labeled as from a community water system, or

alternatively, from a municipal source, unless it is processed sufficiently to be labeled as distilled or purified water.

The regulation also requires accurate labeling of bottled drinking water marketed for infants. If a product is labeled sterile it must be processed to meet FDA's requirements for commercial sterility. Otherwise, the labeling must indicate that it is not sterile and should be used in preparation of infant formula only as directed by a physician or according to infant formula preparation instructions.

Summary of Results for Fiscal Year 2023

All detectable levels for substances of public health concern were below enforcement standards.

Enforcement Standards for Safety

Contaminants	Number Positive	Percent Positive	Average Value of Positive Results	Enforcement Level	Percent of Regulatory Limit
N-nitrate/nitrite	10	45%	2.3 mg/L	10 mg/L	23.5%
Coliform Bacteria	0	0%	<1/100 mL	1/100 mL	0
Pesticide - Alachlor ESA	2	9%	0.1004 µg/L	20 µg/L	0.50%
Pesticide - De-ethyl Atrazine + Diamino Atrazine	2	9%	0.16255 µg/L	3 µg/L	5.4%
Pesticide - Metolachlor ESA	3	14%	0.145 µg/L	1300 µg/L	0.01%
Gross Alpha	21	95%	0.597 pCi/L	15 pCi/L	4.0%
Gross Beta	21	95%	0.394 pCi/L	50 pCi/L	0.79%
Combined Radium	0	0%	0 pCi/L	5 pCi/L	0.0%

mg/L = Milligrams per Liter

µg/L = Micrograms per Liter

pCi/L = Picocuries per Liter

mL = Milliliter

Quality and Aesthetic Standards¹

Analyses were conducted for secondary inorganic chemical and physical standards (Wis. Admin. Code § NR 809.70). These address the aesthetic quality of drinking water such as taste, odor, and appearance.

All 22 samples were below the secondary standards. Total dissolved solids were detected in 17 samples. One of the samples contained total dissolved solids that exceeded secondary standards.

For the one sample that exceeded the secondary standard level for total dissolved solids, the percent of regulatory limit was 116%. There are no adverse health effects from dissolved solids provided that the sulfate level is also low. Since the level of sulfates was below enforcement levels in these samples, there is no cause for concern. At the most, the dissolved solids could cause an off flavor.

Contaminants	Number Positive	Percent Positive	Average Value of Positive Results	Secondary Standard Level	Percent of Regulatory Limit	Test Sensitivity
Chloride	13	59%	21 mg/L	250 mg/L	8.4%	2.0 mg/L
Copper*	0	0%	0 mg/L	1.0 mg/L	0%	20.0 µg/L
Fluoride*	3	14%	0.404 mg/L	2.0 mg/L	20.2%	0.20 mg/L
Iron	0	0%	0 mg/L	0.3 mg/L	0%	50.0 µg/L
Sulfate	5	23%	29.7 mg/L	250 mg/L	11.9%	10 mg/L
Total Dissolved Solids	17	77%	174 mg/L	500 mg/L	34.8%	10 mg/L
Zinc	1	5%	0.0173 mg/L	5 mg/L	0.35%	10 µg/L

¹ Aesthetic Standard from NR 809.70 Register, April 2023

* The primary maximum contaminant level for copper is 1.3 mg/L. The secondary standard for copper is 1.0 mg/L. The primary maximum contaminant level for fluoride is 4.0 mg/L. The secondary standard for fluoride is 2.0 mg/L.

mg/L = Milligrams per Liter

µg/L = Micrograms per Liter

Public Health Groundwater Quality Standards and Reporting Limits²

Items noted with an * were not detected in any of the samples

Test	Enforcement Standard	Reporting Limit
2,4,5-TP*	50 µg/L	<0.0500 µg/L
2,4-D*	70 µg/L	<0.0500 µg/L
Acetochlor*	7 µg/L	<0.0500 µg/L
Acetochlor ESA*	‡	<0.0500 µg/L
Acetochlor OA*	‡	<0.300 µg/L
Alachlor*	2 µg/L	<0.0500 µg/L
Alachlor ESA	20 µg/L	<0.0500 µg/L
Arsenic*	10 µg/L	<1.5 µg/L
Atrazine*	‡‡	<0.0500 µg/L
Bentazon*	300 µg/L	<0.0500 µg/L
Carbaryl*	40 µg/L	<0.0500 µg/L
Carbofuran*	40 µg/L	<0.0500 µg/L
Chloramben*	150 µg/L	<0.320 µg/L
Chlorpyrifos*	2 µg/L	<0.0500 µg/L
Coliform*	No presence	<1 /100mL
Copper*	1.0 mg/L	<20 µg/L
Cyanide*	200 µg/L	<10 µg/L
Dacthal*	70 µg/L	<0.0500 µg/L
De-ethyl Atrazine	‡‡	<0.0500 µg/L
Deisopropyl Atrazine*	‡‡	<0.0500 µg/L
Diamino Atrazine	‡‡	<0.150 µg/L
Dicamba*	300 µg/L	<0.200 µg/L
Dimethenamid*	50 µg/L	<0.0500 µg/L
Dimethoate*	2 µg/L	<0.0500 µg/L
Endrin*	2 µg/L	<0.400 µg/L
EPTC*	250 µg/L	<0.0500 µg/L
Fluoride	variable	<0.20 mg/L
Gross Alpha	15 pCi/L	Sample Dependent
Gross Beta	50 pCi/L	Sample Dependent
Lead*	15 µg/L	<0.5 µg/L
Lindane*	0.2 µg/L	<0.0200 µg/L
Methoxychlor*	40 µg/L	<0.0500 µg/L
Metolachlor*	100 µg/L	<0.0500 µg/L
Metolachlor ESA	‡‡‡	<0.0500 µg/L
Metolachlor OA*	‡‡‡	<0.270 µg/L
Metribuzin*	70 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	10 mg/L	<0.50 mg/L
Picloram*	500 µg/L	<0.0500 µg/L
Prometone*	100 µg/L	<0.0500 µg/L
Simazine*	4 µg/L	<0.0500 µg/L
Toxaphene*	3 µg/L	<0.500 µg/L
Trifluralin*	7.5 µg/L	<0.0500 µg/L

† The enforcement standard for the sum of Acetochlor ESA + Acetochlor OA is 230 µg/L.

‡ The enforcement standard for the sum of Atrazine and three breakdown products is 3 µg/L.

§ The enforcement standard for the sum of Metolachlor ESA + Metolachlor OA is 1.3 mg/L.

² From NR 140 Register, March 2023 and from NR 809 Register, April 2023

mg/L = Milligrams per Liter µg/L = Micrograms per Liter

pCi/L = Picocuries/Liter mL = Milliliter

Informational Websites

Environmental Protection Agency

Drinking water and health: <http://www.epa.gov/safewater/dwhealth.html>

Wisconsin

- Department of Natural Resources drinking water website: <https://dnr.wi.gov/topic/drinkingwater>
- DATCP Chapter 97 Food Regulation: <http://docs.legis.wisconsin.gov/statutes/statutes/97>

Processor Test Results for Fiscal Year 2023

Table 1: Processor Legal Entity	Driftless Fine Waters, Inc.	Eastern Wisconsin Water Conditioning Company	Great Lakes Coca-Cola Distribution, LLC	Hayden Water Company, LLC
Trade Name	Driftless Fine Waters	Culligan Water Conditioning	Great Lakes Coca-Cola Distribution	Artesian Wells
License Number	508825	296687	316825	305367
Location	Blue River	Burlington	Milwaukee	Plymouth
Sample Number	1	2	3	4
Quantity Sampled	2 gallons	3 gallons	3 gallons	2 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	2.00 mg/L	9.48 mg/L	8.74 mg/L	<2.0 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL	<1 /100mL	<1 /100mL
Copper	<20 µg/L	<20 µg/L	<20 µg/L	<20 µg/L

Table 1: Processor Legal Entity	Driftless Fine Waters, Inc.	Eastern Wisconsin Water Conditioning Company	Great Lakes Coca-Cola Distribution, LLC	Hayden Water Company, LLC
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Desthio Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
E. coli	No coliform bacteria detected			
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	0.328 pCi/L	0.473 pCi/L	0.226 pCi/L	0.00 pCi/L
Gross Beta	0.643 pCi/L	0.253 pCi/L	0.965 pCi/L	0.00 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50 µg/L	<50 µg/L	<50 µg/L	<50 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L

Table 1: Processor Legal Entity	Driftless Fine Waters, Inc.	Eastern Wisconsin Water Conditioning Company	Great Lakes Coca-Cola Distribution, LLC	Hayden Water Company, LLC
Lead	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalaxyll	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	0.819 mg/L	<0.50 mg/L	<0.50 mg/L	<0.50 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	10.7 mg/L	<10 mg/L	<10 mg/L	<10 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	276 mg/L	52.0 mg/L	44.0 mg/L	24.0 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Processor Test Results for Fiscal Year 2023 (continued)

Table 2: Processor Legal Entity	Kwik Trip, Inc.	Kwik Trip, Inc.	Langlade Springs, LLC	Ledge Rock Springs Corp.
Trade Name	Kwik Trip Beverage Plant #369	Kwik Trip Dairy	Langlade Springs Water Company	Ledge Rock Springs
License Number	226631	122828	204785	121895
Location	La Crosse	La Crosse	Bryant	Greenleaf
Sample Number	5	6	7	8
Quantity Sampled	2 gallons	2 gallons	3 gallons	5 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	<2.0 mg/L	<2.0 mg/L	12.0 mg/L	37.5 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL	<1 /100mL	<1 /100mL
Copper	<20 µg/L	<20 µg/L	<20 µg/L	<20 µg/L
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Table 2: Processor Legal Entity	Kwik Trip, Inc.	Kwik Trip, Inc.	Langlade Springs, LLC	Ledge Rock Springs Corp.
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Destho Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	0.263 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
E. coli	No coliform bacteria detected.			
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	<0.20 mg/L	0.261 mg/L	<0.20 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	0.232 pCi/L	0.491 pCi/L	1.51 pCi/L	0.907 pCi/L
Gross Beta	-0.646 pCi/L	0.108 pCi/L	-0.00935 pCi/L	1.25 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50 µg/L	<50 µg/L	<50 µg/L	<50 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L

Table 2: Processor Legal Entity	Kwik Trip, Inc.	Kwik Trip, Inc.	Langlade Springs, LLC	Ledge Rock Springs Corp.
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalaxyll	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L	0.102 µg/L	0.258 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	<0.50 mg/L	<0.50 mg/L	4.11 mg/L	7.04 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	<10 mg/L	<10 mg/L	11.5 mg/L	85.0 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	<10 mg/L	<10 mg/L	272 mg/L	578 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Processor Test Results for Fiscal Year 2023 (continued)

Table 3: Processor Legal Entity	Niagara Bottling, LLC	Ove Water Services, Inc.	Ove Water Services, Inc.	Premium Waters, Inc.
Trade Name	Niagara Bottling	Midwest Co-packing	Midwest Co-packing	Premium Waters
License Number	303928	212344	482281	121884
Location	Pleasant Prairie	Mukwonago	Milwaukee	Chippewa Falls
Sample Number	9	10	11	12
Quantity Sampled	3 gallons	5 gallons	5 gallons	3.75 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	0.139 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	<2.0 mg/L	27.0 mg/L	<2.0 mg/L	32.7 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL	<1 /100mL	<1 /100mL
Copper	<20 µg/L	<20 µg/L	<20 µg/L	<20 µg/L
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Table 3: Processor Legal Entity	Niagara Bottling, LLC	Ove Water Services, Inc.	Ove Water Services, Inc.	Premium Waters, Inc.
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	0.0621 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Destho Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
E. coli	No coliform bacteria detected.			
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	-0.698 pCi/L	-0.000209 pCi/L	0.698 pCi/L	0.786 pCi/L
Gross Beta	-0.992 pCi/L	1.17 pCi/L	0.0972 pCi/L	0.988 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50 µg/L	<50 µg/L	<50 µg/L	<50 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L

Table 3: Processor Legal Entity	Niagara Bottling, LLC	Ove Water Services, Inc.	Ove Water Services, Inc.	Premium Waters, Inc.
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalaxyll	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	0.0743 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	<0.50 mg/L	0.733 mg/L	<0.50 mg/L	2.94 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	<10 mg/L	<10 mg/L	<10 mg/L	<10 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	<10 mg/L	204 mg/L	16.0 mg/L	156 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Processor Test Results for Fiscal Year 2023 (continued)

Table 4: Processor Legal Entity	Premium Waters, Inc.	Premium Waters, Inc.	Shoflo, Inc.	Sterling Water, Inc.
Trade Name	Premium Waters	Premium Waters	Croix Crystal Water Treatment	Culligan Water
License Number	287769	305634	309813	295341
Location	Chippewa Falls	Crivitz	Hudson	Rothschild
Sample Number	13	14	15	16
Quantity Sampled	3 gallons	5 gallons	5 gallons	5 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	0.0618 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	32.5 mg/L	43.9 mg/L	<2.0 mg/L	11.7 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL	<1 /100mL	<1 /100mL
Copper	<20 µg/L	<20 µg/L	<20 µg/L	<20 µg/L
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Table 4: Processor Legal Entity	Premium Waters, Inc.	Premium Waters, Inc.	Shoflo, Inc.	Sterling Water, Inc.
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Destho Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
E. coli	No coliform bacteria detected.			
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	0.395 mg/L	<0.20 mg/L	<0.20 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	2.47 pCi/L	0.831 pCi/L	0.684 pCi/L	0.942 pCi/L
Gross Beta	0.511 pCi/L	0.438 pCi/L	-0.131 pCi/L	1.18 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50 µg/L	<50 µg/L	<50 µg/L	<50 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L

Table 4: Processor Legal Entity	Premium Waters, Inc.	Premium Waters, Inc.	Shoflo, Inc.	Sterling Water, Inc.
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalaxyll	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	2.94 mg/L	<0.50 mg/L	<0.50 mg/L	0.521 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	<10 mg/L	<10 mg/L	<10 mg/L	<10 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	160 mg/L	208 mg/L	<10 mg/L	24.0 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L

Processor Test Results for Fiscal Year 2023 (continued)

Table 5: Processor Legal Entity	Twig's Beverage, Incorporated	Valley Springs/Artesian Gold LLC	Wisconsin Glacier Springs Bottling, LLC	Wis-Pak Central, Inc.
Trade Name	Twig's Beverage	Valley Springs/Artesian Gold	Wisconsin Glacier Springs	Wis-Pak La Crosse Division
License Number	121490	122209	121770	121795
Location	Shawano	Portage	New Berlin	La Crosse
Sample Number	17	18	19	20
Quantity Sampled	4 gallons	2 gallons	3 gallons	2 gallons
Test				
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L	<1.5 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorides	17.2 mg/L	<2.0 mg/L	31.9 mg/L	6.50 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL	<1 /100mL	<1 /100mL
Copper	<20 µg/L	<20 µg/L	<20 µg/L	<20 µg/L

Table 5: Processor Legal Entity	Twig's Beverage, Incorporated	Valley Springs/Artesian Gold LLC	Wisconsin Glacier Springs Bottling, LLC	Wis-Pak Central, Inc.
Cyanide	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Desthio Prothioconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
E. coli	No coliform bacteria detected.			
Endrin	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L	<0.20 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	0.377 pCi/L	-0.0000828 pCi/L	0.304 pCi/L	0.249 pCi/L
Gross Beta	1.24 pCi/L	0.227 pCi/L	-0.280 pCi/L	0.514 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Iron	<50 µg/L	<50 µg/L	<50 µg/L	<50 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L	<0.5 µg/L

Table 5: Processor Legal Entity	Twig's Beverage, Incorporated	Valley Springs/Artesian Gold LLC	Wisconsin Glacier Springs Bottling, LLC	Wis-Pak Central, Inc.
Lindane	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L	<0.0200 µg/L
Linuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metalaxyll	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	2.94 mg/L	<0.50 mg/L	0.660 mg/L	<0.50 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfates	28.8 mg/L	<10 mg/L	<10 mg/L	<10 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	436 mg/L	24.0 mg/L	184 mg/L	<10 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10 µg/L	<10 µg/L	<10 µg/L	<10 µg/L



Processor Test Results for Fiscal Year 2023 (continued)



Table 6: Processor Legal Entity	Wis-Pak of Watertown, LLC	Zero Proof Water LLC
Trade Name	Wis-Pak of Watertown	Zero Proof Water
License Number	121493	512566
Location	Watertown	Genesee
Sample Number	21	22
Quantity Sampled	2 gallons	2 gallons
Test		
2,4,5-T	<0.0500 µg/L	<0.0500 µg/L
2,4,5-TP	<0.0500 µg/L	<0.0500 µg/L
2,4-D	<0.0500 µg/L	<0.0500 µg/L
2,4-DB	<1.00 µg/L	<1.00 µg/L
2,4-DP	<0.0500 µg/L	<0.0500 µg/L
Acetamiprid	<0.0100 µg/L	<0.0100 µg/L
Acetochlor	<0.0500 µg/L	<0.0500 µg/L
Acetochlor ESA	<0.0500 µg/L	<0.0500 µg/L
Acetochlor OA	<0.300 µg/L	<0.300 µg/L
Acifluorfen	<0.0500 µg/L	<0.0500 µg/L
Alachlor	<0.0500 µg/L	<0.0500 µg/L
Alachlor ESA	<0.0500 µg/L	<0.0500 µg/L
Alachlor OA	<0.250 µg/L	<0.250 µg/L
Aldicarb Sulfone	<0.0500 µg/L	<0.0500 µg/L
Aldicarb Sulfoxide	<0.0710 µg/L	<0.0710 µg/L
Aminopyralid	<0.150 µg/L	<0.150 µg/L
Arsenic	<1.5 µg/L	<1.5 µg/L
Atrazine	<0.0500 µg/L	<0.0500 µg/L
Azoxystrobin	<0.0500 µg/L	<0.0500 µg/L
Benfluralin	<0.0500 µg/L	<0.0500 µg/L
Bentazon	<0.0500 µg/L	<0.0500 µg/L
Bicyclopyrone	<0.0500 µg/L	<0.0500 µg/L
Bifenthrin	<0.00500 µg/L	<0.00500 µg/L
Bromacil	<0.0500 µg/L	<0.0500 µg/L
Carbaryl	<0.0500 µg/L	<0.0500 µg/L
Carbofuran	<0.0500 µg/L	<0.0500 µg/L
Chloramben	<0.320 µg/L	<0.320 µg/L
Chlorantraniliprole	<0.0500 µg/L	<0.0500 µg/L
Chlorides	<2.0 mg/L	<2.0 mg/L
Chlorothalonil	<0.100 µg/L	<0.100 µg/L
Chlorpyrifos	<0.0500 µg/L	<0.0500 µg/L
Chlorpyrifos Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L
Clomazone	<0.0500 µg/L	<0.0500 µg/L
Clopyralid	<0.0500 µg/L	<0.0500 µg/L
Clothianidin	<0.0100 µg/L	<0.0100 µg/L
Coliform	<1 /100mL	<1 /100mL
Copper	<20 µg/L	<20 µg/L
Cyanide	<10 µg/L	<10 µg/L

Table 6: Processor Legal Entity	Wis-Pak of Watertown, LLC	Zero Proof Water LLC
Cyantraniliprole	<0.0500 µg/L	<0.0500 µg/L
Cyclaniliprole	<0.200 µg/L	<0.200 µg/L
Cyfluthrin	<0.0500 µg/L	<0.0500 µg/L
Cypermethrin	<0.100 µg/L	<0.100 µg/L
Cyprosulfamide	<0.0500 µg/L	<0.0500 µg/L
Dacthal	<0.0500 µg/L	<0.0500 µg/L
Dacthal Di-acid	<0.500 µg/L	<0.500 µg/L
Dacthal Mono-acid	<0.500 µg/L	<0.500 µg/L
De-ethyl Atrazine	<0.0500 µg/L	<0.0500 µg/L
Deisopropyl Atrazine	<0.0500 µg/L	<0.0500 µg/L
Destho Prothioconazole	<0.0500 µg/L	<0.0500 µg/L
Diamino Atrazine	<0.150 µg/L	<0.150 µg/L
Diazinon	<0.0500 µg/L	<0.0500 µg/L
Diazinon Oxygen Analog	<0.0500 µg/L	<0.0500 µg/L
Dicamba	<0.200 µg/L	<0.200 µg/L
Dichlobenil	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid ESA	<0.0500 µg/L	<0.0500 µg/L
Dimethenamid OA	<0.0500 µg/L	<0.0500 µg/L
Dimethoate	<0.0500 µg/L	<0.0500 µg/L
Dinotefuran	<0.0100 µg/L	<0.0100 µg/L
Diuron	<0.0500 µg/L	<0.0500 µg/L
E. coli	No coliform bacteria detected.	
Endrin	<0.400 µg/L	<0.400 µg/L
EPTC	<0.0500 µg/L	<0.0500 µg/L
Esfenvalerate	<0.0250 µg/L	<0.0250 µg/L
Ethalfluralin	<0.0500 µg/L	<0.0500 µg/L
Ethofumesate	<0.0500 µg/L	<0.0500 µg/L
Flumetsulam	<0.0500 µg/L	<0.0500 µg/L
Fluoride	<0.20 mg/L	0.556 mg/L
Flupyradifurone	<0.0500 µg/L	<0.0500 µg/L
Fluroxypyr	<0.0500 µg/L	<0.0500 µg/L
Fomesafen	<0.0500 µg/L	<0.0500 µg/L
Gross Alpha	0.482 pCi/L	2.69 pCi/L
Gross Alpha/Beta	-0.676 pCi/L	1.43 pCi/L
Halosulfuron methyl	<0.0500 µg/L	<0.0500 µg/L
Hexazinone	<0.0500 µg/L	<0.0500 µg/L
Imazapyr	<0.0500 µg/L	<0.0500 µg/L
Imazethapyr	<0.0500 µg/L	<0.0500 µg/L
Imidacloprid	<0.0100 µg/L	<0.0100 µg/L
Iron	<50 µg/L	<50 µg/L
Isoxaflutole	<0.0500 µg/L	<0.0500 µg/L
Isoxaflutole RPA202248(DKN)	<0.0500 µg/L	<0.0500 µg/L
Lambda-Cyhalothrin	<0.0200 µg/L	<0.0200 µg/L
Lead	<0.5 µg/L	<0.5 µg/L
Lindane	<0.0200 µg/L	<0.0200 µg/L


Table 6: Processor Legal Entity	Wis-Pak of Watertown, LLC	Zero Proof Water LLC
Linuron	<0.0500 µg/L	<0.0500 µg/L
Malathion	<0.0500 µg/L	<0.0500 µg/L
MCPA	<0.0500 µg/L	<0.0500 µg/L
MCPB	<0.100 µg/L	<0.100 µg/L
MCPP	<0.0500 µg/L	<0.0500 µg/L
Mesotrione	<0.100 µg/L	<0.100 µg/L
Metalaxyll	<0.0500 µg/L	<0.0500 µg/L
Methoxychlor	<0.0500 µg/L	<0.0500 µg/L
Methyl Parathion	<0.0500 µg/L	<0.0500 µg/L
Metolachlor	<0.0500 µg/L	<0.0500 µg/L
Metolachlor ESA	<0.0500 µg/L	<0.0500 µg/L
Metolachlor OA	<0.270 µg/L	<0.270 µg/L
Metribuzin	<0.0500 µg/L	<0.0500 µg/L
Metribuzin DA	<0.100 µg/L	<0.100 µg/L
Metribuzin DADK	<0.120 µg/L	<0.120 µg/L
Metsulfuron-methyl	<0.0500 µg/L	<0.0500 µg/L
Nicosulfuron	<0.0500 µg/L	<0.0500 µg/L
Nitrogen-Nitrate/Nitrite	<0.50 mg/L	0.793 mg/L
Norflurazon	<0.0500 µg/L	<0.0500 µg/L
Oxadiazon	<0.0500 µg/L	<0.0500 µg/L
Pendimethalin	<0.0500 µg/L	<0.0500 µg/L
Permethrin	<0.0300 µg/L	<0.0300 µg/L
Picloram	<0.0500 µg/L	<0.0500 µg/L
Prometone	<0.0500 µg/L	<0.0500 µg/L
Prometryn	<0.0500 µg/L	<0.0500 µg/L
Propiconazole	<0.0500 µg/L	<0.0500 µg/L
Saflufenacil	<0.0500 µg/L	<0.0500 µg/L
Simazine	<0.0500 µg/L	<0.0500 µg/L
Sulfates	<10 mg/L	12.3 mg/L
Sulfentrazone	<0.0500 µg/L	<0.0500 µg/L
Sulfometuron-methyl	<0.0500 µg/L	<0.0500 µg/L
Tebupirimphos	<0.0500 µg/L	<0.0500 µg/L
Tembotriione	<0.100 µg/L	<0.100 µg/L
Thiacloprid	<0.0100 µg/L	<0.0100 µg/L
Thiamethoxam	<0.0100 µg/L	<0.0100 µg/L
Thiencarbazone-methyl	<0.0500 µg/L	<0.0500 µg/L
Total Dissolved Solids	28.0 mg/L	268 mg/L
Toxaphene	<0.500 µg/L	<0.500 µg/L
Triclopyr	<0.0500 µg/L	<0.0500 µg/L
Trifluralin	<0.0500 µg/L	<0.0500 µg/L
Zinc	<10 µg/L	17.3 µg/L

Graphs: Processor Samples Test Results






Nitrogen-Nitrate/Nitrite
Enforcement Standard: 10 mg/L



Sulfate
Secondary Standard: 250 mg/L



Total Dissolved Solids
Secondary Standard: 500 mg/L

