

Daif	RY SERVICES WEBPAGE	
	Dairy Services	
		Licensing
		Resources for Dairy, Food and Restaurant Licensing
		Contact Us
	The dairy industry has a large impact on Wisconsin's economy and culture. At DATCP, our goal is to ensure	Find Your Dairy Senitarien
	consumers can trust the safety and availability of milk and other dairy products.	Dairy Technical Specialist Map
	The Division of Food and Recreational Safety (DFRS) handles licensure and inspections to make sure dairy farms, producers, and transporters meet state and federal regulations that keep dairy products safe for the public. We also	Milk Sanitation Rating Officers
	have resources for people across the dairy industry, including technical assistance, standards development, and	Map
	evaluation	DATCPFRESupport@wi.gov for
	Territory maps and contact information for Dairy Services staff are listed under the "Contact Us" section of this page. For general questions, contact your sanitarian. For technical questions related to equipment or plan reviews, contact	licensing questions about:
	your Dairy Technical Specialist (DTS). For questions related to the PMO or NCIMS programs, contact the Milk.	Bulk milk weigher and samolers
	Sanitation Ratings Officers (MSRO) at DATCPOFSMSRO@wisconsin gov. For questions related to laboratories or	Butter makers and graders
	laboratory analysts, contact the Laboratory Evaluation Officers (LEO) at DATCPLEO@wisconsin gov. For ficensing related questions, please review the Resources for Dairy. Food, and Restaurant Licensing Indeed above the contact	Cheese makers and graders
	information	Milk and cream testers Pasteurizer certificates
	DFRS Dairy Resources	HTST payments
		Lab and lab analysts

BMWS ANNUAL FAIRGROUND EVENTS

- BMWS 2025 renewals have been sent out, expiration Sept. 30
- Will support other group exercises coordinated by industry



VISCONSIN DEPARTMENT OF AGRICULTURE TRADE AND CONSUMER PROTECT

Location	Address	2025 Dates	I
Clark	1121 E. Division Street, Neillsville	September 11, 12	
Dodge	Wisconsin 33, Beaver Dam	September 16, 19	
Fond du Lac	520 Fond du Lac Avenue, Fond du Lac	September 10, 12	
Grant	917 E. Elm Street (Hwy A), Lancaster	September 9, 12	
Green	2600 Tenth Street, Monroe	September 23, 26	
Marathon	1201 Stewart Avenue, Marathon	September 11, 12	

TANKER EMERGENCY TRANSFERS

- Anytime a tanker is transferred outside of a permitted facility
- Who to notify
 - DATCP emergency response:
 - (608) 224-4714
 - <u>datcpfoodcomplaintsemergencyresponse@wi.gov</u>
 - DNR spill response hotline at (800) 943-0003
 - If milk is spilling from the bulk tank to the ground
 - Receiving dairy plant's quality assurance manager and confirm if the product can be received



TANKER EMERGENCY TRANSFERS

Documentation

- Copies of load manifests and the bill of lading being delivered to destination
- Copies of any weight tickets
- Any photos of the accident and product transfer

Submit this information to the receiving plant's quality assurance manager and DATCP's emergency response program.



Final step: has been submitted to the Legislature Potentially end of year completion





May 19, 2025 News Release

- HPAI/H5NI Detection and Next Steps
 Initial Testing: If H5NI is detected, DATCP's Division of Animal Health will be notified by the WVDL and the Division of Animal Health will notify the farm.
 - Follow-Up: DATCP's Division of Animal Health will work with affected farms regarding quarantine requirements. For more information, refer to the What To Do if H5N1 is Confirmed on Your Dairy Farm resource document on DATCP's website.
 - Milk Standards: Farms may continue shipping milk if it meets "normal" milk standards it sams may continue shipping milk if it meets "normal" milk standards under <u>ATCP</u> 65.20 (milk that is not bloody, stringy, off-colored, or otherwise abnormal). Additionally, the <u>Food and Drug Administration</u> and USDA continue to emphasize that the commercial milk supply is safe because of the pasteurization process.
 - Any H5N1 detections will also be confirmed by the National Veterinary Services Laboratories (NVSL).



PLAN REVIEW REQUIREMENTS

- 65.14(6) REVIEW OF PLANS. (a) Before installing, reconstructing, or extensively altering a bulk tank, milking system, milk handling system, milkhouse, milking parlor, or dairy farm water supply system, the **installer** shall, on behalf of the milk producer, submit plans to the division for
 - DATCP returns comments within 14 days, \$25 fee
- 65.14(7) Signed written statement certifying compliance



MILK PRODUCER LICENSING

- 65.02(2)(b) 15 days to act on a complete application
- Please submit new milk producer application via MyDATCP I-2 weeks prior to anticipated licensing date.
- Option for a temporary B license only for up to 40 days.



CREA	714		HXI(-

65.54(2)(f) (f) Cream, skim milk, or low-fat milk that have been treated with heat to an extent less than pasteurization, and then shipped in bulk to another dairy plant for use in manufacturing dairy products. Cream, skim milk, and low-fat milk, after being heated to an extent less than pasteurization, shall $\underline{immediately}$ be cooled to a temperature of 45° F. or less.

Issues noted with older processes not maintaining cream temperatures.



DAIRY PROGRAM

- 4,835 current Grade A milk producers
- 604 inspections conducted in July
- 9,136 in the last 12 months
- 772 current Grade B milk producers
- 71 inspections conducted in July
- 1,002 in the last 12 months



DAIRY PROGRAM - PBFI

 Once/12 months 	2,802	57.95%	↑2.30%
 Once/6 months 	1,221	25.25%	↓1.36%
 Once/4 months 	664	13.73%	↓1.06%
 Once/3 months 	148	3.06%	10.12%



																							_
Active N																						8/27/2025	
icense #	Plant #	Patron #	вти	County	Municipality	Producer Status	Legal Name	DBA	Mailing Name	Mailing Address	Farm Location	Species	Can Milk		Current PBF1 Frequency	Current PBFI Reason	Next Routine Insp Start	Last Insp Performe d		Water Source Name	Sample	Coldorm Result	E.
											Sovne Ma			Once Every I Months	Two SPC > 25,000 but += 100,000	10/01/2025	6415/2025	Yout	Well 1	03/18/2025	Negative		
							1	VA.	AB	AC	A	D	AE	AF	A	3							
						ļ	PBF	1 Ch	anges														
							Cour Muni y		Property Address Legal Entity Name	Licens #	e Plant	Pa	tron	Old PB Freque Old PB Reason	Cy Frequi	ency BFI							
														6 Month	6 Mont 5 Two S 25,000 5 100	ns PC » but					(d)	pd. 75407 ap.	6







