

STATE OF WISCONSIN Department of Agriculture, Trade and Consumer Protection

Approval # 20230001

Bureau of Weights and Measures Storage Tank Regulation P.O. Box 7837 Madison, WI 53707-7837

Wisconsin ATCP 93 Material Approval

Equipment: Liquid Sensors for Secondary Containment Leak Detection Systems

Manufacturer: PMP Corporation 25 Security Dr Avon, CT 06001

Expiration of Approval: December 31, 2026

SCOPE OF EVALUATION

Liquid sensors to be used in conjunction with Veeder Root (VR) TLS-350 systems for secondary containment sumps and tank interstitial monitoring.

This evaluation summary is condensed to provide the specific installation, application and operation parameters necessary to maintain the subject systems in compliance with the Wisconsin Administrative Code – ATCP 93.

DESCRIPTION AND USE

PMP liquid sump sensor model numbers 63228 and 63229 and tank interstitial sensor model numbers 63409, 63420, and 63460 can be used with the VR TLS-350 monitoring system.

<u>Liquid Sensors</u>

The following chart shows the appropriate consoles to be used with sensing probes, and the typical application/capability for each sensor.

Sensor No.	Application	Notes	TLS-350, 350Plus, 350R, 350J, ProMax, Gilbarco EMC
63228	Sumps	12' Cable	Х
63229	Sumps	30' Cable	Х
63409	Fiberglass Tank Interstitial	For Use in tanks 4' to 12' diameter	X
63420	Steel Tank Interstitial	16' Cable	Х
63460	Steel Tank Interstitial	30' Cable	Х

Sensor-Console Application Chart

Liauid Sensors

• The Liquid Sensors shall be placed such that a release from any portion of the tank or piping will be detected.

Installation Notes:

• When monitoring double-wall tanks or sumps, a liquid sensor must be located at the lowest point of interstitial space or sump.

This approval will be valid through December 31, 2026, unless manufacturing modifications are made to the product or a re-examination is deemed necessary by the department. The Wisconsin Material Approval Number must be provided when plans that include this product are submitted for review.

DISCLAIMER

The Department is in no way endorsing or advertising this product. This approval addresses only the specified applications for the product and does not waive any code requirement unless specified in this document.

Effective Date: 11/21/2022

Reviewed by:

Date: 11/21/2022

Erik Otterson Environmental Engineering Specialist

Any Banta

Approved by:____

1

Greg Bareta, P. E. Section Manager Storage Tank Regulation Bureau of Weights and Measures Date: <u>11/21/2022</u>

Secondary Containment Volumes by Manufacturer

Volume		8	0.9824 Gal / F1	-	0.0077 Cal / E4	0.0094 Gal / Ft		250 Gal/Ft		10.5 Gal	10 Gal	9 (9 9	80 80 80 80 80 80	8 Gal	7 Gal	7 Gal	- 7 GB	100	7 Gel	7 Gai	7 Gel	- (68)	5 Gal	5 Gal	5 Gal	3 7.58	8000	3.5 Gal	5.5 Gal	-		8 Gal / Tank	10 Gel / Tank	AR Cal / Tank	59 Cel / Tank	76 Gal / Tank	93 Gel / Tank	110 Gal / Lank			76 Gal / Tank	90 Gel / 181X	152 Gel / Tank	189 Get / Tank	227 Gal / Tank	NB1/100 H07	144 Gal / Tank	167 Cal / Tank	213 Gal / Tank	280 Gel / Tank 325 Gel / Tank	375 Gal / Tank	498 Gal / Tank 579 Gal / Tank		0.5714 Gal / Ft	0.6631 Gal / Ft
lype	1.05	6375 piping	90/160 piping		Western Friberglass	CoFlex 2" pipting		42" Double Watted FRP Tank Sump 48" Double Watted EDD Toot Sumo		Double Welled Dispenser Sump DS1840	Double Walled Dispenser Sump DS1836	Double Walled Dispenser Sump DS1542	Double Walled Dispenser Sump Do 1040	Double Walled Dispenser Sump DS1142	Double Walled Dispenser Sump DS1323	Double Walled Dispenser Sump DS1320	Double Walled Dispenser Sump DS1130	Double Waited Dispersed Sump Do 1129 Druhle Waited Disperser Sump DS 1125	Double Walted Dispenser Sump DS1123	Double Walled Dispenser Sump DS1122	Double Wetled Dispenser Sump DS1121	Loude Wated Lisperser Sump US1120	Double Watted Dispenser Sump DS1117	Double Walled Dispenser Sump DS1115	Double Wailed Dispenser Sump DS1114	Double Waited Uispenser Sump US1112	COUNTY AVAILON CASPONISCI COUNTY COUCH	Small Vent Box (24x30x30)	Large Vent Box (24x42x29)	Xarrae	Double Welf Tanks	48" Diameter 600 Galion Capacity	48" Diameter 1,000 Gallion Capacity	77" Diamater 2 500 Calinn Cananity	72" Diameter 3,000 Galon Capacity	72" Diameter 4,000 Gallon Capacity	72 Diameter 5,000 Galion Capacity	12 Diameter 6,000 Galion Capacity	Xerxes	Double Wall Tanks - continued	96" Diameter 4,000 Gallon Capacity	30 Dameter 5,000 Gallon Capacity 96" Diameter 5,000 Gallon Capacity	96" Diameter 8,000 Galion Capacity	96" Diameter 10,000 Gallon Captacity	96" Diameter 12,000 Gallon Capacity	So created is two cannot canadily	120" Diameter 10.000 Gallon Capacity	120" Diameter 12,000 Gallon Carvacity	120 Diameter 15,000 Galton Capacity	120 Diameter 20,000 Gallon Capacity 120 Diameter 25,000 Gallon Capacity	120" Diameter 30,000 Gallon Capacity	120" Diameter 35,000 Gallon Capacity 120" Diameter 40,000 Gallon Capacity	Provide Barney	42" Double Well Tank Sump	48" Double Wall Tark Sump
Volume			41 Gal / Tank	64 Gal / Tank	75 Gal/Tank	120 Gel / Tank	142 Gal / Tank	150 Gel / Tank 157 Cel / Tank	172 Gel / Tank	183 Gel / Tank	239 Gal / Tank	204 Gal / Tark	307 Gel / Tank	389 Gal / Tank	426 Gel / Tank	471 Gel / Tank	501 Gal / Tank			4 Gel / Tank	5 Gal / Tank	7 Cal / Tark		9 Gel / Tank	10 Gal / Tank	13 (581 / 180) 15 (5at / Tank	17 Gel / Tank	22 Gel / Tank		0 (Edf. Cat / Ft	0.0618 Gal / Ft	0.3299 Gal / Ft	0.401 Gel / Ft		1.9 Gel / Ft			8				10 Cal		0.0089 Gal / Ft	0.006 Get / Ft			0.974 Gal/Ft	1.1126 Gel / Ft	3.3896 Gel / Sump		0.23 Gal / Ft 0.276 Gal / Ft	0.823 Gel / Ft		0.0052 Gal / Ft 0.0079 Gal / Ft
Type	Medam Waking	Steel walled tank w/ FRP exterior (Model 18:	520 Galon Tank, 4 ft dia	1,000 Getton Tank, 5 ft 4 in dia	2,000 Gallon Tank, 5 ft 4 in dia	4,000 Galton Tank	5,000 gation tank	6,000 gallon tank a non Calton Tany	0,000 Gallor Tank	12,000 Getion Tank	15,000 Galton Tank	20,000 Galion Tank	22,000 Gallon Tank 30,000 Gallon Tank	35,000 gelion tank	40,000 Galion Tank	45,000 gellon tark	50,000 Gallon Tank	Steel welfed conscrete tanks (Glasteel II, Model 13	560 Galion Tarik	1,000 Geliton Tenik	2,000 Gelion Tank	3,000 Gatton Tank		6,000 Galton Tank	8,000 Gatton Tarrk	10,000 Galton Tank	15,000 Galton Tank	20,000 Galion Tank		7" over 1.5" ninima (7.48"" OD v 1.969" OD)	3" over 2" bibling (2.953" OD x 2.480" OD)	4" over 3" piping (4.921" OD x 3.543" OD)	4" over 2" piping (4.3" OD x 2.48" OD)	DAV	Double Wall Dispenser Sump, DST series		Tank Sump 42" Dia x 42" Ht, TRFSDW 4248	Tank Sump 42 Dia X 60 Ht TRFSDW4260	Tank Sump 48" Dia x 42" HL TRFSDW 4848	Tank Sump 48" Dia x 60" Ht, TRFSDW 4860	Tank Sump 48" Dia x 72" Ht, TRFSDW-4872	Partitle West Vent Stark Sumn TST-4536		CD15DW, 1-1/2" Double Wall Pipe	CD15RB, 1-1/2" Ribbed Double Well Pipe	CITZUND, 2 NUMBER LOUDER YREE THE	Phil Tite	42" Double well Tank Sumo	48" Double well Tank Sump	Double wail UDC	Smith	3" over 2" Fiberglass piping 4" over 3" Fiberglass piping	6" over 4" Fiberglass piping	Total Containment	OmniFlex 1.5" (CP1503) OmniFlex 2.5" (CP2503)
Vokme				163.1	21/2	11	291.4	307.4	339.5	355.6	387.7	403./	435.8 Gal/Tank			1		708.6 Gal / Tank		901.1 Gal/Tank			0.9372 Gal/Ft			4 Cal/Tank				9 Cal/Tark				7) Call/Tank				0.0028 Gal/Ft	T	Π	T		5 Gal	6.5 Gal	6.5 Gal	1.00	8 64	10 Ge	8.5 Gal	10.5 Gat 8 Gat	8 Gal	8 Gel 9 Gel			
Type	Pontairen ant Cali diare	Counter Wall Tanks - continued	120" Diameter 10,000 Callon Capacity	120" Diameter 12,000 Gallon Capacity	120° Diameter 15,000 Galton Capacity	120° Diameter 17,000 Gallon Capacity	120" Diameter 18,000 Gallon Capacity	120" Diameter 19,000 Gallon Capacity 120" Diameter 20,000 Gallon Capacity	120° Diameter 21,000 Galon Capacity	120" Diameter 22,000 Gallon Capacity	120" Diameter 23,000 Gallon Capacity	120" Diameter 24,000 Gallon Capacity 120" Diameter 26,000 Callon Capacity	120° Diameter 25,000 Gallon Capacity	120" Diameter 28,000 Gallon Capacity	120" Diameter 30,000 Gallon Capacity	120" Diameter 31,000 Gallon Capacity	120° Dameter 32,000 Gallon Capacity	120 Utameter 30,000 Gallon Capacity 120° Diameter 40,000 Gallon Capacity	120" Diameter 45,000 Gallon Capacity	120" Diameter 50,000 Gelion Capacity		Louise way sumps	48" Double Walled Tank Sump		EFS Jacketed Tanks	200 Genor Standard Eturion Lark	2000 Gelion Standard Button Tank	3,000 Gelion Standard Elutron Tank	4,000 Gellon Standard Butron Tark	5,000 Gallon Startoard Elution 1 ark 6 000 Gallon Standard Flutton Tank	8.000 Gallon Standard Elutron Tank	10,000 Galfon Standard Butron Tank	12,000 Galion Standard Elutron Tarris	70,000 Galon Standard Euron 1975		Erviron	Geofier Piping	GeoFlex Piping . 75 Dia. (GFP-20/5) Conflex Brunn 1 (F Dia. (GFD-21/0)	GeoFlex Ploing 1.5" Dia. (GFP-2150)	GeoFlex Fiping 2.0" Dia. (GFP-2200)	Geoffex Piping 3.0" Dia. (GFP-2300)	Discontext Sum	Dispenser Sump FDS-2014-DW	Dispenser Sump FDS-2414-DW	Dispenser Sump FDS-2716-DW	Disperse Simp FDS-222-DW	Dispenser Sump FDS-3621-DW	Dispenser Sump FDS-4021-DW	Dispenser Sump FDS-4319-DW	Dispenser Sump FDS-4422-DW Dispenser Sump FDS-4614-DW	Dispenser Sump FDS-4714-DW	Dispenser Sump FDS-4715-DW Dispenser Sump FDS-4771-DW			
Volume	0.3196 (2417 E)	0.2652 Gal / Ft	0.8398 Gal / Ft		0.0133 Gal/Ft	0.0252 Gal / Ft		0.0034 (241/154	0.0042 Gal/Ft	0.0119 Gal / Ft	0.0062 Gal / Ft	0.0182 Get/Ft	0.0104 Gel/Fl			1.25 Gal/Sump	2 Gal/Sump	11429 Cal/Ft	1.3061 Cal/FI		1.25 Gal/Sump	Z.UU Gausump			5.8 Gal / Tank	2.9 (-001/180)X	251 Gel / Tark	33.4 Gel / Tank	41.7 Gal / Tank	40.0 Gat / Tank	58.1 Gel/Tartk	66.4 Gal / Tank	82.9 Gal / Tank	91.2 G41 / IBIK	116.1 Gel/Tank	132.4 Get / Tank	1 - 21 - 0 - 000	32.2 Gal/Tank	53.2 Gal/Tank	63.7 Gal/Tank	74.2 Gal / Tank	30.2 Gal/1ank	116.2 Gal / Tank	126.7 Gal / Tank	137.2 Gal / Tank	158.7 Cal / Tank	168.8 Gel / Tank	179.4 Gal / Tank	210.7 Gal / Tank						
lype	Patientini Pasteu 2000 2ª ruse 2ª mining	Duelov 30001. 4" over 3" nining	Dutacy 30001. 6" over 4" piping		Dualoy 3000LCX Z piping	Dualoy 30001.CX 4" piping		APT 0.6" Provide Well Bind	0.0 Louiste wai ruce	1.00" Double Well Pipe	1.5" Double Wall Pipe	1.75 Dauble Wall Pipe	2.55" Double Well Pipe		Bravo	Small Foot Print Double Wall UDC	Large Foot Print Double Well UDC	42" Double Mee Tank Sump	48" Double Well Tark Sump		Small Vent Box	Large Vert box	Containment Solutions	Double Wall Tanks	48" Diameter 550 Gallon Capacity	48" Diameter 600 Gaton Capacity	72" Diameter 2,000 Gallon Capacity	72" Diameter 2,500 Gallon Capacity	72" Diameter 3,000 Gallon Capacity	1/2 Diameter 3,300 Gallon Capacity	72" Diameter 4,500 Galton Capacity	72" Diameter 5,000 Gallon Capacity	72" Diameter 6,000 Gallon Capacity	72" Diamaters 7, UCU Gallon Capacity	72" Diameter 9,000 Gallon Capacity	72" Diameter 10,000 Gallon Capacity		92" Diameter 4,000 Gallon Capacity	92" Diameter 6,000 Gallon Capacity	92" Diameter 7,000 Gallon Capacity	92" Diameter 8,000 Gelion Capacity	32 Ditemeter 10,000 Galon Capacity 37" Diameter 11 000 Galon Capacity	92" Diameter 12,000 Gallon Capacity	92" Diameter 13,000 Gallon Capacity	92" Diameter 14,000 Gallon Capacity	92 Unameter 13,000 Galini Capacity	92" Diameter 17,000 Galon Capacity	92" Diameter 18,000 Galion Capacity	92" Diameter 20,000 Galion Capacity						