

## Western Bean Cutworm Trap Counts Year-End Summary 2021

County	Location	Week 1 Jun 23	Week 2 Jun 30	Week 3 Jul 07	Week 4 Jul 14	Week 5 Jul 21	Week 6 Jul 28	Week 7 Aug 04	Week 8 Aug 11	Week 9 Aug 18	Week 10 Aug 25	Week 11 Sep 1
Adams	Adams	0	0	0								
Burnett	Grantsburg			0		1	20	9				
Clark	Curtis	1	0	0	0	0	1	0	0	0		
Clark	Dorchester	1	0	0	0	0	1	0	0	0		
Clark	Granton	0	0	0	1	0	0	0	1	0		
Clark	Loyal	0	0	0	0	0	1	1	0	0		
Columbia	Arlington	1	1	1	13	112	26	15	2	1		
Columbia	Arlington N	0	0	0	10	20	34	3	0	1		
Columbia	Columbus		0	0	3	40	12	0	0	0		
Columbia	Fort Winnebago		0	17	20	65	56	48	3	1		
Columbia	Leeds		0	0	1	12	0	0	0	0		
Columbia	Lewiston	0	0	5	67	117	173	88	8	0		
Columbia	Lodi	1	0	1	11	64	88	26	8	4		
Columbia	Newport	0	0	3	20	67	218	140	18	1		
Columbia	Pardeeville N	0	0	2	32	31	33	4	4	0		
Columbia	Pardeeville S	1	0	4	20	19	19	3	2	0		
Columbia	West Point	0	0	0	30	30	37	2	2	0		
Dodge	Beaver Dam	0	0	0	0	81	146	7	3	6	1	
Dodge	Fall River		0	0	3	19	16	9	2	0		
Dodge	Randolph		0	0	7	85	78	17	2	0		
Dodge	Waupun	0	0	0	4	79	110	12	4	1	0	
Fond du Lac	Ripon	0	0	0	3	54	145	10	2		0	

Pheromone traps were established at 48 sites throughout Wisconsin in 2021 to determine the start, peak, and size of the flight of western bean cutworm moths. The results are summarized in the table above. Trap type: milk jug Lure type: Trécé Western Bean Cutworm

## Western Bean Cutworm Trap Counts Year-End Summary 2021

County	Location	Week 1 Jun 23	Week 2 Jun 30	Week 3 Jul 07	Week 4 Jul 14	Week 5 Jul 21	Week 6 Jul 28	Week 7 Aug 04	Week 8 Aug 11	Week 9 Aug 18	Week 10 Aug 25	Week 11 Sep 1
Green Lake	Manchester		0	0	12	77	42	19	3	0		
Green Lake	Markesan		0	1	23	34	41	65	4	2		
Green Lake	Princeton		0	8	42	59	169	122	14	6		
Juneau	Lyndon Station		0	0	9	43	69	46	3	3		
Langlade	Antigo	0	0		4	1	41	38	1	2		
Manitowoc	Manitowoc		0	0	0	6	9	18	5		1	
Marathon	Wausau	0	0	0	0	0	0	1	0	0		
Marinette	Crivitz		0	0	0	0	30	17	27			6
Marquette	Montello		0	5	36	18	14	12	1	1		
Oconto	Abrams		0	0	0	2	27	8	2			0
Pepin	Durand	2	2	1	1		0					
Polk	Atlas			0		0	15	34				
Racine	Burlington	0	0	0	1	0	3	0	0			
Sauk	Greenfield	0	0	1	6	68	50	39	5	1		
Sauk	Lake Delton		1	6	34	52	64	60	3	1		
Sauk	Loganville		0	0	4	53	72	46	4	0		
Sauk	Merrimac		0	2	34	89	33		25	4		
Sauk	Plain		0	0	4	18	36	14	1	1		
Sauk	Prairie du Sac	0	1	32	90	12	9	5	0	1		
Sauk	Reedsburg S		0	0	1	13	29	2	0	0		
Sauk	Spring Green		0	3	19	31	27	6	3	2		
Sauk	Troy		0	4	47	39	25	14	0	3		

Pheromone traps were established at 48 sites throughout Wisconsin in 2021 to determine the start, peak, and size of the flight of western bean cutworm moths. The results are summarized in the table above. Trap type: milk jug Lure type: Trécé Western Bean Cutworm

## Western Bean Cutworm Trap Counts Year-End Summary 2021

County	Location	Week 1 Jun 23	Week 2 Jun 30	Week 3 Jul 07	Week 4 Jul 14	Week 5 Jul 21	Week 6 Jul 28	Week 7 Aug 04	Week 8 Aug 11	Week 9 Aug 18	Week 10 Aug 25	Week 11 Sep 1
Sauk	West Baraboo	0	0	0	4	11	15	4	1	1		
Walworth	East Troy	1	0	0	4	5	4	4	0	0		
Waushara	Hancock			0	0	8	30	12	5			
Wood	Marshfield	0	0	1	5	20	42	14	1	0		

Pheromone traps were established at 48 sites throughout Wisconsin in 2021 to determine the start, peak, and size of the flight of western bean cutworm moths. The results are summarized in the table above. Trap type: milk jug Lure type: Trécé Western Bean Cutworm