

Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WISCONSIN

Reflex® Herbicide For Weed Control in Succulent Lima Beans

> EPA Reg. No. 100-993 EPA SLN No. WI-220002

Accepted Date: 05/11/2022 Expiration Date: 12/31/2026

This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2026

SYNGENTA'S SPECIAL CONDITIONS, RISKS OF USE AND DISCLAIMER FOR USE OF REFLEX HERBICIDE ON CROPS ON THIS 24(c) LABEL

IMPORTANT- READ BEFORE USE

THESE CONDITIONS RISKS OF USE AND DISCLAIMER ARE REQUIRED BY SYNGENTA CROP PROTECTION LLC AND NOT SPECIFIED BY U.S. EPA OR THE OF STATE OF WISCONSIN

USE OF REFLEX HERBICIDE (THE "PRODUCT") ON CROPS LISTED (THE "CROP") FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP. SYNGENTA RECOMMENDS THAT THE USER TEST THIS PRODUCT TO DETERMINE ITS SUITABILITY FOR SUCH INTENDED USE.

Syngenta Crop Protection, LLC makes the Product available for use in the manner described in this Section 24(c) Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss.

The decision to use this Product in the manner described in this Section 24(c) Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors. Syngenta recommends that the user test this Product to determine its suitability for such intended use.

By purchasing the Product for use, or using the Product in the manner described in this Section 24(c) Labeling, you acknowledge and accept that, to the extent consistent with applicable law:

- 1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- 2) Syngenta Crop Protection, LLC do not make, and do not authorize any agent or representative to

Page 1 of 3 EPA SLN No. WI-220002 make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Section 24(c) labeling;

- 3) Syngenta Crop Protection, LLC do not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- 4) Syngenta Crop Protection, LLC disclaim all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- 5) these conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Syngenta Crop Protection, LLC or their respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered label.

It is a violation of federal law to harm an endangered species. Use of this product may be in counties which have endangered and threatened species present; therefore, applicators should evaluate the areas to be treated and take necessary precautions to avoid harming endangered species or their habitat/environment. Growers who are uncertain of the presence of a protected species should contact the Wisconsin Department of Agriculture, Trade and Consumer Protection at 608-224-4547.

SUCCULENT LIMA BEANS

Refer to Region 3 and Region 4 Maps on Reflex Section 3 Federal label.

Use areas in Region 3 in Wisconsin: All areas south of U.S. Highway 18 between Prairie du Chien and Madison, and south of Interstate 94 between Madison and Milwaukee.

Use areas in Region 4 in Wisconsin: All areas south of Interstate 94 (except those in Region 3) from Minnesota state line to Eau Claire and south of U.S. Highway 29 from Eau Claire to Green Bay plus Barron, Burnett, Chippewa, Clark, Door, Dunn, Eau Claire, Langlade, Lincoln, Kewaunee, Marathon, Marinette, Menominee, Oconto, Polk, Price, Rusk, Sawyer, Shawano, St. Croix, Taylor, and Washburn counties. The following counties are excluded: Adams, Marquette, Portage, Waupaca, Waushara and Wood.

Postemergence Application

Apply Reflex Herbicide at 0.75 - 1 pint/A as a postemergence broadcast application in lima beans. Refer to the federal label for weeds controlled or partially controlled by postemergence applications. Apply when broadleaf weeds are at the 2-4 leaf stage. Apply when lima beans have at least one fully expanded trifoliate leaf. Some bronzing, crinkling or spotting of leaves may occur following postemergence application, but lima beans soon outgrow these effects and develop normally.

Spray Additives

Only spray additives cleared for use on growing crops under 40 CFR 180.1001 may be used in spray mixture.

For postemergence applications always add one of the following:

Nonionic Surfactant (NIS) - Use NIS containing at least 75% surface active agent at 0.25-0.5% v/v (1-2 qt/100 gallons) of the finished spray volume.

Crop Oil Concentrate (COC) - Use a nonphytotoxic COC containing 15-20% approved emulsifier, at 0.5-1% v/v (0.5-1 gallon/100 gallons) of the finished spray volume. COC can improve weed control but may slightly reduce crop tolerance.

Do not use UAN (28% or similar) or ammonium sulfate mixtures on lima beans as severe crop injury may occur.

Sequential Applications with Other Products Registered for Use in Succulent Lima Beans

Reflex Herbicide may be applied sequentially with other pesticide products registered for use in lima beans. Always follow the directions for use, observe the stated precautions, and abide by the limitations and restrictions for all products. The most restrictive labeling of any product used applies.

Use Restrictions

- Do not exceed 1 pint of Reflex Herbicide per acre in any one year.
- Do not apply to any field more than once every two years.
- Do not graze treated areas or harvest for forage or hay. Do not utilize hay or straw for animal feed or bedding.
- Do not apply within 30 days of harvest.
- Refer to Reflex Herbicide Section 3 federal label for rotational crop restrictions.
- Do not tank mix other pesticides with Reflex Herbicide as injury to lima beans may occur.

©2022 Syngenta

Reflex® and the Syngenta logo are trademarks of a Syngenta Group Company

24(c) Registrant: Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, NC 27419-8300

Label Code: WI0993044BA0122