

Test Reporting Requirements for Gilbarco CSLD ATG Leak Detection

When to submit your test results

- When renewing your annual Permit-to-Operate the owner/operator must supply the department with <u>passing</u> test reports of the 3 most current consecutive months of testing, and each test must be 28-32 days apart. For example, if your first test was June 1, the second test must be July 1, and the third test must be on August 1.
- When an inspection is conducted by the State of Wisconsin, at least 12 months of test reports must be available for review by a state inspector.
- Below is the CSLD test report example that the Gilbarco ATG system will print for all models. You are required to submit the test report when renewing your annual permit to operate.

BUSINESS NAME ADDRESS CITY, ST ZIP
F01234567890123
MAY 1, 2015 8:00 AM
CSLD_TEST_RESULTS MAY_1, 2015_8:00_AM
T 1:DIESEL-GEN PROBE SERIAL NUM 012345
0.20 GAL/HR TEST PER: MAY 1, 2015 <mark>PASS</mark>

If you have questions about how your Gilbarco ATG system works please contact your service company or Gilbarco directly. You can also find further information about your specific leak detection equipment on the materials approval page of our website. The Gilbarco material approval number is 2002005R1.

Leak detection FAQs

What is leak detection?

"Leak Detection" means determining whether a discharge of regulated substance has occurred from a storage tank system into the environment or into the space between the tank and its secondary barrier or containment.

What is "ATG"?

"Automatic Tank Gauging" (ATG) or "Automatic Leak Detection" means a leak detection or monitoring system that will provide continuous 24-hour monitoring for the detection of a release or leak of vapor or product and will immediately communicate the detection of the release or leak to an electronic signaling device.

What is CSLD?

Wisconsin Administrative Code §§ ATCP 93.510 and 93.515 require all new and existing underground tank systems which store regulated substances to be provided with a method of leak detection. One of the acceptable methods of leak detection is "CSLD" (continuous leak detection).

Continuous Statistical Leak Detection (CSLD) monitors the product level and temperature in the tank at idle times. The system will continue to monitor the tank until it has gathered enough data to conclude that the tank system is tight, or there is a possible leak.

BUREAU OF WEIGHTS AND MEASURES

PO Box 8911 Madison, WI 53708 (608) 224-4942 datcp.wi.gov

RESOURCES

Wis. Admin. Code § ATCP 93.510 https://docs.legis.wisconsi n.gov/code/admin_code/a tcp/090/93/V/510

<u>Wis. Admin Code § ATCP</u> <u>93.515</u> https://docs.legis.wisconsi n.gov/code/admin_code/a tcp/090/93/V/515

Materials Approval Page https://datcp.wi.gov/Page s/Programs_Services/Mate rialApprovalsLeakDetectio n.aspx

<u>Gilbarco</u> http://www.gilbarco.com/us/

Approval #2002005R1 https://datcp.wi.gov/Docu ments/ER-BST-MA-20020005R1.pdf